

PRICE 1/-

A Catalogue of New Rare and Beautiful PLANTS AND ORCHIDS

OFFERED BY

WILLIAM BULL, F.L.S.

F.R.G.S., F.Z.S., F.R.H.S.,

MAI. F.R.B.S. & M.S.A.

Socc. Hort. Berol.,

Bruxell., St. Petersburg
et Paris, et Soc.

Agric. et Bot.

Gandav. Socius.

1893

New
* Plant
Merchan

536, KING'S ROAD

(and Ashburnham Park)

CHELSEA
LONDON

S.W.





MR. WILLIAM BULL'S ESTABLISHMENT FOR NEW AND RARE PLANTS

Has been favoured with the distinguished Patronage of

HER MOST GRACIOUS MAJESTY THE QUEEN
HIS ROYAL HIGHNESS THE PRINCE OF WALES
HIS ROYAL HIGHNESS THE DUKE OF EDINBURGH
HIS ROYAL HIGHNESS PRINCE CHRISTIAN
HIS SERENE HIGHNESS THE DUKE OF TECK
HER ROYAL HIGHNESS THE DUCHESS OF ALBANY
HIS MAJESTY THE EMPEROR OF GERMANY
HIS MAJESTY THE EMPEROR OF RUSSIA
HIS MAJESTY THE EMPEROR OF AUSTRIA
HIS MAJESTY THE KING OF THE BELGIANS
HIS MAJESTY THE KING OF SWEDEN
HIS MAJESTY THE KING OF SIAM
HIS EXCELLENCY THE LORD LIEUTENANT OF IRELAND
HIS IMPERIAL HIGHNESS THE GRAND DUKE CONSTANTINE
HIS HIGHNESS PRINCE LIECHTENSTEIN
HIS HIGHNESS PRINCE WITTGENSTEIN
SON ALTESSE LE PRINCE SALM SALM

HER MAJESTY'S COMMISSIONERS OF BOARD OF WORKS AND PUBLIC BUILDINGS FOR ENGLAND
HER MAJESTY'S COMMISSIONERS OF BOARD OF WORKS AND PUBLIC BUILDINGS FOR IRELAND

His Grace the DUKE OF NORFOLK
His Grace the DUKE OF RICHMOND
His Grace the DUKE OF ST. ALBANS
His Grace the DUKE OF BEDFORD
His Grace the DUKE OF DEVONSHIRE
His Grace the DUKE OF RUTLAND
His Grace the DUKE OF HAMILTON
His Grace the DUKE OF BUCCLEUCH
His Grace the DUKE OF ARGYLE
His Grace the DUKE OF ROXBURGH
His Grace the DUKE OF PORTLAND
His Grace the DUKE OF NEWCASTLE
His Grace the DUKE OF NORTHUMBERLAND
His Grace the DUKE OF WELLINGTON
His Grace the DUKE OF SUTHERLAND
His Grace the DUKE OF CLEVELAND
His Grace the DUKE OF WESTMINSTER
His Grace the DUKE OF LEINSTER
His Grace the DUKE OF ABERCORN
His Grace the DUKE OF FIFE
The Most Hon. the MARQUESS OF LORNE
The Most Hon. the MARQUESS OF HUNTLY
The Most Hon. the MARQUESS OF LOTHIAN
The Most Hon. the MARQUESS OF LANSDOWNE
The Most Hon. the MARQUESS OF SALISBURY
The Most Hon. the MARQUESS OF HERTFORD
The Most Hon. the MARQUESS OF BUTE
The Most Hon. the MARQUESS OF WATERFORD
The Most Hon. the MARQUESS OF DOWNSHIRE
The Most Hon. the MARQUESS OF DROGHEDA
The Most Hon. the MARQUESS OF ELY
The Most Hon. the MARQUESS OF HEADFORT
The Most Hon. the MARQUESS OF EXETER
The Most Hon. the MARQUESS OF BREADALBANE
The Most Hon. the MARQUESS OF NORTHAMPTON
The Most Hon. the MARQUESS OF CAMDEN
The Most Hon. the MARQUESS OF ANGLESEY
The Most Hon. the MARQUESS OF CONVNGHAM
The Most Hon. the MARQUESS OF LONDONDERRY
The Most Hon. the MARQUESS OF AILESBURY
The Most Hon. the MARQUESS OF BRISTOL
The Most Hon. the MARQUESS OF ABERGAVENNY
The Most Hon. the MARQUESS OF TAVISTOCK
The Most Hon. the MARQUESS OF ZETLAND
The Right Hon. the EARL PERCY
The Right Hon. the EARL OF SHREWSBURY AND
TALBOT
The Right Hon. the EARL OF DERBY
The Right Hon. the EARL OF PEMBROKE
The Right Hon. the EARL OF DEVON
The Right Hon. the EARL OF DENBIGH
The Right Hon. the EARL OF WESTMORLAND
The Right Hon. the EARL OF LINDSEY
The Right Hon. the EARL OF SANDWICH
The Right Hon. the EARL OF ESSEX

The Right Hon. the EARL OF JERSEY
The Right Hon. the EARL POULETT
The Right Hon. the EARL OF CRAWFORD AND
BALCARRES
The Right Hon. the EARL OF MORTON
The Right Hon. the EARL OF EGLINTON AND
WINTON
The Right Hon. the EARL OF HADDINGTON
The Right Hon. the EARL OF STRATHMORE
The Right Hon. the EARL OF MAR AND KELLIE
The Right Hon. the EARL OF GALLOWAY
The Right Hon. the EARL OF LAUDERDALE
The Right Hon. the EARL OF WEMYSS AND MARCH
The Right Hon. the EARL OF SOUTHEK
The Right Hon. the EARL OF KINNOULL
The Right Hon. the EARL OF DALHOUSIE
The Right Hon. the EARL OF DVSART
The Right Hon. the EARL OF KINTORE
The Right Hon. the EARL OF SEAFIELD
The Right Hon. the EARL OF ROSEBERY
The Right Hon. the EARL OF STAIR
The Right Hon. the EARL OF HOPETOUN
The Right Hon. the EARL OF DARTMOUTH
The Right Hon. the EARL FERRERS
The Right Hon. the EARL OF AVLESFORD
The Right Hon. the EARL COWPER
The Right Hon. the EARL OF MACCLESFIELD
The Right Hon. the EARL OF ASHBURNHAM
The Right Hon. the EARL OF ILCHESTER
The Right Hon. the EARL OF RADNOR
The Right Hon. the EARL SPENCER
The Right Hon. the EARL BATHURST
The Right Hon. the EARL OF CLARENDON
The Right Hon. the EARL OF MANSFIELD
The Right Hon. the EARL OF MEATH
The Right Hon. the EARL FITZWILLIAM
The Right Hon. the EARL OF DARNLEY
The Right Hon. the EARL OF WARWICK
The Right Hon. the EARL OF CORK AND ORRERY
The Right Hon. the EARL OF SEFTON
The Right Hon. the EARL OF LISBURN
The Right Hon. the EARL OF ANTRIM
The Right Hon. the EARL OF ANNESLEY
The Right Hon. the EARL OF ERNE
The Right Hon. the EARL OF CARNARVON
The Right Hon. the EARL OF CLONMELL
The Right Hon. the EARL OF LEITRIM
The Right Hon. the EARL OF BANDON
The Right Hon. the EARL OF CASTLE-STUART
The Right Hon. the EARL OF CALEDON
The Right Hon. the EARL OF WILTON
The Right Hon. the EARL OF ROSSLYN
The Right Hon. the EARL OF CLANCARTY
The Right Hon. the EARL OF POWIS
The Right Hon. the EARL GREY

LIST OF PATRONS—Continued.

The Right Hon. the EARL MANVERS
The Right Hon. the EARL OF NORMANTON
The Right Hon. the EARL CADOGAN
The Right Hon. the EARL NELSON
The Right Hon. the EARL OF HAREWOOD
The Right Hon. the EARL BEAUCHAMP
The Right Hon. the EARL BROWNLOW
The Right Hon. the EARL OF MORLEY
The Right Hon. the EARL OF ST. GERMAN'S
The Right Hon. the EARL HOWE
The Right Hon. the EARL OF STRADBROKE
The Right Hon. the EARL OF DUNRAVEN
The Right Hon. the EARL OF LISTOWEL
The Right Hon. the EARL AMHERST
The Right Hon. the EARL CAWDOR
The Right Hon. the EARL OF CAMPERDOWN
The Right Hon. the EARL OF LICHFIELD
The Right Hon. the EARL OF DURHAM
The Right Hon. the EARL OF EFFINGHAM
The Right Hon. the EARL OF VARBOROUGH
The Right Hon. the EARL OF DUCIE
The Right Hon. the EARL OF LEICESTER
The Right Hon. the EARL OF ELLESMERE
The Right Hon. the EARL OF STRAFFORD
The Right Hon. the EARL OF COTTENHAM
The Right Hon. the EARL OF DARTREY
The Right Hon. the EARL OF FEVERSHAM
The Right Hon. the EARL OF RAVENSWORTH
The Right Hon. the EARL OF NORTHBROOK
The Right Hon. the EARL OF WHARNCLIFFE
The Right Hon. the EARL OF LATHIOM
The Right Hon. the EARL SONDES
The Right Hon. the EARL OF SELBORNE
The Right Hon. the EARL OF BELCIVE
The Right Hon. VISCOUNT FALMOUTH
The Right Hon. VISCOUNT DILLON
The Right Hon. VISCOUNT VALENTIA
The Right Hon. VISCOUNT DOWNE
The Right Hon. VISCOUNT GAGE
The Right Hon. VISCOUNT GALWAY
The Right Hon. VISCOUNT POWERSCOURT
The Right Hon. VISCOUNT BANGOR
The Right Hon. VISCOUNT CLIFDEN
The Right Hon. VISCOUNT DONCKRAILE
The Right Hon. VISCOUNT MONCK
The Right Hon. VISCOUNT MELVILLE
The Right Hon. VISCOUNT TEMPLETOWN
The Right Hon. VISCOUNT GOUGH
The Right Hon. VISCOUNT EVERSLEY
The Right Hon. VISCOUNT HALIFAX
The Right Hon. VISCOUNT BRIDPORT
The Right Hon. VISCOUNT PORTMAN
The Right Hon. VISCOUNT CRANBROOK
The Right Hon. VISCOUNT SHERBROOKE
The Right Hon. VISCOUNT NEWPORT
The Right Hon. VISCOUNT HOLMESDALE
The Right Hon. VISCOUNT STORMONT
The Right Hon. VISCOUNT EMLYN
The Right Hon. LORD BROOKE
The Right Hon. LORD ESME GORDON
The Right Hon. LORD KILMARNOCK
The Right Hon. LORD JAMES W. BUTLER
The Right Hon. LORD HASTINGS
The Right Hon. LORD CLINTON
The Right Hon. LORD DACRE
The Right Hon. LORD WINDSOR
The Right Hon. LORD STAFFORD
The Right Hon. LORD HERRIES
The Right Hon. LORD ELPHINSTONE
The Right Hon. LORD WINDSOR
The Right Hon. LORD ST. JOHN OF BLETSOE
The Right Hon. LORD BALFOUR OF BURLEIGH
The Right Hon. LORD REAV
The Right Hon. LORD KINNAIRD
The Right Hon. LORD MIDDLETON
The Right Hon. LORD SCARSDALE
The Right Hon. LORD BOSTON
The Right Hon. LORD FOLEY
The Right Hon. LORD BAGOT
The Right Hon. LORD DYNEVOR
The Right Hon. LORD WALSHINGHAM
The Right Hon. LORD SUFFIELD
The Right Hon. LORD KENYON
The Right Hon. LORD BRAVBROOKE
The Right Hon. LORD AUCKLAND
The Right Hon. LORD CALTHORPE
The Right Hon. LORD BOLTON

The Right Hon. LORD DUNSANY
The Right Hon. LORD CLONBROCK
The Right Hon. LORD HENNIKER
The Right Hon. LORD CLARINA
The Right Hon. LORD VENTRY
The Right Hon. LORD SANDYS
The Right Hon. LORD ELLENBOROUGH
The Right Hon. LORD CREWE
The Right Hon. LORD RENDLESHAM
The Right Hon. LORD DELAMERE
The Right Hon. LORD RAYLEIGH
The Right Hon. LORD POLTIMORE
The Right Hon. LORD CLONCURRY
The Right Hon. LORD DE L'ISLE & DUDLEY
The Right Hon. LORD ASHBURTON
The Right Hon. LORD CAREW
The Right Hon. LORD WENLOCK
The Right Hon. LORD SEATON
The Right Hon. LORD WROTTESELEY
The Right Hon. LORD STANLEY OF ALDERLEY
The Right Hon. LORD LEIGH
The Right Hon. LORD LONDESBOROUGH
The Right Hon. LORD TRURO
The Right Hon. LORD AVLLAND
The Right Hon. LORD BELPER
The Right Hon. LORD FERMOY
The Right Hon. LORD EBURY
The Right Hon. LORD CHESHAM
The Right Hon. LORD ELPHINSTONE
The Right Hon. LORD LECONFIELD
The Right Hon. LORD EGERTON OF TATTON
The Right Hon. LORD TREDEGAR
The Right Hon. LORD WESTBURY
The Right Hon. LORD FITZDARDINGE
The Right Hon. LORD ANNALY
The Right Hon. LORD ATHI UNNEY
The Right Hon. LORD HYLTON
The Right Hon. LORD PENRHYN
The Right Hon. LORD O'NEILL
The Right Hon. LORD HOWARD OF GLOSSOP
The Right Hon. LORD LAWRENCE
The Right Hon. LORD WOLVERTON
The Right Hon. LORD HARLEIGH
The Right Hon. LORD SACKVILLE
The Right Hon. LORD ALINGTON
The Right Hon. LORD WIMBORNE
The Right Hon. LORD ARDLAN
The Right Hon. LORD TREVOR
The Right Hon. LORD LAMINGTON
The Right Hon. LORD DERWENT
The Right Hon. LORD HOTHFIELD
The Right Hon. LORD NORTHBOURNE
The Right Hon. LORD MONKSWELL
The Right Hon. LORD HILLINGDON
The Right Hon. LORD ROTHCHILD
The Right Hon. LORD ST. OSWALD
The Right Hon. LORD WANTAGE
The Right Hon. LORD ESHER
The Right Hon. LORD BURTON
The Right Hon. LORD BRASSEY
The Right Hon. LORD HAMILTON OF DALZELL
The Right Hon. LORD HINDLIFF
The Right Hon. LORD ARMSTRONG
The Right Hon. LORD CHEYLSMORE
The Right Hon. LORD IVEAGH
The Right Hon. LORD MASHAM
M. LE DUC DE MASSA
M. LE COMTE DE GERMINEY
M. LE COMTE DE JAUCOURT
The BARON DE ROTHSCHILD
The BARON ADOLPHE DE ROTHSCHILD
The BARON ALPHONSE DE ROTHSCHILD
The ROYAL HORTICULTURAL SOCIETY
The ROYAL BOTANIC GARDENS, KEW, REGENT'S
PARK, EDINBURGH, DUBLIN AND BELFAST
The ROYAL GARDENS AT HYDE & BATTERSEA PARKS
The BOTANIC GARDENS, OXFORD, MANCHESTER,
LIVERPOOL AND HULL
The IMPERIAL GARDENS, ST. PETERSBURG
The ROYAL BOTANIC GARDENS, CALCUTTA AND
CEYLON
The BOTANIC GARDENS, ADELAIDE, NATAL,
BUTENZORG AND ZURICH
The ROYAL HORTICULTURAL SOCIETY OF SOUTH
AUSTRALIA
The AGRICULTURAL SOCIETIES, BOMBAY,
CALCUTTA, LAHORE AND MYSORE

AND MOST MEMBERS OF THE ARISTOCRACY IN THE UNITED KINGDOM INTERESTED IN
HORTICULTURE.

WILLIAM BULL, F.L.S.,

BEGS TO ANNOUNCE THAT HE IS NOW OFFERING MANY

BEAUTIFUL PLANTS,

WHICH ARE

PERFECTLY NEW TO THIS COUNTRY,

COMPRISING INTRODUCTIONS FROM

THE EAST INDIES, SOUTH SEA ISLANDS, NORTHERN QUEENSLAND, CEYLON,
BRAZIL, SOUTH AMERICA, NEW CALEDONIA, &c., &c.

An Inspection of which is invited.

THE PRINCE CONSORT'S GOLD MEDAL,

THE LINDLEY MEDAL,

MANY GOLD MEDALS,

UPWARDS OF ONE THOUSAND PRIZES AND AWARDS

HAVE BEEN MADE TO

WILLIAM BULL, F.L.S.,

FOR NEW AND RARE PLANTS ALONE.

AT THE PRINCIPAL LONDON AND INTERNATIONAL FLOWER SHOWS.

Mr. W. BULL mentions this as conveying some idea of the importance of his collection.


NOTICE.

The Illustrations in Mr. W. B.'s Catalogues have been carefully drawn and engraved by eminent artists, from plants introduced at great expense from their native habitats; the Catalogue has, therefore, been registered and the copyright is reserved, and any infringement will be proceeded against.



AGLAONEMA VERSICOLOR.

For description and price *vide* page 9.



GEONOMA ACAULIS.

For description and price *vide* page 10.



HYPOLYTRUM SCHRADERIANUM. For description and price *vide* page 10.

**DAVALLIA EPIPHYLLA.**

For description and price *vide* page 10.



SELAGINELLA USTA.

For description and price *vide* page 11.



HELICONIA ILLUSTRIS. For description *vide* page 10.

1893.



NEW PLANTS
ANNOUNCED FOR THE FIRST TIME
BY
WILLIAM BULL, F.L.S.

AGLAONEMA VERSICOLOR.

An attractive ornamental foliage plant, belonging to the Aroid family, introduced from the East Indies. It is of neat growth and bears on an erect stem beautifully mottled shortly stalked spreading leaves, the petioles sheathing with membranous edges. The leaf blades obliquely oblong, rounded at the base, acute at the apex, irregularly blotched with patches of dark velvety green, interspersed among patches of lighter green, and some of milky white. This pretty variegated plant should be grown in the stove. *Vide illustration, page 3.* 15s.

ANTHURIUM SCHERZERIANUM ROSEUM.

An extremely pretty variety of the well-known Flamingo Plant, *Anthurium Scherzerianum*, producing charming rose-coloured spathes flushed with salmon, in striking contrast to the rich scarlet spathes of the type. Owing to the enduring character of the spathes, Anthuriums are most desirable plants for the decoration of Stove-houses and Conservatories. 1 and 1½ guinea.

ANTHURIUM SCHERZERIANUM SANGUINEUM.

A very handsome and distinct variety of the well known *A. Scherzerianum*, differing from the type in the colour of its spathes, which, instead of being bright scarlet, are of a deep blood-red or dark crimson colour. As an ornamental stove plant this is a most desirable acquisition for exhibition, or for any decorative purpose, its attractive spathes, like those of the type, lasting a long time in perfection. 1 and 1½ guinea.

CYRTANTHUS INTERMEDIUM.

A pretty hybrid variety raised between *C. McKenii* and *C. angustifolium*. It has neat strap-shaped leaves, and bears on an erect two-edged scape a truss of many flowers, which are orange-pink, and about 1½ inch long, being curved and tubular trumpet-shaped; the three outer segments or lobes are rose coloured with a green midrib, the inner three being of a uniform rose colour. 5s.

DAVALLIA CONCINNA.

An elegant growing evergreen Stove Fern introduced from North Australia. It has a stout creeping root stock, from which rise purplish leaf stalks, bearing subcoriaceous fronds of a pale olive-green colour, glabrous on both surfaces, deltoid-acuminate, compoundly divided in a tripinnate manner into pinnae and pinnulae, the ultimate segments being oblong-obovate, wedge-shaped at the base, and remotely crenate at the apex. 10s. 6d. and 15s.

DAVALLIA LUCIDA.

A bold-looking handsome Fern with deep shining-green coriaceous fronds. The root-stock is of the thickness of the finger, and is covered with soft fibrillose scales. The stipes are wiry and support deltoid bipinnate fronds, the primary pinnæ wedge-shaped at base, lanceolate-acuminate; the secondary pinnæ are broadly oblong, wedge-shaped and deeply lobed at the base, gradually less so towards the apex; ultimate segments oblong obtuse, remotely and shallowly toothed at the margin. 10s. 6d.

DAVALLIA EPIPHYLLA.

A specially elegant Fern in the way of *D. fijiensis*, but quite distinct from it. The rootstock is creeping and covered with brown scales from which ascend wiry purple stipes as thick as a crow-quill, glabrous and deeply channelled. The fronds are subcoriaceous, deltoid in outline, three to four times pinnately divided, the larger pinnæ deltoid-lanceolate, the pinnules narrow, wedge-shaped and deeply pinnately divided. It has been introduced from New South Wales. *Vide* Illustration, page 6. 10s. 6d. & 15s.

GEONOMA ACAULIS.

A dwarf, nearly stemless Brazilian Palm, with short, dilated, sheathing leaf stalks, destitute of spines, the young leaves roundish, deeply two-lobed at the apex, plicated erose, adult leaves deeply pinnately divided, pinnæ lanceolate. It is a native of Northern Brazil and should be grown in the stove. *Vide* Illustration, page 4. 5 guineas.

HELICONIA ILLUSTRIS.

This handsome Heliconia is undoubtedly one of the most beautifully coloured foliage plants ever introduced. It comes from the South Sea Islands and is of Musa-like growth, the leaves being arranged in two ranks above and tufted at the base. The stalks are sheathing and of a bright rose-red colour, supporting ovate-lanceolate spreading leaves, the prominent mid-rib of a beautiful rose-pink colour, the secondary veins, of which many run to the margin and form loops, being of the same brilliant colour. It will form, without question, a most superb adornment to our Stoves. *Vide* Illustration, page 8. Price on application.

HOPLOPHYTUM LINEATUM.

A striking variegated Bromeliaceous plant from Brazil with cylindric tufts of leaves, spreading at the apex. The leaves are oblong strap-shaped, concave, abruptly acuminate, finely and remotely toothed, green, with alternating broad stripes of white. 2 & 3 guineas.

HYPOLYTRUM SCHRADERIANUM.

An ornamental Cyperaceous plant from Brazil. The leaves are crowded in bold triangular tufts; each leaf is about 2 feet 6 inches in length by 2½ inches in breadth, purplish sheathing and folding at the base, expanding above into arching strap-leaves of firm texture, green with purplish-red margins, traversed on the upper surface by two ribs running equi-distant from base to apex. The bold triangular tuft of leaves, the colour, and the peculiar venation of the leaves, give to this plant a very distinct appearance. *Vide* Illustration, page 5. 2 & 3 guineas.

LAMPROCOCCUS SPECIOSUS.

A highly ornamental Brazilian Bromeliad, with spreading tufted leathery leaves, oblong acute and mucronate, finely toothed at the margin and concave above, more or less densely covered with silvery scales, especially on the under surface. On the upper surface the leaves are bright shining green, banded with broad longitudinal stripes of clear yellow, forming a most effective variegation. 2 & 3 guineas.

ONCOSPERMA FASCICULATUM.

An ornamental and elegant Stove Palm from Ceylon, which in the adult condition attains considerable size. In the young plants, the leaflets are lanceolate-acuminate in shape, and gradually attain a pinnate form, as fresh leaves develop. The rachis is covered with brown fluffy scales, and is provided with long, slender black spines. 1 guinea.

PTERIS TREMULA VARIEGATA.

A very elegant form of the well-known and useful *Pteris tremula*, in which the segments of the fronds are linear oblong, the ground colour light green, with a central band of milky white. This pretty ornamental Fern is a hybrid between the well-known *Pteris tremula* and the prettily variegated *Pteris Victoriae*. Price on application.

SELAGINELLA USTA.

An elegant species from New Caledonia, with erect pale green fronds, oblong acute in outline, arching from base to apex, and convex from side to side on the upper surface; the wiry rachis is tripinnately divided, the ultimate divisions being linear oblong. The upper leaves are distichous, flattened against the rachis, and slightly imbricate. This species is a pretty addition to this decorative class of plants. *Vide Illustration*, page 7. 10s. 6d.

VRIESIA PURPURASCENS.

A richly coloured Bromeliaceous plant with deep purple sheathing leaves, each oblong lanceolate from a dilated base, the apex mucronate, the margins having numerous closely-set fine teeth. On the upper surface the leaves are a dark green, flushed with blackish purple, while the under sides expose a surface of a striking rich purple colour. This attractive and desirable ornamental plant has been introduced from Brazil. 2 and 3 guineas.

NEW LOBELIA.**"BARNARD'S PERPETUAL."**

This distinct novelty is no doubt one of the most useful and best of Lobelias. The flowers are of the most brilliant ultramarine blue, strikingly ornamented with a pure white marking at the base of each of the two lower petals. It is of compact habit, and alike useful for bedding or growing in pots, its brightness and perpetual blooming character making it exceptionally useful for parterres and ribbon borders. It was awarded a Certificate of Merit by the Royal Horticultural Society, when exhibited in May, 1892, at the Temple Show. 2s. 6d. each, 18s. per dozen.

NEW, RARE AND DESIRABLE STOVE PLANTS.

ABROMA SINUOSA.

An interesting plant from Madagascar. The leaves, which grow on slender petioles, are broadly ovate, with oblong obtuse lobes and broad open sinuses, and from their peculiar and remarkable character, the plant is very pleasing and attractive 5s.

ACALYPHA ILLUSTRATA, 2s. 6d. and 3s. 6d.

MACROPHYLLA, 2s. 6d. and 3s. 6d.

OBOVATA, 3s. 6d.

ACALYPHA TRIUMPHANS, 3s. 6d.

ACANTHOPANAX, *vide* page 35

ACANTHUS MONTANUS, 3s. 6d.

ADANSONIA DIGITATA.

This is the celebrated African Baobab Tree. 10s. 6d.

ÆCHMEA AMAZONICA, 5s. and 7s. 6d.

FULOENS, *vide* Lamprocoecus fulgens

MINIATA, *vide* Lamprocoecus miniata

MARIE REGINE, 10s. 6d.

PANICULIOERA, 10s. 6d.

ÆCHMEA VEITCHII, *vide* Chevalliera Veitchii

WEILBACHII, *vide* Lamprocoecus Weilbachii

ÆSCHYNANTHUS GRANDIFLORUS, 3s. 6d.

LOBBIANUS, 2s. 6d. and 3s. 6d.

of sorts, 2s. 6d. and 3s. 6d.

AGLAONEMA PICTA COMPACTA.

An ornamental and interesting stove plant, with very short erect green stems and stalked leaves, the petioles of which are sheathing, green with a membranous whitish margin. The leaf-blades are short, oblong-ovate, acuminate, unequal-sided, of a dark sap green, sparingly blotched with grey, and of a pale green beneath. This plant is a native of Java. 5s. and 7s. 6d.

AGLAONEMA MARANTIFOLIA (oblongifolia), 5s.

PICTA ORACILIS, 5s.

VERSICOLOR, *vide* page 9.

ALLAMANDA CHELSONI, 3s. 6d.

HENDERSONI, 3s. 6d.

MAGNIFICA, 10s. 6d.

NERIIFOLIA, 3s. 6d.

NOBILIS, 3s. 6d.

WILLIAMSII, 15s.

ALOCASIA CHANTRIERI, 1 guinea

EDULIS, 3s. 6d.

OLCANTEA (LONGILOBA), 3s. 6d. and 5s.

GRANDIS, 5s.

HYBRIDA, 7s. 6d.

INTERMEDIA, 7s. 6d.

JENNINSONII, 2s. 6d.

JOHNSTONI, *vide* Cyrtosperma Johnstoni

MARSHALLII, 2s. 6d.

ALOCASIA MARGINATA.

A striking and ornamental Aroidaceous plant, introduced from Brazil. The leaf-blade is broadly cordate, rounded into a sharply pointed apex; the basal lobes very obtusely rounded at the apex, with a deep narrow sinus between. The upper leaf surface is of a dark green colour, the reverse being slightly tinted purple, with pale reddish midrib and nerves. 7s. 6d.

ALOCASIA PRINCEPS.

This ornamental and effective stove plant has been imported from the Malay Archipelago. The leaf-blades are sagittate, the margins deeply sinuous, imparting to the plant a very distinct character. On the upper surface the leaves are of a metallic olive-green colour, the under surface being greyish green, the entire leaf margined with chocolate-brown. 1 and 1½ guinea.

ALOCASIA METALLICA, 3s. 6d. and 5s.

(SCHISTOCASIA) PORTEI, 10s. 6d. & 15s.

SANDERIANA, 15s. and 1 guinea

SEDENI, 5s.

THIBAUTIANA, 7s. 6d. and 10s. 6d.

ZEBBINA, 7s. 6d. and 10s. 6d.

ALPINIA MUTICA, 7s. 6d.

VITTATA, 3s. 6d. and 5s.

AMARYLLIS ACHIEVEMENT, 7s. 6d.

ACHILLES, 10s. 6d.

ACRAMANNI PULCHERRIMA, 15s.

AMAZON, 10s. 6d.

AMBASSADOR, 7s. 6d.

ARIADNE, 10s. 6d.

ASPASIA, 5s.

AULICA, 3s. 6d.

AMARYLLIS AULICA SUPERBA, 5s. and 7s. 6d.

BARON, 5s.

BRIGHT, 7s. 6d.

CERBERUS, 10s. 6d.

COMMANDER, 7s. 6d.

COQUETTE, 5s.

CORSAIR, 10s. 6d.

COUNTESS, 10s. 6d.

CYRUS, 10s. 6d.

DIADEM, 15s.

DR. MASTERS, 10s. 6d.

ELECTRA, 10s. 6d.

EMMELINE, 7s. 6d.

EMPEROR OF INDIA, 7s. 6d.

EUROPA, 1 guinea

EUTERPE, 15s.

**ANTHURIUM SCHERZERIANUM MAXIMUM.**

A magnificent variety of this attractive flowering plant, producing gigantic flower spathes, which measure about nine inches in length by four inches in breadth, and are of a most brilliant scarlet colour. As a decorative and exhibition plant, this splendid variety will always occupy a foremost place. 3, 4 and 5 guineas.

AMARYLLIS FIOARO,
7s. 6d.FORMOSISSIMA (*Jacobæa Lily*), 6d.

GENERAL, 21s.

IMPERATRICE DE
BRAZIL, *vide* pro-
cera.

HEROINE, 10s. 6d.

IGNESCENS, 2s. 6d.
and 3s. 6d.

IMPERIALIS, 21s.

JOHNSONII, 5s.

JUPITER, 7s. 6d.

MABEL, 10s. 6d.

METEOR, 10s. 6d.

NEPTUNE, 10s. 6d.

NIMROD, 5s.

OBERON, 21s.

ONDINE, 10s. 6d.

OPTIMA, 10s. 6d.

OSCAR, 10s. 6d.

PAULINE, 15s.

PORTIA, 5s.

**AMARYLLIS.****AMARYLLIS**, choice selections of good sorts, 3, 4 and 5 guineas per dozen.**AMOMUM VITTATUM.**

A very remarkable plant, on account of its striking resemblance to a *Maranta*. It is of dwarf habit, and produces from a creeping rootstock tufts of lanceolate coriaceous green leaves, having whitish bars or stripes between the nerves, of which there are six or eight principal pairs. The flowers are rosy-red, borne in dense spikes at the foot of the leafstalks. It has been figured in the *Botanical Magazine*, Tab. 6832. 10s. 6d.

AMASONIA CALYCINA, 5s.

AMORPHOPHALLUS CAMPANULATUS, fine tubers of this gigantic Aroid. 5s. and 7s. 6d.
GIGANTEUS, 5s.

VIROSUS, a remarkable Aroid, a good illustration of which is given in the *Botanical Magazine* for February, 1888. 3 guineas

ANONA MURICATA (*Sour Sop*), 15s.RETICULATA (*Netted-leaf Custard Apple*), 15s.**ANANASSA PENANGENSIS VARIEGATA**, 21s.

SATIVA VARIEGATA, 10s. 6d.

ANCHOMANES DUBIUS, 10s. 6d.**ANCYLOGYNE LONGIFLORA**, 3s. 6d.**ANTHURIUM CARNEUM.**

A handsome and attractive new hybrid, between *Anthurium ornatum* and *A. Andreanum*. The spathe is heart-shaped, from six to seven inches long and five to six inches broad, and is of a charming rosy-carmine colour. Of vigorous growth, this splendid variety freely produces its grand flowers, each spathe remaining in beauty several months, thus rendering it of the greatest value for decorative purposes. 5s. and 7s. 6d.

ANTHURIUM ANDREANUM, 5s. and 7s. 6d.

BAKERI, 10s. 6d.

CANDIDUM, 3s. 6d.

CHANTRIERI, 10s. 6d. and 15s.

CHELSEIENSE, *vide* page 15.

CRUENTUM, 15s. and 1 guinea.

CRYSTALLINUM, 3s. 6d., 5s. & 7s. 6d.

ANTHURIUM DECHAEDI, 3s. 6d. and 5s.

FERRIERENSE, 3s. 6d. and 5s.

FLORIBUNDUM, 3s. 6d.

GALEOTTIANUM, 5s.

HARRISII PULCHRUM, 7s. 6d. and 10s. 6d.

HYBRIDUM, 7s. 6d. and 10s. 6d.

INTERMEDIUM, 7s. 6d. and 10s. 6d.

ANTHURIUM INSIGNE.

A noble and striking Aroid imported from the United States of Colombia. The leaf-blade is three-lobed, the middle lobe lanceolate, and the two lateral lobes semi-ovate. The young leaves have a bronzy tinge before taking on the full green of the mature foliage. This distinct plant has been frequently shown in Mr. W. B.'s winning collections of New Plants. 10s. 6d. and 15s.

ANTHURIUM LIEVENSI, 15s. and 21s.

LEUCONEURUM, 3s. 6d.

LUCIDUM, 5s.

MACROLOBUM, 5s. and 7s. 6d.

MAGNIFICUM—*syn.* *A. grande* and *A. cordifolium*, 3s. 6d.

MARQUIS DE BEAUVOIR, 2 guineas

MOOREANUM, 15s. and 21s.

NYMPHEFOLIUM, 10s. 6d.

REGALE, 3s. 6d. and 5s.

REINE DES BELGES, 10s. 6d.

ROTHSCHILDIANUM

ANTHURIUM SCHERZERIANUM, 3s. 6d. and 5s.

SCHERZERIANUM ALBUM GRANDIFLORUM, 1 and 1½ guinea

—FORMOSUM, 2 and 3 guineas.

—GIGANTEUM, 1, 1½ and 2 guineas

—MAXIMUM, *vide* page 13.—ROSEUM, *vide* page 9.

—RUBRUM, 21s. and 31s. 6d.

—SANGUINEUM, *vide* page 9.

—SPLENDENS, 1, 1½ and 2 guineas

—WARDII, 2 and 3 guineas

—WILLIAMSII, 3s. 6d.

—TRIUMPHANS, 10s. 6d. and 15s.

**ANTHURIUM CHELSEIENSE.**

An extremely handsome hybrid between *A. Veitchii* and *A. Andreanum*, with leaves resembling those of the first named. The spathes are broadly cordate, cuspidate at the apex, about 5 inches long by 3½ inches broad, of an intense shining rich crimson colour. The spadix is about two-thirds the length of the spatho, and slightly tapering, the basal part white, the tip tinged with a yellowish shade. The beautiful spathes are freely produced, and last a long time in perfection. 1 and 1½ guinea.

ANTHURIUM VEITCHII, 1½ and 2 guineas.
VICOMTE AMEDÉ DE LA COMBE, 2 guineas.
WAROQUEANUM, 3s. 6d., 5s. and 7s. 6d.
 Fine Plants, 10s. 6d. and 15s.

ANTIGONON INSIGNE, 7s. 6d.
LETOPUS, 7s. 6d.
SPECIOSUM, 7s. 6d.
AOTUS, *vide* page 35.

APHELANDRA BLANCHETIANA (AMÉNA).

A very pretty ornamental foliaged stove plant, with ovate acuminate leaves of a deep green colour, very attractively variegated with silvery grey on each side of the midrib and primary veins, which curve gracefully forward. It has been introduced from Brazil. 5s. and 7s. 6d.

APHELANDRA AURANTIACA, 2s. 6d.
 and 3s. 6d.

AURANTIAOA ROEZLII, 2s. 6d. and
 3s. 6d.

CHAMISSONIANA, 3s. 6d. and 5s.

CHRYSOPE, 5s. and 7s. 6d.

CRISTATA, 2s. 6d.

LEOPOLDII, 2s. 6d.

ARALIA CHABRIERI, *vide* **ELÆODENDRON ORIENTALE**

ELEGANTISSIMA, 5s.

FILICIFOLIA, 3s. 6d.

GUILFOYLEI, 5s.

LEPTOPHYLLA, 3s. 6d.

LONGIPES, 10s. 6d.

RETICULATA, 3s. 6d.

ROTUNDA, 7s. 6d.

VEITCHII, 5s.

— **ORACILLIMA**, 3s. 6d. and 5s.

See also page 35.

ARDISIA MANILLATA, 3s. 6d.

OLIVERI, 3s. 6d.

PICTA, 1 guinea

POLYCEPHALA, 5s. and 7s. 6d.

ARDISIAS, of sorts, 2s. 6d. and 3s. 6d.

ARISTOLOCHIA ELEGANS.

A beautiful free-flowering species with handsome and elegant flowers of a rich dark purple colour, ornamented throughout with irregular branched markings of a creamy white, and having a golden yellow eye surrounded by rich velvety purple. Its blossoms are produced in the greatest profusion, even on small plants, and are entirely free from the objectionable odour peculiar to the genus. 3s. 6d. and 5s.

ARISTOLOCHIA ELEGANS.

ARISTOLOCHIA RIDICULA.

A very remarkable and interesting species introduced from Brazil. The upper portion of the flower is somewhat conical, widening towards the mouth, which is prolonged into two ascending and backwardly directed lobes, diverging from each other at an obtuse angle. The entire limb is of a tawny colour, with dark purple reticulations on a cream-coloured ground. 5s. and 7s. 6d.

ARISTOLOCHIA SACCATA.

This curious and remarkable species, which is a native of Sylhet, produces a number of quaint and pretty pitcher-like flowers. These are pendulous, the tube, which is bent abruptly upwards in the middle, being of an attractive shade of rose, having many nerves and reticulations, of a brick-red colour. The hood or cup of the flower is rich purple, with dark venations, in telling contrast to the bright yellow circular throat. 7s. 6d.

ARISTOLOCHIA CAUDATA, 10s. 6d.

ORNITHOCEPHALA, 5s. and 7s. 6d.

TRICAUDATA, 5s.

TRILOBATA, 3s. 6d. and 5s.

ARTANTHE RUBRONODOSA, 7s. 6d.

ARTOCARPUS CANNONI, *see* **Ficus**.

EBURNEUS, 5s.

INTEGRIFOLIUS (The Jack Fruit), 10s. 6d.

LACINIATUS METALLICUS, *see* **Ficus**.

ASPARAGUS, of sorts, *vide* page 35.

ATACCIA CRISTATA, 7s. 6d. and 10s. 6d.

BARLERIA ARGENTEA, 5s.

BATATAS PANICULATA, 3s. 6d. and 5s.

BAUHINIAS, of sorts, 5s. and 7s. 6d.

BEGONIA, *vide* **Index**

BELOPERONE ATROPURPUREA, 5s.

BERTOLONIA FORMOSA, 7s. 6d.

GUTTATA SPLENDENS, 15s.

MARGARITACEA SUPERBA, 7s. 6d. and 10s. 6d.

MARMOREA SUPERBA, 3s. 6d. and 5s.

PUBESCENS, 3s. 6d.





HALF NATURAL SIZE.

CAMOENSIA MAXIMA.

One of the most gorgeously beautiful of tropical climbers, a native of West Africa. The splendid bunches of pendulous milk-white flowers, tinged with gold on the edges of the petals, grow in drooping racemes from the axils of the leaves; the petals are white, venose, frilled at the margin, where they are tinted with golden-yellow. This plant has been described and illustrated in Vol. XXV. of the Transactions of the Linnean Society, p. 301, t. 36. 2 and 3 guineas.

BERTOLONIA VAN HOUTTEI, 5s.

VELUTINA, 5s.

VITTATA, 7s. 6d.

BIGNONIA AURANTIACA, 7s. 6d. and 10s. 6d.

CHAMBERLAYNII, 3s. 6d. and 5s.

PICTA, 3s. 6d. and 5s.

RETICULATA, 5s.

ROEZLIANA, 5s.

— VILLOSA, 5s.

VENUSTA, 3s. 6d. and 5s.

See also pages 36 and 50.

BILLBERGIA CHLOROSTICTA, 10s. 6d. and 15s.

EXSCAPA, 1 guinea.

FARINOSA, 10s. 6d.

LEOPOLDII, 7s. 6d.

MORELIANA, 5s. and 7s. 6d.

SAUNDERSII, 10s. 6d.

BOMAREA, vide page 36.**BOUGAINVILLEA GLABRA**, 2s. 6d. and 3s. 6d.

LATERITIA, 2s. 6d. and 3s. 6d.

BOUGAINVILLEA REFULGENS, 7s. 6d.

SPECIOSA, 2s. 6d. and 3s. 6d.

SPECTABILIS, 2s. 6d. and 3s. 6d.

BROSIMUM, vide GALACTODENDRON**BROWNEA COCCINEA**, 1 guinea

ERECTA, 1 and 1½ guinea

GRANDICEPS, 10s. 6d.

HYBRIDA, 1½ guinea

BRUNFELSIA AMERICANA, 3s. 6d.**BURCHELLIA CAPENSIS**, 2s. 6d. and 3s. 6d.**CALADIUM**, vide Index**CALLIPHURRIA HARTWEGIANA**, 2s. 6d.

SUBEDENTATA, 2s. 6d.

CALPICARPUM ORNATUM, 1 guinea**CAMOENSIA MAXIMA**, vide page 17.**CAMPYLOBOTRYS**, vide Hoffmannia**CANNA**, vide Index**CAPPARIS FRONDOSA**, 5s.**CARAGUATA**, vide Tillandsia.**CAREX ELEGANS VARIEGATA**, 2s. 6d. & 3s. 6d.**CAREX SCAPOSA**.

This ornamental species has been introduced from the mountains of Southern China. The flowers are borne in crowded cymes on long scapes, the spikelets being of a deep rose colour, while the anthers and filaments are pure white, affording a most pleasing contrast, the elegant and feathery appearance of the inflorescence being exceedingly charming. 7s. 6d.

CARLUDOVICA, vide Index**CENTRADENIA FLORIBUNDA ROSEA**, 3s. 6d.**CEROPEGIA GARDNERI**, 3s. 6d. and 5s.**CENTROPOGON LUCYANUS**, 1s. 6d. and 2s. 6d.**CENTROSOLENIA BULLATA** (EPISCIA TESSELLATA), 5s.**CHAMÆCLADON RUBENS**, 5s.**CHAMERANTHEMUM BEYRICHI VARIEGATUM**, 3s. 6d.**CHEVALLIERA (ECHMEA) VEITCHII**, 7s. 6d. and 10s. 6d.

10s. 6d.

CHIRITA SINENSIS, 3s. 6d.**CHRYSOPHYLLUM CAINITO** (Star Apple), 10s. 6d.

IMPERIALE, 10s. 6d. 15s. and 1 guinea

CIENKOWSKIA KIRKII.

This handsome and interesting plant is a native of Eastern Tropical Africa; its blossoms are exceedingly attractive and beautiful; they are produced on a many-flowered scape, and are of a soft purplish rose colour, with a bifid golden spot in the centre. It has received a First Class Certificate from the Floral Committee of the Royal Horticultural Society. 3s. 6d., 5s. & 7s. 6d.

CINNAMOMUM CASSIA (Cassia), 10s. 6d.

ZHYLANICUM (Cinnamon), 7s. 6d.

CISSUS ALBO-NITENS, 3s. 6d.

DISCOLOR, 2s. 6d. and 3s. 6d.

LINDENI, 3s. 6d. and 5s.

CISSUS PORPHYROPHYLLA, 3s. 6d. and 5s.**CLERODENDRON BALFOURIANUM**, 2s. 6d. & 3s. 6d.

DELECTUM, 3s. 6d. and 5s.

FALLAX, 3s. 6d.

FRAGRANS FLORE PLENO, 2s. 6d.

CLERODENDRON MACROSIPHON.

A very elegant stove shrub from Zanzibar. The leaves, which are about an inch broad and from two to three inches long, being irregularly toothed along the margins. The pure white flowers have slender tubes, about four and a half inches long, the limb being about one and a half inch in diameter, and five-lobed. The stamens and style are reddish-purple. 5s. and 7s. 6d.

CLERODENDRON NUTANS, 7s. 6d. and 10s. 6d.

SPECIOSUM, 3s. 6d.

SPLENDENS, 3s. 6d. and 5s.

COCHLIOSTEMA JACOBIANUM, 5s., 7s. 6d. & 10s. 6d.**COFFEA ARABICA**, 3s. 6d. and 5s.

LIBERICA, 3s. 6d. and 5s.

COLA ACUMINATA (KOLA NUT), 15s.**COLOCASIA**, vide Aloeasia**COMBRETUM GRANDIFLORUM**, 5s.**CORYNOSTYLIS HYBANTHUS ALBIFLORA**, 3s. 6d.**COSSIGNIA BORBONICA**, 10s. 6d.**COSTUS ALBESCENS**, 7s. 6d.

ELEGANS, 5s.

CRINUM ASIATICUM, 3s. 6d.

LONGIFLORUM, 5s.

ORNATUM, 5s.

ZHYLANICUM, 3s. 6d.

CROSSANDRA UNDULATA, 3s. 6d.**CROTON** (CONIUM) AIGBURTHIENSIS, 3s. 6d. & 5s.

AIGBURTH GEM, 7s. 6d.

ANDREANUS, 3s. 6d.

ANEITUMENSIS, 3s. 6d. and 5s.

ANOUSTIFOLIUS, 2s. 6d.

AUREO-PUNCTATUS, 3s. 6d.

BARON FRANK SEILLIERE, 3s. 6d.

BARONNE JAMES DE ROTHSCHILD, 3s. 6d.

BROOMFIELDII, 5s.

CERBERUS, 5s.

CHELSONIENSIS, 3s. 6d.

COUNTESS, 3s. 6d. and 5s.

CROESUS, 7s. 6d.

CYRUS, 5s.

DISRAELI, 3s. 6d.

DUKE OF BUCOLEUCH, 3s. 6d.

EARL OF DERBY, 3s. 6d.

EBURNEUS, 3s. 6d. and 5s.

ECLIPSE, 7s. 6d.

CROTON ELEGANTISSIMUS.

One of the most charming and elegant varieties yet offered. The leaves are narrow, and of considerable length. The variegation is of a rich, bright golden colour, which contrasts strongly with the bright red tint of the petioles, producing a very pretty effect. 5s. and 7s. 6d.

CROTON ETNA, 3s. 6d. and 5s.

EVANSIANUS, 3s. 6d.

CROTON EXCURRENS, 10s. 6d.

FASCIATUS, *vide* C. Hendersoni

CROTON FLAMINGO.

This attractive variety has been imported from the Antipodes, and is the most handsome of all the bright red or high-coloured Crotons. It has very dark bronzy green leaves, the costa and a narrow portion of the leaf on each side of it being most strikingly coloured with rich crimson, forming a central band of colour the entire length of the leaf, a few spots of crimson being scattered through the bronzy green portion of the leaf blades. 7s. 6d. and 10s. 6d.

CROTON FORMOSUS, 5s. and 7s. 6d.

GLORIOSUS (Princess of Wales), 5s.

ORACILIS, 10s. 6d.

HASTIFERUS, 2s. 6d. and 3s. 6d.

CROTON HAWKERII, 3s. 6d.

HENDERSONI (**FASCIATUS**), 3s. 6d.

HEROICUS, 5s.

INTERRUPTUS AUREUS, 3s. 6d.

CROTON INSIGNIS.

A fine form with long narrow foliage. The leaves are deep green, with the midrib and veins beautifully picked out with golden-yellow, the margins and midrib rosy-crimson. 5s. and 7s. 6d.

CROTON JAMESII, 2s. 6d. and 3s. 6d.

CROTON JUBILEE, 2s. 6d. and 3s. 6d.

CROTON JUNIUS.

A very elegant variety, with long narrow foliage of varying character; in some instances the midrib is excurrently extended and attached to another portion of the leaf-blade, while in others the leaves are entire, with slightly undulate margins. In the young state the lower half of the leaves is bright lemon-yellow, which, as the foliage attains age, becomes suffused with crimson, the remaining portion being rich bronzy green. 7s. 6d.

CROTON MACAFEEANUS, 3s. 6d.

CROTON MACARTHURI, 2s. 6d. and 3s. 6d.

CROTON MAGNIFICENT.

A very striking and most handsome variety. In the young state the leaves have a central variegation of rich golden yellow; as the leaves mature, the midrib and primary veins, with a band on each side of the costa, assume a bright carmine tint. In some instances the bright golden colour of the young leaves becomes suffused with bright carmine. 5s. and 7s. 6d.

CROTON MAJESTICUS, 3s. 6d.

CROTON MASSANOEANUS, 3s. 6d. and 5s.

CROTON MEMPHIS.

One of the most handsome and ornamental varieties ever imported. It has long acuminate leaves, the rich coloration of which is extremely effective. In the young state the leaves are pale green, irregularly blotched and marmorated with yellow. As the leaves mature, the green becomes deep olive, the yellow variegation changing to rich orange, marked and veined with deep crimson, a colour which eventually suffuses the whole leaf. 10s. 6d.

CROTON MORTII, 3s. 6d.

MORTEFONTANENSIS, 5s.

CROTON MUTABILIS, *vide* C. princeps

NEPTUNE, 3s. 6d. and 5s.

CROTON NESTOR.

A richly variegated form with large lanceolate leaves freely marked with a most distinctive bright golden yellow and whitish variegation; the costa or midrib is of a bright magenta-crimson and is in striking contrast to the colouring on the other parts of the leaf, the ground colour of which is bright green, interspersed with occasional blotches of bright yellow. This magnificent and attractive variety has been imported from the Antipodes. 5s. and 7s. 6d.

CROTON NIMROD, 3s. 6d. and 5s.

NOBILIS, 3s. 6d.

CROTON OBERON, 3s. 6d.

ORESTES, 3s. 6d.

CROTON ORNATUS.

An attractive and distinct variety. The leaves deep green, with a narrow central band of creamy yellow, and long parallel veins of the same colour, the surface being here and there marked by blotches of yellow, the yellow parts becoming tinged with crimson. In some conditions the lines and blotches are rosy-pink, and the midrib of a deeper rosy-crimson. 7s. 6d. and 10s. 6d.

CROTON PRINCE OF ORANGE.

One of the most effective of the golden variegated series of Codiaeums. It is of free growth having long lanceolate leaves of a rich deep gold colour, very attractive and varied in its markings, some of the leaves being entirely golden, others having blotches and marmorations of dark olive green, whilst in a few the green colour predominates, sometimes covering the entire leaf blade, with the exception of a few scattered irregular spots or blotches of gold. 1 guinea.

CROTON PICTURATUS, 2s. 6d. and 3s. 6d.
PRINCE OF WALES, 3s. 6d.

CROTON PRINCEPS (MUTABILIS), 3s. 6d. and 5s.
PRINCESS OF WALES, *vide* C. gloriosus

CROTON REIDII.

A magnificent variety, one of the finest of the broad-leaved section. The young foliage is bright green, with golden midrib and veins, the costa and primary veins passing as the leaves attain age into crimson-cerise, a colour eventually extending over the entire surface of the leaf blades, but still further brightened with golden orange, blotched with dark olive green. 7s. 6d. and 10s. 6d.

CROTON QUEEN VICTORIA, 3s. 6d.
REX, 3s. 6d.
RECURVATUS, 2s. 6d. and 3s. 6d.
RUBERRIMUS, 3s. 6d.

CROTON SOEPHRE, 10s. 6d.
SCHOMBURGKIANUS, 3s. 6d.
SPECIOSUS, 3s. 6d. and 5s.
SPLENDIDUS, 5s.

CROTON SUNBEAM.

An attractive variety with dark bronzy leaves from nine to ten inches long, and about two inches broad. In the young state the leaves are very freely blotched with yellow, gradually changing as growth advances into rosy-crimson, which in turn, as the leaf arrives at maturity, becomes of a blood-red colour. It has been imported from the South Sea Islands. 5s. and 7s. 6d.

CROTON THOMSONII, 3s. 6d. and 5s.
TRICOLOR, 7s. 6d.
UNDULATUS, 2s. 6d.

CROTON VARIABILIS (FALCATUS), 2s. 6d.
VARIEGATUS, 2s. 6d.
VEITCHIANUS, 3s. 6d.

CROTON VICTORY.

A magnificent variety with a very effective variegation of bright crimson. The mature leaves are about a foot long by two and a half inches broad, of a deep olive green colour, with rich crimson veins and costa, from which extends in an arcuate manner a rich coloration of reddish-crimson, the deep green of the laminae between the primary veins being broken up in an irregular manner by the same bright colour. In a young state the leaves are deep orange-yellow, suffused with crimson. 10s. 6d.

CROTON VITTATUS, 5s. and 7s. 6d.
VOLUTUS, 3s. 6d.
WARRENII, 3s. 6d. and 5s.
WEISMANNI, 2s. 6d. and 3s. 6d.
WILLIAMSH, 3s. 6d. and 5s.
CRYPTANTHUS (TILLANDSIA) ACAULIS, 3s. 6d.

CRYPTANTHUS (TILLANDSIA) ACAULIS ZEBRINA, 5s.
(TILLANDSIA) ACAULIS ZEBRINA AUREA, 7s. 6d.
(—) BEUCKERII, 10s. 6d.
(—) BIVITTATA, 5s. and 7s. 6d.
CUPANIA FILIOFOLIA, *vide* Jacaranda
Clauseniana

CUPANIA GRANDIDENS.

An erect shrubby plant, introduced from Zanzibar. It has downy stems, pinnate Aralia-like leaves, having four pairs of leaflets with an odd one, the leaflets three to four inches long, oblong acuminate, and sinuately lobate. It is a handsome ornamental decorative plant. 10s. 6d.

CURCULIGO RECURVATA, 3s. 6d.
RECURVATA STRIATA, 7s. 6d.
— VARIEGATA, 5s. and 7s. 6d.
CURMERIA PICTURATA, 3s. 6d.
WALLISH, 5s.
CYANOPHYLLUM BOWMANII, 5s.
MAGNIFICUM, 3s. 6d. and 5s.
CYANOTIS (TRADESANTIA) MULTICOLOR, 2s. 6d.
(TRADESANTIA) ZANONIA, 3s. 6d.
(—) ZEBRINA, 2s. 6d.
(—) ARGENTEA, 2s. 6d.

CYCADS, *vide* Index.

CYPERUS ALTERNIFOLIUS, 1s. 6d. and 2s. 6d.
ALTERNIFOLIUS VARIEGATUS, 2s. 6d. and 3s. 6d.
DISTANS, 2s. 6d. and 3s. 6d.
LAXUS, 1s. 6d.
— VARIEGATUS, 3s. 6d. and 5s.
CYRTANTHERA CHRYSOSTEPHANA, 3s. 6d.
POHLIANA, 3s. 6d.
CYRTOCERAS REFLEXUM, 3s. 6d. and 5s.

CYRTODEIRA CHONTALENSIS, 2s. 6d. and 3s. 6d.
FULGIDA, 2s. 6d. and 3s. 6d.
METALLICA, 2s. 6d. and 3s. 6d.
CYRTOSPERMA JOHNSTONI, 7s. 6d. and 10s. 6d.
DALECHAMPIA ROEZLIANA ALBA, 2s. 6d. & 3s. 6d.
ROEZLIANA CARNEA, 2s. 6d. and 3s. 6d.
— ROSEA, 2s. 6d. and 3s. 6d.
DICHORISANDRA AUBLETII, 7s. 6d.
UNDATA, 3s. 6d. and 5s.
DIEFFENBACHIA AMAZONICA, 2s. 6d., 3s. 6d. & 5s.
BARAQUINTIANA, 2s. 6d. and 3s. 6d.
BAUSEI, 2s. 6d. and 3s. 6d.
BOWMANII, 2s. 6d. and 3s. 6d.
CHELSONTENSIS, 2s. 6d., 3s. 6d. and 5s.
COSTATA, 5s.
EBURNEA, 2s. 6d., 3s. 6d. and 5s.
FLAVO-VIRENS, 2s. 6d. and 3s. 6d.
GRANDIS, 3s. 6d.
ILLUSTRIS, 5s.
INSIGNIS, 7s. 6d.

DIEFFENBACHIA LANCEOLA, 5s.

LEOPOLDII, 2s. 6d., 3s. 6d. and 5s.

LUCINDA, 3s. 6d.

MACULOSA, 3s. 6d.

MAONIFICA, 3s. 6d.

MAJESTICA, 10s. 6d.

MEMORIA CORSI, 3s. 6d.

DIEFFENBACHIA, NEBULOSA, 3s. 6d.

NOBILIS, 2s. 6d. and 3s. 6d.

PICTA, 2s. 6d. and 3s. 6d.

PRINCEPS, 7s. 6d.

SHUTTLEWORTHII, 2s. 6d., 3s. 6d. and 5s.

SPLENDENS, 2s. 6d. and 3s. 6d.

DIEFFENBACHIA TRIUMPHANS.

A very desirable ornamental plant, from the United States of Colombia. The leaf-blades are subspreading, ovate-lanceolate, attenuately acuminate, dark green thickly covered with large irregular blotches, of a yellowish-green, the variegation showing on both surfaces of the leaf. 7s. 6d.

DIEFFENBACHIA VELUTINA, 2s. 6d. and 3s. 6d.

WEIRII, 2s. 6d. and 3s. 6d.

DIONÆA MUSCIPULA, *vide* page 40.**DIOSCOREA ANGEOCHILUS**, 5s. and 7s. 6d.

ABOYREIA, 5s. and 7s. 6d.

DIOSCOREA BULBIFERA, 5s.

CHRYSOPHYLLA, 5s.

DISCOLOR VARIEGATA, 3s. 6d.

ILLUSTRATA, 3s. 6d.

METALLICA, 5s.

DIOSCOREA SPECIOSA.

A free-growing climber, with decorative foliage. It has slender angular stems, which bear cordate-sagittate dark green seven-nerved leaves, marked with an irregular band of silvery grey between the ribs; the under surface of the leaves is of a purplish colour. 5s.

DIPLADENIA BREARLEYANA.

This splendid variety is one of the best exhibition plants extant. It is an evergreen stove climber with dark green leaves, serving as a fine contrast for the superbly-coloured flowers, which are of the largest size, opening pink and changing to the richest crimson colour. They have this remarkable peculiarity, that the colour increases in intensity with the age of the flowers. The plant is of free growth, and of the most floriferous character. 3s. 6d., 5s. and 7s. 6d.

DIPLADENIA AMABILIS, 3s. 6d.

AMONA, 3s. 6d.

BOLIVIENSIS, 3s. 6d.

CARISSIMA, 5s. and 7s. 6d.

DIADEMA, 15s.

HYBRIDA, 3s. 6d.

ILLUSTRIS OLABRA, 7s. 6d.

INSIONIS, 3s. 6d.

DIPLADENIA MAONIFICA (ACUMINATA), 3s. 6d. & 5s.

REGINA, 5s.

DIPTERIX ODORATA (TONQUIN BEAN), 42s.**DISSOTIS PLUMOSA**, 5s.**DORSTENIA AROENTEA**, 5s.

BARTERI, 7s. 6d.

CAULESCENS, 7s. 6d.

THOMSONII, 7s. 6d.

DRACÆNA ARGENTEO-STRATA.

An extremely elegant narrow-leaved species, imported from the South Sea Islands. It has linear lanceolate bright green leaves, beautifully striated and occasionally margined with creamy-white, the bright green being also relieved with streaks of silvery grey. It is of exceptionally neat habit, and admirably adapted for table decoration and other ornamental purposes. 2 & 3 guineas.

DRACÆNA ALBO-MARGINATA, 3s. 6d.

AMABILIS, 2s. 6d. and 3s. 6d.

ANERLEYENSIS, 3s. 6d. and 5s.

AURANTIACA, 3s. 6d. and 5s.

BAPTISTII, 3s. 6d.

BAUSEI, 3s. 6d. and 5s.

BELLA, 5s.

BERKELEYI, 3s. 6d. and 5s.

CANTRELLII, 7s. 6d.

CAUSTONI, 3s. 6d. and 5s.

CONOESTA (RUBRA), 2s. 6d. and 3s. 6d.

COOPERI, 2s. 6d. and 3s. 6d.

CRISTULA, 3s. 6d.

DRACÆNA ELIZABETHÆ, 3s. 6d.

ERNESTII, 3s. 6d. and 5s.

FERREA VARIEGATA, 3s. 6d.

FRAORANS, 2s. 6d., 3s. 6d. and 5s.

— VARIEGATA, 7s. 6d., 10s. 6d. and 15s.

FREDERICI, 3s. 6d. and 5s.

GLADSTONEI, 3s. 6d. and 5s.

GOLDIEANA, 7s. 6d. and 10s. 6d.

ORACILIS, 2s. 6d. and 3s. 6d.

GUILFOYLEI, 2s. 6d. and 3s. 6d.

IONEÆ, 3s. 6d.

LEONARDII, 3s. 6d.

DRACÆNA LINDENI.

In habit this most distinct and striking *Dracæna* is somewhat similar to the handsome variegated form of *D. fragrans*, but differs from it in the variegation being marginal instead of central. Its elegantly recurved leaves are of a deep green colour, and are traversed their entire length by bands of creamy-white and various shades of yellow; the diverse forms of the variegation render the plant of the highest value for decoration. 5s., 7s. 6d. and 10s. 6d.

**EUCCHARIS SANDERII.**

A distinct and beautiful new species. Its snow-white flowers are produced in umbels, and the corona, which is marked with six yellow stripes, is so shallow that it merely projects as a rim beyond the mouth of the tube. The leaves are deep green. It has been awarded a First Class Certificate by the Floral Committee of the Royal Horticultural Society. [3s. 6d. and 5s. each.

For other Eucharis, see page 24.

**EURYCLES AUSTRALASICA.**

A beautiful bulbous plant introduced from Australia. It is free-flowering, and produces large heads of elegant and charming white flowers, especially useful for all purposes for which cut flowers are required. 3s. 6d. each; 36s. per dozen.

DRACENA MAJESTICA, 3s. 6d. and 5s.

MASSANGEANA, *vide* fragrans variegata

MRS. BAUSE, 3s. 6d. and 5s.

MRS. C. J. FREAKE, 3s. 6d.

MRS. WILLS, 3s. 6d.

PHRYNIOIDES, 10s. 6d.

REGINA, 3s. 6d.

RENARDIE, 5s.

ROSSII, 3s. 6d. and 5s.

RUBRA, *vide* D. congesta

SALMONEA, 3s. 6d. and 5s.

SPLENDENS, 3s. 6d. and 5s.

STRICTA, 3s. 6d.

SUPERBA, 3s. 6d. and 5s.

SURCULOSA MACULATA, 7s. 6d.

SYDNEYI, 3s. 6d.

DRACENA TERMINALIS, 2s. 6d. and 3s. 6d.

TERMINALIS ALBA, 3s. 6d. and 5s.

THOMSONII, 3s. 6d. and 5s.

VIVICANS, 3s. 6d. and 5s.

WILLSII, 3s. 6d. and 5s.

WILSONI, 5s., 7s. 6d. and 10s. 6d.

see also page 40.

DRACONTIUM ASPERUM, 5s.

CARDERI, 7s. 6d.

SCALPTURATUM, 7s. 6d.

DRYMONIA MARMORATA, 7s. 6d.

TURIALVÆ, 5s.

DURIO ZIDETHINUS (DURIAN).

DYCKIA BREVIFOLIA, 7s. 6d.

ECHITES, *vide* Dipladenia

PICTA, 3s. 6d. and 5s.

ELÆOCARPUS GRANDIS.

A pretty evergreen plant from the district of the Pine River, in Queensland. It is furnished with lanceolate crenulate leaves, affixed by short red petioles. The flowers are charming and larger than in any of the allied species, the petals white, divided into about five deeply fringed lobes, silky pubescent at the margins. 5s. and 7s. 6d.

ELÆODENDRON ORIENTALE (ARALIA

CHABRIERII), 5s.

ELETTARIA DIEPENHORSTII, 5s.

ENCEPHALARTOS, *vide* Index

ENCHOLIRION CORALLINUM, 7s. 6d.

EPIPHYLLUMS, of sorts; useful for winter and early spring blooming, and very showy and attractive. 30s. and 42s. per dozen.

EPIPREMNUM MIRABILE "TONGA PLANT"
3s. 6d. and 5s.

EPISCIA TESSELLATA, *vide* *Centrosolenia bullata*

ERANTHEMUM MACROPHYLLUM.

A very desirable winter-flowering stove plant introduced from India. Its pretty light blue flowers are borne in terminal and axillary spikes, the two upper petals and the lateral ones being reflexed on the sides of the long whitish tube, the lower petal or lip extends horizontally and is of a deep bright blue colour. It is very free flowering and of good habit. 5s.

ERANTHEMUM MOOREI, 3s. 6d.

CUMABÆRINUM, 5s.

PULCHELLUM, 2s. 6d. and 3s. 6d.

TRICOLOR, 3s. 6d.

VELUTINUM, 5s.

VERBENACEUM, 3s. 6d.

ERYTHRINA PARCELLII, 10s. 6d.

see also page 40.

ERYTHROXYLON COCA, 10s. 6d.

EUCARIS AMAZONICA, 1s. 6d. and 2s. 6d.;

15s. and 24s. per dozen.

CANDIDA, 2s. 6d. each; 24s. per dozen.

SANDERII, *vide* page 22.

STEVENSII, 7s. 6d.

EUADENIA EMINENS, 1 guinea

EUCODONIA, *vide* Index.

EUGENIA JAMBOS (*Rose Apple*), 10s. 6d.

PIMENTA (*Allspice*), 5s.

vide also page 40.

EUPHORBIA JACQUINÆFLORA, 2s. 6d. and 3s. 6d.

EURYCLES AUSTRALASICA, *vide* page 23.

EXOSTEMMA CHONTALENSIS, 10s. 6d.

FERNS, *vide* Index.

FICUS BARBATA, 2s. 6d. and 3s. 6d.

(**ARTOCARPUS**) **CANNONI**, 3s. 6d.

EBUENEA, 5s.

ELASTICA, 3s. 6d.

— **VARIEGATA**, 5s. and 7s. 6d.

EXSCULPTA, 3s. 6d. and 5s.

INDICA, 3s. 6d.

(**ARTOCARPUS**) **LACINIATA METALLICA**, 3s. 6d.

MOOREI, 5s.

RADICANS, 3s. 6d.

RELIGIOSA (*Sacred Indian Fig*), 7s. 6d.

FICUS SYCOMORUS (*Sycamore Tree of Scripture*),
7s. 6d. and 10s. 6d.

FILICUM DECIPIENS, 5s. and 7s. 6d.

FITTONIA ARGYRONEURA, 2s. 6d.

OGIANTEA, 2s. 6d.

PEARCEI, 2s. 6d.

FRANCISCEA CALYCOINA, 3s. 6d. and 5s.

CONFERTIFLORA (**LAURIFOLIA**), 3s. 6d.

EXIMIA, 3s. 6d.

LINDENI, 3s. 6d.

MAGNIFICA, 3s. 6d. and 5s.

VIOLACEA GRANDIFLORA, 3s. 6d. and 5s.

GALACTODENDRON UTILE (*Milk Tree*), 1 guinea

GARCINIA LIVINGSTONI, 10s. 6d. and 15s.

GARDENIA CITRIODORA, 3s. 6d.

FLORIDA, 2s. 6d. and 3s. 6d.

GLOBOSA, 5s.

RADICANS, 2s. 6d. and 3s. 6d.

THUNBERGII, 5s.

GEISSOMERIA MARMORATA, 3s. 6d.

GESNERA DONKELAARI, 5s.

DUVALII, 3s. 6d.

LEOPOLDII, 3s. 6d.

— **ALBO-CARMINEA**, 3s. 6d.

— **ROSEO-LILACINA**, 3s. 6d.

MACHANTHA, 2s. 6d.

vide Index

GLONERA JASMINIFLORA, 3s. 6d.

GLORIOSA PLANTII, 2s. 6d. and 3s. 6d.

SUPERBA, 3s. 6d.

GLOXINIA, *vide* Index

GODWINIA GIGAS, 10s. 6d.

GONOLOBUS CUNDURANGO, *vide* page 40.

GOODYERA, *vide* Orchids

GRIFFINIA HYACINTHINA.

An extremely handsome and ornamental free-flowering bulbous plant from Brazil. The flower scape is about a foot high, and bears an umbel of from fifteen to twenty flowers of a beautiful bluish lilac colour, shading off to white at the base of the segments. 5s. and 7s. 6d.

GUZMANNIA PICTA (**NIDULARIUM FULGENS**),

7s. 6d. and 10s. 6d.

HÆMANTHUS KALBREYERI, 5s.

KATHERINÆ, 5s. and 7s. 6d.

— **SUPERBUM**, 1 guinea

NATALENSE, 7s. 6d.

vide also page 41.

HEVEA BRASILIENSIS (*Para Rubber*).

HEDYCHIUM ACUMINATUM, 5s.

GARDNERIANUM, *vide* page 41.

HELICONIA AUREO-STRATA, 5s. and 7s. 6d.

BREVISPATHA, 10s. 6d.

ILLUSTRIIS, *vide* page 10.

HEMIGRAPHIS COLORATA, 3s. 6d.

HIBISCUS ROSA SINENSIS ALBO-VARIEGATUS,
2s. 6d. and 3s. 6d.

ROSA SINENSIS BRILLANTISSIMUS, 5s.

— **COLLIERI**, 3s. 6d.

— **DENNISONI**, 3s. 6d.

— **INTERMEDIUS**, 7s. 6d.

HIBISCUS ROSA SINENSIS LAMBERTII, 3s. 6d.

ROSA SINENSIS MAGNIFICUS, 5s.

— — — MINIATUS SEMI-PLENUS, 3s. 6d.

— — — PUNICEUS, 3s. 6d.

— — — VIVIOANS, 3s. 6d.

— — — ZEBRINUS, 3s. 6d.

MOSCHATUS, 7s. 6d.

SCHIZOPETALUS, 2s. 6d. and 3s. 6d.

see also page 41.

HIPPEASTRUM, *vide* **AMARYLLIS****HOFFMANNIA** (HIGGINSA) GHIESBREGHTII, 2s. 6d. and 3s. 6d.

GHIESBREGHTII VARIEGATA, 5s.

ORTGIESII, 3s. 6d.

REFULGENS ROBUSTA, 3s. 6d.

HOMALONEMA PELTATUM, 10s. 6d.**HOPLOPHYTUM LINEATUM**, *vide* page 10.**HOYA GLOBULOSA.**

A distinct and handsome species, producing profusely large trusses of flowers of a bright straw colour, the coronal protuberances white, the interstices pink, forming a pleasing contrast. 3s. 6d. & 5s.

HOYA BELLA, 3s. 6d.

CAMPANULATA, 3s. 6d. and 5s.

CAENOSA, 2s. 6d. and 3s. 6d.

IMPERIALIS, 3s. 6d. and 5s.

PAXTONI, 2s. 6d. and 3s. 6d.

HYDROCOTYLE NITIDULA, 3s. 6d.**HYMENOCALLIS MACROSTEPHANA**, 10s. 6d., 15s. and 1 guinea*vide* *Paneratium***HYPOLYTRUM SCHRADERIANUM**, *vide* page 10.**HYMENOSPORUM FLAVUM.**

A handsome evergreen plant of branching habit, furnished with broadly obovate glabrous leaves. The flowers form a compound terminal corymb, and are yellow marked with orange-red at the mouth of the tube-like portion, and clothed outside with silky hairs. 7s. 6d.

IMPATIENS HAWKERII.

A most lovely flowering plant, with magnificent large flatly expanded flowers of the most brilliant rich deep carmine colour, relieved by a lustrous bluish tinge round the small white eye. The handsome flowers of this superb *Impatiens* are produced in the greatest profusion from March until October, the plant being of free growth and of good habit. 2s. 6d. and 3s. 6d.

IMPATIENS FLACCIDA (PLATYPETALA), 2s. 6d.

FLACCIDA (PLATYPETALA) ALBA, 1s. 6d.

SULTANI, 1s. 6d.

— — — CARMINATA, 2s. 6d. and 3s. 6d.

— — — SALMONEA, 2s. 6d. and 3s. 6d.

IPOMŒA HORSFALLIÆ, 5s. and 7s. 6d.**IPOMŒA LEARII**, 2s. 6d. and 3s. 6d.

TERNATA (THOMSONIANA), 5s.

ISOLOMA HIRSUTA, 3s. 6d.**IXORA AMABILIS**, 3s. 6d.

AURELIA, 3s. 6d.

COCCINEA SUPERBA, 3s. 6d.

IXORA BELLA.

An exceedingly pretty and effective variety, producing fine trusses of flowers of a salmon-pink colour, shading off to light salmon. 10s. 6d.

IXORA DUFFII, *vide* *I. macrothyrsa*.**IXORA EXIMIA**, 7s. 6d.**IXORA ILLUSTRIS.**

A splendid variety, producing immense trusses of flowers of a fine bright orange-salmon colour; extremely showy and ornamental. 10s. 6d.

IXORA LAVERNA, 3s. 6d.

LOBBII, 7s. 6d.

MACROTHYRSA (DUFFII), 3s. 6d. and 5s.

MIRANDA, 7s. 6d.

MODIOLA, 5s.

ORNATA, 7s. 6d.

IXORA PILGRIMII, 3s. 6d.

PRINCE OF ORANGE, 3s. 6d.

PRINCEPS, 3s. 6d.

REGINA, 3s. 6d.

SANGUINEA, 3s. 6d.

WESTII, 3s. 6d.

IXORA SALMONEA.

This distinct and attractive variety bears large trusses of light buff flowers, marked with bright salmon, the blossoms being of good shape. From its excellent habit, and free-flowering qualities, this variety will be found of great service for exhibition and decorative purposes generally. 15s.

IXORA SPECIOSA.

A beautiful addition to these handsome and showy stove plants. The colour of the flowers on opening is buff, afterwards changing to bright orange-salmon, the individual pips are large and borne in good compact trusses, added to which it is extremely free-flowering. 10s. 6d.

IXORA VERONA, 3s. 6d.**IXORA WILLIAMSII**, 3s. 6d.**IXORA VENUSTA.**

A beautiful variety producing fine trusses of very large flowers, which on first opening are of a bright orange colour, changing afterwards to salmon-buff. 7s. 6d.

JACARANDA CLAUSSENIANA (CUPANIA FILICIFOLIA), 10s. 6d. and 15s.
ELEGANTISSIMA, 10s. 6d.
MIMOSÆFOLIA, 5s.

JASMINUM DUCHESSE D'ORLEANS, 3s. 6d.
GRACILLIMUM, 2s. 6d.
HIBSUTUM (MULTIFLORUM) 2s. 6d. & 3s. 6d.
LIGUSTRIFOLIUM, 3s. 6d.
SAMBAC, 2s. 6d. and 3s. 6d.
— FLORE PLENO, 3s. 6d.
see also page 41.

JATROPHA MULTIFIDA, 5s.

JONESIA ASOCA, 10s. 6d. and 15s.

JUSTICIA FLAVACOMA, 2s. 6d.

KÆMPFERIA BENSONIÆ, 7s. 6d.

BERKELEYI, 7s. 6d.

GILBERTII, 3s. 6d.

MOULMEINENSIS, 7s. 6d.

ROSCOEANA, 5s.

ROTUNDA, 5s.

UNDULATA, 5s.

KYLLINGIA MONOCEPHALA, 3s. 6d.

LABISIA ALATA, 7s. 6d.

MALOUANA, 10s. 6d.

LAMPROCOCCUS (ÆCHMEA) FULGENS, 3s. 6d. and 5s.

(ÆCHMEA) MINIATA, 5s.

(—) SPECIOSUS, *vide* page 11.

(—) WEILBACHI, 7s. 6d.

LANDOLPHIA KIRKII, 10s. 6d.

WATSONIANA, 7s. 6d.

LAPORTEA SCHOMBURGKII VERSICOLOR, 10s. 6d.

LASIANDRA, *vide* page 42.

LAURUS CINNAMOMUM, 5s. and 7s. 6d.

LEDENBERGIA ROSEO-ÆNEA, 3s. 6d.

LIBONIA, *vide* page 42.

MACROZAMIA, *vide* Index

MAGNOLIA PUMILA, 5s. and 7s. 6d.

MANETTIA BICOLOR, 2s. 6d. and 3s. 6d.

CORDATA, 2s. 6d. and 3s. 6d.

MANGIFERA INDICA (Mango), 21s.

MARANTA ARUNDINACEA (*The Arrowroot Plant*), 7s. 6d.

ARUNDINACEA VARIEGATA, 3s. 6d. and 5s.

BARAQUINII, 3s. 6d.

BELLA, 7s. 6d.

BICOLOR, 5s.

CONSPICUA, 7s. 6d.

ORATIOSA, 7s. 6d.

ICONIFERA, 7s. 6d.

KERCHOVEANA, 3s. 6d. and 5s.

LEOPOLDII, 3s. 6d.

LINDENI, 3s. 6d.

LUBBERSII, 2s. 6d.

MAKOYANA, 3s. 6d.

MASSANOEANA, 3s. 6d.

MUSAICA, 10s. 6d.

NITENS, 7s. 6d.

NITIDA, 10s. 6d.

PRASINA, 7s. 6d.

RADIATA, 5s.

ROSEO-PICTA, 3s. 6d.

VEITCHII, 3s. 6d. and 5s.

WARSCIEWICZII, 3s. 6d.

WIOTII, 5s.

ZEBRINA, 3s. 6d.

MARCGRAVIA PARADOXA, 3s. 6d.

MEDINILLA AMABILIS, 3s. 6d.

CURTISII, 3s. 6d.

MAONIFICA, 3s. 6d.

MELASTOMA MALABATHRICA, 5s.

MESUA FERREA, 7s. 6d. and 10s. 6d.

METHONICA, *vide* Gloriosa

MEYENIA ERECTA, 2s. 6d. and 3s. 6d.

MICANIA PULVERULENTA, 3s. 6d.

MONSTERA DELICIOSA (Philodendron pertusum), 5s. and 7s. 6d.

MUSA CAVENDISHII, 10s. 6d. and 15s.

COCCINEA, 5s., 7s. 6d. and 10s. 6d.

ZEBRINA, 10s. 6d. and 15s.

MUSSÆNDA ERYTHROPHYLLA.

A remarkable introduction from the Congo. It is of shrubby habit, and produces heads of the richest dazzling scarlet bracts, which are roundish ovate in form, about three and a-half inches long, by three inches wide; at the base of each bract are borne three or four funnel-shaped sulphur-yellow flowers, the whole plant, including the bracts and flowers, being covered with a silky pubescence. The leaves are opposite, roundish ovate, and of a bright green colour. 10s. 6d.

MUSSÆNDA FRONDOSA, 2s. 6d. and 3s. 6d.

MYRISTICA MOSCHATA (Nutmeg), 2 guineas

NEGELIA, *vide* GESNERA

NAPOLEONA IMPERIALIS, 5s. and 7s. 6d.

NEPENTHES AMPULLARIA VITTATA, 10s. 6d.

CHELSONI, 1 guinea

COCCINEA, 15s.

COURTII, 1 guinea

DISTILLATORIA, 10s. 6d.

DOMINII, 10s. 6d.

GRACILIS MAJOR, 5s.

HENRYANA, 15s. and 1 guinea

HOOKEI (Sir Joseph Hooker's Pitcher Plant), 1 guinea

HOOKEÆ (Lady Hooker's Pitcher Plant), 1 and 1½ guinea

NEPENTHES HYBRIDA MACULATA, 10s. 6d.

INTERMEDIA, 10s. 6d.

KENNEDYANA, 10s. 6d.

LAWRENCEANA, 10s. 6d. and 15s.

MASTERSIANA, 1 and 1½ guinea

MOROANÆ, 10s. 6d. and 15s.

OUTRAMIANA, 10s. 6d.

RAFFLESIANA, 15s.

RATCLIFFIANA, 10s. 6d. and 15s.

SEDENI, 5s.

STEWARTII, 10s. 6d.

SUPERBA, 10s. 6d.

ZEYLANICA RUBRA, 10s. 6d.

NEPHTHYTIS LIBERICA, *vide* page 30.

PICTURATA, *vide* page 27.

**NEPHTHYTIS PICTURATA.**

A very distinct and ornamental stove Aroid from the Congo, remarkable for the handsome variegated character of its foliage. The plant is stemless, with terete green petioles growing about a foot high, and broadly ovate-hastate leaves, which are abruptly pointed at the apex; the colour is bright green with a silvery-white variegation between the nerves. This variegation is peculiar and quite unique in character, forming a pattern resembling in outline the tips of fern fronds laid between the nerves, with their points all directed towards the base of the leaf. 21s.



NIDULARIUM INNOCENTII STRIATUM.

NIDULARIUM INNOCENTII STRIATUM.

This striking and ornamental Bromeliaceous plant has been imported from Brazil. It has bright green leaves from eight to twelve inches long, most effectively striped or striated with a central white variegation, deepening off to a creamy-yellow, rendering it a most charming and attractive decorative plant. The margins of the leaves are furnished with small spinose teeth. 15s., 1, 1½ & 2 guineas.

NEPHTHYTIS LIBERICA.

A new species of an interesting little group of tropical West African Arads. It has a creeping stem and sagittate leaves of a cheerful green colour; the flower scape is terete, with a few minute scattered prickles; the spathe is greenish white. 7s. 6d.

NEPHTHYTIS PICTURATA, *vide* page 27.

NIDULARIUM FULGENS, *vide* *Guzmania picta*

INNOCENTII, 5s. and 7s. 6d.

— *STRIATUM*, *vide* page 28.

MAKOYANUM, 15s.

METALLICUM, 10s. 6d. and 15s.

SPECTABILE, 7s. 6d. and 10s. 6d.

OCHROSIA ELLIPTICA, 5s.

ONCIDIUM, *vide* ORCHIDS

OPHIOPOGON, *vide* page 43.

OPLISMENUS IMBECILLUS VARIEGATUS (*PANICUM VARIEGATUM*), 1s. 6d.

INTERMEDIUS (*PANICUM INTERMEDIUM*), 2s. 6d. and 3s. 6d.

ORCHIDS, *vide* Index

OXALIS BUPLEURIFOLIA, 5s.

SENSITIVA, 3s. 6d. and 5s.

PALISOTA BARTERI, 5s.

PALMS, of sorts, *vide* Index

PANAX DISSECTUM, 7s. 6d.

FRUTICOSUM, 7s. 6d.

VICTORIE, 3s. 6d. and 5s.

PANCRATIUM AMENUM, 3s. 6d.

CRASSIFOLIUM, *vide* page 30.

FRAOBANS, 3s. 6d., 5s. to 1 guinea.

GUIANENSE, *vide* page 31.

MACROPHYLLUM, 10s. 6d., 15s. and 1 guinea

LITTORALE, 5s.

SPECIOSUM, 5s. and 7s. 6d.

PANCRATIUM ZEYLANICUM, *vide* page 30.

vide *Hymenocallis*

PANDANOPHYLLUM HUMILE, 1½ guinea

PANDANUS JAVANICUS VARIEGATUS, 3s. 6d. & 5s.

LABYRINTHICUS, 3s. 6d. and 5s.

LAIS, 3s. 6d. and 5s.

UTILIS, 2s. 6d. and 3s. 6d.

VEITCHII, 2s. 6d. and 3s. 6d.

PANICUM VARIEGATUM, *vide* *Oplismenus INTERMEDIUM*, *vide* *Oplismenus*

PARITUM ELATUM (CUBA BAST), 7s. 6d.

PASSIFLORA BUONAPARTEA, 2s. 6d. and 3s. 6d.

CARDINALIS, 2s. 6d. and 3s. 6d.

EDULIS, 2s. 6d. and 3s. 6d.

FULGENS, *vide* *Tacsonia Buchanani*

KERMESINA, 3s. 6d.

LAURIFOLIA, 5s.

MACROCARPA, 3s. 6d. and 5s.

PRINCEPS (RACEMOSA), 3s. 6d.

QUADRANGULARIS, 2s. 6d. and 3s. 6d.

— *VARIEGATA*, 3s. 6d. and 5s.

VIOLACKA, 3s. 6d.

VITIFOLIA, *vide* *Tacsonia Buchanani*

see also page 43.

PAULLINIA HOOIBREKII, 10s. 6d.

OCEANICA, 10s. 6d.

SORBILIS, Guarana Tea Plant, 10s. 6d.

THALICTRIFOLIA, 3s. 6d.

PAULOWILHELMIA SPECIOSA.

A beautiful soft-wooded stove plant, as distinct as it is showy, and likely to become a very popular plant. Its attractive mauve blue flowers, marked with yellow on the disc, are disposed in large terminal panicles, made up of numerous opposite cymes. The leaves are cordate, irregularly toothed on the margins, and of a cheerful green colour. 7s. 6d.

PAVETTA BORBONICA, 10s. 6d.

PAVONIA MAKOYANA, 3s. 6d.

MULTIFLORA (WIoTII), 3s. 6d.

PELLIONIA DAVEAUNANA, 2s. 6d.

PULCHRA, 2s. 6d.

PENTAS CARNEA, 1s. 6d. and 2s. 6d.

PENTAS KERMESINA, 1s. 6d. and 2s. 6d.

PEPEROMIA EBURNEA, 3s. 6d.

PHILODENDRON CARDERI, 7s. 6d.

CRINIPES, 5s.

DISCOLOR, 5s.

GLORIOSUM, 5s. and 7s. 6d.

PHILODENDRON NOBILE.

A distinct species from South America. It has obovate lanceolate leaves of a firm leathery texture. The large and attractive inflorescence is axillary, the lower portion of the handsome spathe being of a deep rosy crimson colour, both inside and out; the upper part, white internally, outside prettily marked with deep-rose stellate spots. 15s. and 1 guinea.

PHILODENDRON IMPERIALE (MAMEI), 5s. & 7s. 6d.

LINDENIANUM, 3s. 6d. and 5s.

MELANOCHRYSUM, 5s.

PERTUSUM, *vide* *Monstera deliciosa*

QUEBOIFOLIUM, 5s.

RADIATUM, 5s.

PHYLLANTHUS ATROPURPUREUM, 3s. 6d.

ELEGANS, 5s.

MUCRONATUM, 3s. 6d.

PHYLLANTHUS NIVOSUM, 3s. 6d.

ROSEO-PICTUM, 3s. 6d.

SUBMARGINATUM, 3s. 6d.

PHYLLARTHON COMORENSE, 7s. 6d.

PHYLOTENIUM LINDENI, 3s. 6d. and 5s.

PIPER ARGENTEUM, 10s. 6d.

ORNATUM, 2s. 6d. and 3s. 6d.


PIPERS, of sorts, 2s. 6d. and 3s. 6d.



PANCRATIUM CRASSIFOLIUM.

**PANCRATIUM
CRASSIFOLIUM.**

A very desirable free-flowering Stove species, producing on short erect scapes umbels of from eight to ten pure white flowers, deliciously fragrant; admirably adapted for bouquets and every other purpose for which cut flowers are usually required. The above illustration conveys some idea of its graceful and ornamental character. 2s. 6d. each; 24s. per dozen.



**PANCRATIUM
ZEYLANICUM.**

An exceedingly attractive dwarf-growing stove species, bearing large pure white flowers, very deliciously scented. As will be seen by the illustration, the corona is funnel-shaped and deeply serrated on the margin, from which the filaments arise and incurve towards the centre. The petals being gracefully recurved lend an additional charm to the flowers of this desirable species. 2s. 6d. each; 24s. per doz.

For other *Paneratiums*, *vide* p. 29.

**PANCRATIUM GUIANENSE.**

A very distinct species introduced from British Guiana, producing its elegant flowers in handsome clusters on erect scapes. The blossoms are pure white, the narrow segments being drooping and most prettily curled and twisted, presenting an aspect of the most charming description. The corona is trumpet-shaped, the filaments which proceed from it being bright green, and furnished with bright yellow anthers. 7s. 6d. and 10s. 6d.

PITCAIRNIA ALTA.

An attractive plant, of graceful habit, with very long and narrow recurved drooping foliage; it bears a tall branching spike of bright coral red blossoms; the flowers individually are from 2 to 2½ inches long, and have bright yellow stamens, forming an effective contrast. 10s. 6d.

PITCAIRNIA CORALLINA, 5s. and 7s. 6d.

PLATYPHYLLA, 7s. 6d.

TABULIFORMIS, 3s. 6d. and 5s.

PLUMBAGO COCCINEA SUPERBA, 2s. 6d. & 3s. 6d.

BOSEA, 2s. 6d. and 3s. 6d.

see also page 43.

POGOSTEMON PATCHOULI, 2s. 6d. and 3s. 6d.

POINSETTIA PULCHERRIMA, 1s. 6d. and 2s. 6d.

PULCHERRIMA ALBA, 2s. 6d. and 3s. 6d.

— **PLENISSIMA**, 2s. 6d. and 3s. 6d.

— **ROSEO-CARMINATA**, 2s. 6d.

PORTLANDIA GRANDIFLORA, 7s. 6d.

POTHOS ARGENTEUS.

An attractive variegated Araceous plant of climbing habit, imported from Bornco. The leaves are ovate-acuminate, unequal-sided and of firm texture, nearly the whole of the upper surface being of a shining silvery grey colour, the effect being greatly enhanced by an irregular band of deep green, the leaves being also margined in an irregular manner with the same colour. 10s. 6d.

POTHOS ARGYREIOS, 2s. 6d. and 3s. 6d.

AUREUS, 3s. 6d. and 5s.

POTHOS CELATOCALIS, 2s. 6d., 3s. 6d. and 5s.

MACROPHYLLUS, 3s. 6d.

POTHOS FLEXUOSUS.

An interesting Araceous plant, which has been introduced from India. It has flattened rooting stems, the leaves being alternately directed to the right and to the left, the larger ones six inches long; the lamina oblong, with an acuminate deflexed apex, pale green, with a few alternate elongated ribs. From the peculiar character of the leaves, which lie flat upon the surface it climbs over, it is well adapted for covering walls, or for other ornamental purposes. 10s. 6d.

POTHOS NITENS.

A distinct looking stove plant, with leaves of a dark shining bronzy-purplish green and climbing terete stems which hold fast to any surface with which they come in contact by means of their adventitious roots. This will prove an effective and attractive species for covering the walls and trellises in our stoves. It has been imported from the Eastern Archipelago. 7s. 6d.

PSIDIUM CATTLEYANUM (The Guava), 3s. 6d. and 5s.

PUYA MAIDIFOLIA, 5s.

SULPHUREA, 7s. 6d.

UNDULATA, 7s. 6d.

RAVENALA MADAGASCARIENSIS. "The Traveller's Tree," 7s. 6d. and 10s. 6d.

REIDIA GLAUDESCENS, 2s. 6d. and 3s. 6d.

RHOPALA, of sorts, 5s., 7s. 6d. and 10s. 6d.

ROGEIRA CORDATA (AMORNA), 3s. 6d.

GRATISSIMA, vide page 44.

RONDELETIA BREVIFOLIA, 3s. 6d.

SPECIOSA MAJOR, 3s. 6d.

RUPELLIA ACUTANGULA, 5s.

PORTELLA, 3s. 6d.

ROSEA, 3s. 6d.

SACCHARUM OFFICINARUM "Sugar Cane," 5s.

SANCHEZIA NOBILIS GLAUCOPHYLLA, 3s. 6d.

NOBILIS VARIEGATA, 3s. 6d.

SANSEVIERA ZEYLANICA, 3s. 6d.

SCHISMATOGLOTTIS DECORA, 5s.

LATIFOLIA, 5s.

LAVALLEI, 5s.

LONGISPATHA, 5s.

SIAMENSIS, 10s. 6d.

VARIEGATA, 3s. 6d.

SCHISTOCASIA PORTEI, vide *Alocasia Portei*

SCHUBERTIA GRAVEOLENS.

An exceedingly handsome stove climber, of free growth, producing in great abundance clusters of funnel-shaped white flowers, individually nearly three inches across, very sweet scented, and from the great consistency of the blooms, lasting a long time when cut and placed in water. 3s. 6d. & 5s.

SCINDAPSUS ARGYRÆUS.

A creeping-stemmed Arad, the stems fixing themselves by rooting as they advance in growth. The leaves are glabrous, the juvenile ones ovate acuminate, very silvery and glossy on the surface; the older and more mature leaves are pinnatifid, and become silvery on the surface like the younger ones. It has been imported from the East Indies. 10s. 6d.

**THUNBERGIA AFFINIS.**

This extremely beautiful species has been introduced from Zanzibar, and is one of the most handsome of the genus. When cultivated in pots it assumes a dwarf compact habit, the flowers being of large size, very rich bright purple in colour, with an orange-yellow throat. 5s. and 7s 6d.

SINNINGIA PURPUREA NIORA, 3s. 6d.
SMILAX DISCOLOR, 7s. 6d.
SMILAX SHUTTLEWORTHII, 7s. 6d.
SOLANDRA ORANDIFLORA, 3s. 6d.
SOLANUM SEAFORTHIANUM, 5s.
SONERILA ORIENTALIS, 3s. 6d.
 ORIENTALIS PICTA, 3s. 6d.
 — **PUNCTATA**, 3s. 6d.
SPATHIPHYLLUM PICTUM, 5s.

SPATHODEA CAMPANULATA, 7s. 6d.
SPHÆROGYNE LATIFOLIA, 3s. 6d.
SPHÆROSTEMA MARMORATUM, 3s. 6d. and 5s.
STADMANNIA AMABILIS, 10s. 6d.
STENOSPERMATIUM WALLISII, 5s.
STEPHANOPHYSUM BAIKIERI, 2s. 6d. & 3s. 6d.
STEPHANOTIS FLORIBUNDA, 3s. 6d.
 FLORIBUNDA, "Elvaston" variety,
 3s. 6d. & 5s.

STERCULIA DISCOLOR.

An ornamental stove plant, introduced from East and North Australia, having pale green irregularly lobed leaves, the divisions—generally three or five—never extending more than halfway to the centre of the leaf. The flowers, which are borne in spicate panicles, are rose-red in colour, and somewhat campanulate or funnel-shaped. It has been figured in the *Botanical Magazine*, Tab. 6608. 7s. 6d.

STEUDNERA COLOCASIEFOLIA, 5s.
 DISCOLOR, 10s. 6d.
STIGMAPHYLLUM CILIATUM, 2s. 6d. and 3s. 6d.
STRELITZIA AUGUSTA, 15s.
 REGINÆ, 7s. 6d.
STREPTOCARPUS REXII, 2s. 6d. and 3s. 6d.
 REXII HYBRIDS.—Many pretty varieties of
 various shades of colour. 3s. 6d. each,
 36s. per dozen.

STREPTOCARPUS REXII PURPUREUS, 5s.
SYNGONIUM ALBO-LINEATUM, 3s. 6d.
 WENDLANDII, 3s. 6d.
TABERNÆMONTANA CAMASSA, 3s. 6d.
 CORONARIA FLORE PLENO, 3s. 6d.
TACSONIA BUCHANANI (VITIFOLIA), 3s. 6d. & 5s.
TAPEINOTIS CAROLINÆ MAJOR, 5s.
TERMINALLIA ELEGANS, 5s. & 7s. 6d.
TETRANEMA MEXICANA, 1s. 6d.

TECOMA AMBOINENSIS.

This handsome free-flowering stove climber has been introduced from the Island of Amboina. Its leaves are impari-pinnate with the leaflets generally in pairs, acuminate. The flowers are produced in racemes, the orange-red corolla tube being from three to four inches long. 15s.

THEOBROMA CACAO (Cocoa), 10s. 6d.
THROPHRASTA IMPERIALIS, *vide* Chrysophyllum
 imperiale
THUNBERGIA AFFINIS, *vide* page 33.
 FRAGRANS, 2s. 6d.
 GRANDIFLORA, 3s. 6d.
 HARRISII (LAURIFOLIA), 3s. 6d.

THYRSACANTHUS RUTILANS, 2s. 6d. and 3s. 6d.
TILLANDSIA ACAULIS ZEBRINA, *vide* Cryptanthus
 ACAULIS ZEBRINA AUREA, *vide* Cryptanthus.
 BEUCKERII, *vide* Cryptanthus.
 BIVITTATA, *vide* Cryptanthus
 FENESTRALIS, *vide* Vriesia fenestralis.
 HIEROGLYPHICA, 5s. and 7s. 6d.

TILLANDSIA LINDENIANA VERA.

One of the most beautiful of the Bromeliads; a native of Ecuador, of dwarf compact growth, with recurved olive-green leaves. The flower scape bears an ovate flattened spike of a bright rosy hue, from the bracts of which issue in succession the beautiful lilac-blue flowers; the contrast of which with the rose-coloured scape presents a most charming appearance. 10s. 6d., 15s. & 21s.

TILLANDSIA (CARAOUATA) MUSAICA, 15s. and
 21s. | **TOXICOPHLEA (ACOCANTHERA) SPECTABILIS**, 3/6
 THUNBERGII, 5s.

TRADESCANTIA DECORA.

This pretty ornamental foliated species has been imported from Rio Grande do Sul, and bears elongate lanceolate leaves with sheathing petioles, spirally arranged on upright stems. The foliage is dark olive-green, the leaf-blade having a striking median variegation of silvery-grey. 10s. 6d.

TYDÆA, *vide* Index
URCEOLINA AUREA, 2s. 6d. and 3s. 6d.
UROSKINNERA SPECTABILIS, 2s. 6d. and 3s. 6d.
UTRICULARIA MONTANA, 7s. 6d. and 10s. 6d.
VANILLA AROMATICA, 3s. 6d. and 5s.
 PLANIFOLIA, 5s. and 7s. 6d.
VINCA ALBA, 2s. 6d. and 3s. 6d.
 ALBA OCULATA, 2s. 6d. and 3s. 6d.
 ROSEA, 2s. 6d. and 3s. 6d.
VRIESIA BRACHYSTACHYA, 5s.

VRIESIA FALKENBERGII, 1 guinea.
 FENESTRALIS, 5s.
 PURPURASCENS, *vide* page 11.
 SPLENDENS (SPECIOSA), 3s. 6d. and 5s.
XYLOPHYLLA ANOSTIFOLIA, 5s.
 INTERMEDIA, 5s.
ZINGIBER CYLINDRICUM, 3s. 6d.
 D'ARCEYI, 5s.
 OFFICINALE, 2s. 6d.
 ZERUMBET, 3s. 6d.

NEW, RARE AND DESIRABLE GREENHOUSE PLANTS.

ABELIA FLORIBUNDA, 2s. 6d.

ABUTILONS, *vide* page 49.

ACACIA ARMATA, 1s. 6d.

DEALBATA, 2s. 6d. and 3s. 6d.

DRUMMONDII, 2s. 6d. and 3s. 6d.

GRANDIS, 3s. 6d.

LONGIFOLIA MAGNIFICA, 3s. 6d.

LOPHANTHA, *vide* **ALBIZZIA**

ACACIA PLATYPTERA, 3s. 6d.

PUBESCENS, 3s. 6d. and 5s.

RICEANA, 2s. 6d. and 3s. 6d.

TENUIFOLIA, 5s.

VERTICILLATA, 2s. 6d.

of sorts, 2s. 6d., 3s. 6d. and 5s.

ACANTHOPANAX QUINQUEFOLIUS VARIEGATUS, 5s.

ACROPHYLLUM VENOSUM, 5s. and 7s. 6d.

ACMENA OVATA.

A neat evergreen plant, belonging to the Myrtaceous order. The stems are clothed with opposite ovate leaves on dark purple petioles. The young foliage is of a purplish red colour, and gives the plant a striking appearance while the new growth is in course of development. 5s.

ADENANDRA FRAGRANS, 2s. 6d. and 3s. 6d.

AGAPANTHUS UMBELLATUM, 1s. 6d.

AGAPANTHUS UMBELLATUM ALBUM, *vide* **A. umbellatum candidum**

AGAPANTHUS UMBELLATUM CANDIDUM.

A variety with pure white flowers, extremely useful for bouquets, and very suitable for most decorative purposes; it makes an excellent companion to the blue kinds. 3s. 6d.

AGAPANTHUS UMBELLATUM MAXIMUM, 3s. 6d.

UMBELLATUM MINUS, 3s. 6d.

AGAPANTHUS UMBELLATUM FOLIIS VARIEGATIS, 2s. 6d. and 3s. 6d.

AGAPETES BUXIFOLIA.

A very useful plant for a cool greenhouse, doing well either in a shady or a light position. It forms a compact bush, which is completely covered during the early summer with bright tubular scarlet flowers, having spreading segments. It is a native of Bhotan, and succeeds with the same treatment as that given to greenhouse Rhododendrons. 10s. 6d.

AGAVE AMERICANA LONGIFOLIA VARIEGATA, 5s.

AMERICANA VARIEGATA, 2s. 6d. and 3s. 6d.

AGAVE BULBOSA, *vide* **Fourcraea**

SHAWII, 3s. 6d. and 5s.

ALBERTA MAGNA.

This desirable plant has been described as being one of the finest flowering plants of Natal, from which country it has lately been introduced. It has deep green shining evergreen leaves, and is of shrubby growth, producing dense terminal panicles of bright red flowers, afterwards succeeded by beautiful fruits, each crowned with two enlarged calyx lobes nearly an inch long, giving the plant a very striking appearance. It should be grown in a greenhouse or conservatory, although, as it comes from a high elevation, it may prove half-hardy in favourable situations. 10s. 6d.

ALBIZZIA (AOACIA) LOPHANTHA, 1s. 6d.

ALOE FEROX, 3s. 6d. and 5s.

ALOYSIA CITRIODORA (LEMON-SCENTED VERBENA), 1s.

ALSTROMERIA ERREMBULTII, 9s. per dozen.

HEMANTHA, 9s. per dozen.

LUTEA, 6s. per dozen.

PULCHELLA, 6s. per dozen.

TRICOLOR (PULCHRA), 4s. 6d. per dozen.

See also page 50.

AMARYLLIS, *vide* pages 12 and 14.

AMORPHOPHALLUS (PROTEINOPHALLUS)

RIVIERI, 1s. 6d. and 2s. 6d.

ANOPTERUS GLANDULOSA, 5s. and 7s. 6d.

ANTHERICUM VARIEGATUM, *vide* **Phalangium argenteo-lineare**

AOTUS GRACILLIMA, 2s. 6d. and 3s. 6d.

APHELEXIS HUMILIS, 2s. 6d. and 3s. 6d.

MACRANTHA PURPUREA, 2s. 6d. and 3s. 6d.

— **ROSEA**, 2s. 6d. and 3s. 6d.

RUPESTRIS GRANDIFLORA, 2s. 6d. and 3s. 6d.

ARALIA JAPONICA (SIEBOLDII), *vide* **Fatsia japonica**

PAPYRIFERA, 3s. 6d.

ARAUCARIA BIDWILLII, 5s. and 7s. 6d.

BRASILIENSIS, 2s. 6d. and 3s. 6d.

COOKII,

CUNNINGHAMII.

ARAUCARIA EXCELSA.

Mr. W. B. has a fine lot of this handsome conservatory plant. 5s. and 7s. 6d. Specimens 1, 1½ and 2 guineas and upwards.

ARAUCARIA EXCELSA ALBO-SPICA, 5s. and 7s. 6d.

GOLDIEANA

ARDUINA GRANDIFLORA, 7s. 6d.

ARUNDO DONAX VARIEGATA, 3s. 6d. and 5s.

ASPARAGUS DECUMBENS, 3s. 6d. and 5s.

ASPARAGUS FALCATUS, 7s. 6d.

PLUMOSUS, 3s. 6d. and 5s.

— **NANUS**, 2s. 6d., 3s. 6d. and 5s.

TENUISSIMUS, 2s. 6d. and 3s. 6d.

VIRGATUS, 3s. 6d. and 5s.

AZALEA BALSAMINÆFLORA.*Syn.* :—*A. ROSÆFLORA*, A. ROLLISSONII.

This distinct species has been imported from Japan. In general character it is quite unique; its flowers are bright salmony red, beautifully double, rosette-like, and regularly imbricated, similar to those of a Camellia-flowered Balsam. Being very double, it lasts in perfection a long time, and is invaluable for bouquets as well as for general decoration. 2s. 6d., 3s. 6d. and 5s.

AZALEA INDICA.

The great value of Indian Azaleas for decorative purposes can hardly be over-estimated. The varieties of this effective plant can be had in blossom for four months of the year; well selected plants affording such a magnificent display of colour and wealth of bloom, that the low price at which beautiful kinds are now offered, should ensure a place for them in every greenhouse and conservatory.

Good selections can be made by Mr. W. B. at 18s., 30s. and 42s. per dozen.
New varieties, 5s., 7s. 6d. and 10s. 6d. each.

HYBRID AZALEAS.

The following Azaleas are hybrids between *A. amana* and some of the Indian varieties. Combined with the well-known prolificness and early blooming habit of *A. amana*, they have fine well-shaped attractive flowers, which, borne in such profusion, are most effective for every description of decorative work, being especially useful for early forcing where cent flowers are required, as with little trouble they may be had in bloom in November.

ILLUMINATOR, a well-formed bright rosy magenta-pink flower, the upper portion of the throat faintly speckled crimson, the base of throat vermilion. This charming variety has been awarded a First-class Certificate by the Royal Horticultural Society. 5s.

MAGNET, this variety produces a profusion of soft rosy-pink flowers, the centre bright pink, which extends through the centre of each petal to the tips, the upper petals speckled at the base with bright rose. 5s.

ORACLE, large well-formed flowers of a beautiful bright rosy-pink colour shaded with magenta, rendered additionally attractive by their lustrous satiny appearance. 5s.

STARLIGHT, a medium-sized semi-double flower of a beautiful soft rosy-pink colour, faintly shaded with pale magenta. 5s.

SYBIL, a pretty bright rosy-magenta flower of medium size, and semi-double; very floriferous and of excellent habit. 5s.

VICTORY, soft magenta-pink flowers, the upper divisions of the flowers faintly marked and speckled with carmine; very attractive. 5s.

The collection of six varieties, 21s.

BAMBUSA FALCATA (*syn.* *ARUNDINARIA FALCATA*,
THAMNOCALAMUS FALCONERI), 3s. 6d. and 5s.
vide page 50.

BEGONIA, *vide* Index

BERBERIDOPSIS CORALLINA, 3s. 6d.

BESCHONERIA YUCCOIDES, *vide* Fourcraea
Beddinghausii.

BIGNONIA (TECOMA) CAPENSIS, 2s. 6d.

CAPEOLATA, 2s. 6d.

CHERERE, 3s. 6d. and 5s.

EXCELSA, 7s. 6d. and 10s. 6d.

GRANDIFLORA, 2s. 6d. and 3s. 6d.

JASMINOIDES, 2s. 6d.

— ALBA MAGNA, 2s. 6d., 3s. 6d. and 5s.

— SPLENDIDA, 2s. 6d., 3s. 6d. and 5s.

SPECIOSA, 3s. 6d.

BIGNONIA TWEEDIANA, 3s. 6d.

VENUSTA, 3s. 6d. and 5s.

vide also pages 18 and 50.

BILLARDIERA LONOIFLORA, 2s. 6d.

BLANDFORDIA AUREA, 10s. 6d.

FLAMMEA, 10s. 6d.

NOBILIS, 5s. and 7s. 6d.

PRINCEPS, *vide* page 37.

BOMAREA CARDERI, 10s. 6d. and 15s.

PATACOCENSIS (CONFERTA), 10s. 6d.

BORONIA DRUMMONDII, 2s. 6d. and 3s. 6d.

ELATIOR, 2s. 6d.

HETEROPHYLLA, 5s.

MEGASTIGMA, 2s. 6d. and 3s. 6d.

BOUVARDIAS, *vide* Index

BOWIEA VOLUBILIS, 3s. 6d.

BOWKERIA TRIPHYLLA.

A handsome ornamental flowering plant, with lanceolate corrugated leaves, arranged in threes on reddish stems. The flowers are white, nearly one inch long, inflated and bi-labiate, suggesting *Scrophularia*, to which the genus is allied; these are borne in subterminal cymes, usually nine flowers on each cyme. The plant is a native of Natal, where it flowers in December, so that it will doubtless prove a very useful winter-flowering plant for the greenhouse. 10s. 6d.

**BLANDFORDIA PRINCEPS.**

A very handsome greenhouse perennial. The scape is a foot high, bearing a corymb of many flowers, which are $2\frac{1}{2}$ inches long, pendent, regularly funnel-shaped, with a bright crimson tube and deep golden yellow limb. It must be regarded as the most beautiful of the *Blandfordias* yet known. It has been figured in the *Botanical Magazine*, Tab. 6209. 2 and 3 guineas.

BREDIA HIRSUTA.

A pretty neat-growing Melastomaceous plant, native of Japan, producing erect paniced cymes of charming rose-coloured flowers, individually about half an inch in diameter. The plant has slender spreading branches, furnished with ovate acute dark green leaves. It has been figured in the *Botanical Magazine*, Tab. 6647. 7s. 6d.

BRUGMANSIA ARBorea, 3s. 6d.
 KNIGHTII (flore pleno), 3s. 6d.
 SANGUINEA, 3s. 6d. and 5s.
 SUAVEVOLENS, 3s. 6d.
BRUNSVIGIA JOSEPHINÆ (The Candelabra Plant), 7s. 6d.

BUPHANE TOXICARIA (Poison bulb), 7s. 6d.
CALLA ÆTHIOPICA, *vide* Richardia africana.
 ELLIOTTIANA, *vide* Richardia.
CALLICARPA PURPUREA, 3s. 6d.
CALODENDRON CAPENSE (Cape Chestnut), 5s.

CAMELLIAS.

Good selections can be made by Mr. WILLIAM BULL, at 30s. and 42s. per dozen.
 New varieties, 5s., 7s. 6d. and 10s. 6d.

CAMPANULA VIDALII, 2s. 6d.
CAMPHORA OFFICINALIS, 5s.
CANARINA CAMPANULATA, 1s. 6d.
CANTUA CORYMBIFLORA, 3s. 6d.

CANTUA DEPENDENS, 3s. 6d.
CARNATIONS, Tree, of sorts, 30s. and 42s. per dozen.
CARPENTERIA CALIFORNICA, *vide* page 50.

CAVENDISHIA SPECTABILIS.

A handsome greenhouse plant, with bright green leaves, the young growths being of a bright reddish bronze colour. It blossoms in short compressed racemes, covered when in bud by large concave, rosy carmine bracts. The flowers are white shaded with pink, while the whole head of flower has the appearance of being varnished. 10s. 6d.

CEPHALOTUS FOLLICULARIS.
CEREUS SPECIOSISSIMUS, 2s. 6d. and 3s. 6d.
CESTRUM (HABROTHAMNUS) AURANTIACUM, 2s. 6d. and 3s. 6d.
see Habrothamnus, page 41.
CHLIDANTHUS FRAGRANS, 6d.
CHOROZEMA CORDATUM SPLENDENS, 2s. 6d. & 3s. 6d.
 HENCHMANNI, 3s. 6d. and 5s.
 LAWRENCEANUM, 2s. 6d. and 3s. 6d.
 LOWII, 5s.
 VARIEG. CHANDLERI, 2s. 6d. and 3s. 6d.
CHRYSANTHEMUM FRUTESCENS, *vide* Index
CISSUS (VITIS) ANTARCTICA, 2s. 6d. and 3s. 6d.
 (—) CAPENSIS, 3s. 6d.
 RHOMBEA, 3s. 6d.
CITRUS JAPONICA, 5s.

CLEMATIS INDIVISA, 3s. 6d. and 5s.
 INDIVISA LOBATA, 5s.
CLEYERA JAPONICA TRICOLOR, 10s. 6d.
CLIANTHUS PUNICEUS MAGNIFICUS, 3s. 6d.
CLIVIA NOBILIS, 5s.
see Imantophyllum, page 41.
COBÆA SCANDENS VARIEGATA, 2s. 6d. and 3s. 6d.
COLEUS, *vide* Index
COPROSMA BAUERIANA VARIEGATA, 1s. 6d. & 2s. 6d.
CORREAS, of sorts, 2s. 6d. and 3s. 6d.
CRINUM, MOOREI, 7s. 6d.
 POWELLI, 7s. 6d.
 — ROSEUM, 10s. 6d.
vide also pages 18 and 51.
CROWEA STRICTA, 3s. 6d. and 5s.
CYCADS, *vide* Index

CYCAS REVOLUTA.

This exceedingly handsome decorative plant can be supplied in various sizes; small plants of it are pretty, but large specimens are extremely ornamental and well adapted for decorating either greenhouses or conservatories. It is known as the Chinese Sago Plant. 7s. 6d., 10s. 6d. and 15s.; fine specimens, 3, 4 and 5 guineas each.

CYCLAMEN PERSICUM.

Too much can scarcely be said in favour of the superb varieties of this plant, of which the old *C. persicum* is the type, whether they are regarded as objects for the ornamentation of the greenhouse or conservatory, or for table decoration, for which their compact floriferous character eminently fits them. The flowers are also extremely useful for bouquets, and when plucked, if kept in water, they will last in freshness and beauty for some weeks. Plants full of buds and flowers can be supplied during the winter season, and are then charmingly pretty 18s., 30s. and 42s. per dozen.

CYCLAMEN PERSICUM ALBUM, 2s. 6d. and 3s. 6d.
 PERSICUM RUBRUM, 2s. 6d. and 3s. 6d.
 — GRANDIFLORUM, 3s. 6d. and 5s.
 — of various choice sorts, 3s. 6d. & 5s.
CYPRIPEDIUM, *vide* Orchids
CYRTANTHUS ANGUSTIFOLIUM, red, 5s.
 MACKENII, white, 2s. 6d.
 INTERMEDIUM, *vide* page 9.

CYRTANTHUS OBLIQUUM, 5s.
CYTISUS FILIPES, 3s. 6d. and 5s.
 RACEMOSUS, 1s. and 1s. 6d.
 — EVERESTIANUS, 3s. 6d.
DAHLIA IMPERIALIS, 3s. 6d.
 IMPERIALIS ROSEA, 3s. 6d.
 of sorts, *vide* Bedding Plants

**EPACRIS ONOSMÆFLORA FLORE-PLENO NIVALIS.**

This exceedingly desirable and attractive plant is a native of Australia. The flowers have a tubular base ending in the five usual acute corolla lobes, while the interior organs are transformed into a rosette of white petals, forming a fine rosette-shaped flower. These flowers are pure white and very beautiful, the spikes being often as much as a foot long. It has received a First Class Certificate from the Royal Botanic Society. 3s. 6d. and 5s.

DAIS COTINIFOLIA.

A pretty deciduous greenhouse shrub, native of South Africa. It has acute leaves, and broadish heads of flowers, which consist of a reddish four-leaved involucre outside, and numerous rosy lilac calyces, which have a slender tube about an inch long, and a spreading limb of five segments. 5s.

DAPHNE INDICA RUBRA, 2s. 6d. and 3s. 6d.
DASYLIRION LONGIFOLIUM, 5s.

DESFONTAINEA SPINOSA, 2s. 6d. and 3s. 6d.
DEUTZIA, *vide* page 51.

DEYEUXIA ELEGANS VARIEGATA.

A very elegant variegated greenhouse plant, introduced from New South Wales. It has a thick rootstock, from which spring numerous leaves, about a quarter of an inch in breadth, the colour a deep bright green, with a broad clear edge of creamy yellow. 3s. 6d. and 5s.

DIANELLA INTERMEDIA.

A free-growing plant, inhabiting the northern and middle islands of New Zealand. It has linear-ensiform leaves, and much branched panicles, ten to eighteen inches long, bearing numerous whitish flowers, which are succeeded by bunches of pretty dark blue berries. 5s.

DIONEÆ MUSCIPULA, 2s. 6d. and 3s. 6d. | **DORYANTHES PALMERI**, 3s. 6d. and 5s.

DIPLARRHENA MOREÆ.

An Iridaceous greenhouse plant allied to *Libertia*, a native of North Australia and Tasmania, producing its large and handsome flowers in a terminal spike or cluster. The outer segments are white, obovate, the upper one concave; the inner segments white tinged with violet. 10s. 6d.

DRACÆNA AUSTRALIS.

This handsome ornamental plant is exceedingly useful for the decoration of the greenhouse or conservatory, where its effective habit always imparts a tropical aspect to the house. It is also well adapted for the purposes of sub-tropical gardening, either in groups or as single specimens, its graceful mode of growth being very effective. 3s. 6d. to 10s. 6d.; fine plants, 15s., 1, 1½ & 2 guineas.

DRACÆNA AUSTRALIS LINEATA.

An exceedingly handsome and ornamental plant, with fine broad foliage, gracefully recurving. It is strikingly effective for conservatory and greenhouse decoration. 10s. 6d., 15s. and 21s.

DRACÆNA AUSTRALIS VEITCHII, 3s. 6d., 5s. and 7s. 6d.

ARBOREA, 2s. 6d.

DRACOPHYLLUM GRACILE, 3s. 6d. and 5s.

DROSERA CAPENSIS, 7s. 6d.

DICHOTOMA, 5s.

ECHEVERIA, of sorts, *vide* Index

ELÆOCARPUS RETICULATUS (DENTATUS), 5s. and 7s. 6d.

ENCEPHALARTOS, of sorts, *vide* Index.

EPACRIS ONOSMEFLORE-PLENO NIVALIS, *vide* page 39.

EPACRIS, of sorts, 18s., 30s. and 42s. per dozen.

EPIPHYLLUM, *vide* page 24.

ERICAS, of sorts, 18s., 30s. and 42s. per doz.

ERIOSTEMON BUXIFOLIUS, 3s. 6d. and 5s.

INTERMEDIUS, 3s. 6d. and 5s.

NERIFOLIUS, 3s. 6d.

PULCHELLUS, 3s. 6d. and 5s.

SOABER, 3s. 6d. and 5s.

ERYNGIUM ERACTEATUM, 10s. 6d.

ERIOBOTRYA JAPONICA (LOQUAT), 5s.

ERYTHRINA, of sorts, 2s. 6d. and 3s. 6d.

COMPACTA, 5s.

EUCALYPTUS CITRIFLORA, 3s. 6d.

GLOBULUS (Blue Guin), 3s. 6d.

EUGENIA Ugni, 1s. 6d. and 2s. 6d.

vide also page 24.

EUPATORIUM BEBLANDIERI (ORACILE ODORATUM), 1s. 6d.

EUPATORIUM RIPARIUM, 2s. 6d. and 3s. 6d.

EURYA LATIFOLIA VARIEGATA, 2s. 6d. and 3s. 6d.

EURYCLES, *vide* page 23.

EUTAXIA FLORIBUNDA, 3s. 6d.

FATSIA (ARALIA) JAPONICA, 2s. 6d. and 3s. 6d.

(*ARALIA*) *JAPONICA VARIEGATA*, 3s. 6d. & 5s.

FERNS, *vide* Index

FICUS AUSTRALIS, 3s. 6d.

ELASTICA, *vide* page 24.

— **VARIEGATA**, *vide* page 24.

MACROPHYLLA, 5s.

MINIMA, 1s. 6d. and 2s. 6d.

RHODODENDRIFOLIA, 3s. 6d.

STIPULATA (REPENS), 1s. 6d. and 2s. 6d.

FOURCREÆ (ACAVE) BEDDINGHAUSEI (*syn.*

BESCHORNERIA YUCCOIDES, *ROEZLIA REOLA*,

YUCCA PARMENTIERI, *Y. TONELIANA*), 5s.

BULBOSA, 5s.

FREESIA HYBRIDA }

LEICHTLINII }

REFRACTA ALBA }

These can be supplied by the dozen or hundred, in dormant bulbs, at the proper season.

FUCHSIAS, *vide* Index

GELSEMIUM SEMPERVIRENS (NITIDA), 2s. 6d.

GENETILLIS (HEDAROMA) FUCHSI-

OIDES, 5s. and 7s. 6d.

TULIPIFERA, 5s. and 7s. 6d.

GONOLOBUS CUNDURANGO, 10s. 6d.

GREVILLEA HILLII, 3s. 6d.

PREISSII, 7s. 6d.

ROBUSTA, 2s. 6d. and 3s. 6d.

GREYIA SUTHERLANDI, 3s. 6d. and 5s.

HABRANTHUS ANDERSONI, 1s. 6d.

HABROTHAMNUS (CESTRUM) **AURANTIACUS**,
2s. 6d. and 3s. 6d.

ELEGANS, 2s. 6d. and 3s. 6d.

NEWELLII, 2s. 6d. and 3s. 6d.

of sorts, 2s. 6d. and 3s. 6d.

HEMANTHUS ALBIFLOS, 2s. 6d. and 3s. 6d.

PUNICEUM, 2s. 6d. and 3s. 6d.

TIGRINUM, 2s. 6d.

vide also page 24.

HARDENBERGIA MONOPHYLLA, 2s. 6d.

MONOPHYLLA VARIEGATA, 3s. 6d.

HEDAROMA, *vide* Genetyllis.

HEDYCHTUM GARDNERIANUM, 2s. 6d. & 3s. 6d.

HIBISCUS CALYGINUS (CHRYSANTHUS).

A free-growing shrubby plant introduced from Natal. It has hairy stems and roundish sub-trilobate pale green serrated leaves. The flowers are of large size, campanulate, with broad obovate petals, yellow with a purple-crimson spot at the base, forming a dark-coloured eye. This, from its large-sized golden flowers and free habit, will prove a plant of very ornamental character. 5s.

HIBISCUS PEDUNCULATUS.

A very pretty Hibiscus of erect branched habit, the stems hairy and the leaves three-lobed, with toothed margins. The campanulate flowers are showy, the petals blush or rose-coloured, with an involucre of about eight linear segments. It has been imported from Natal. 5s.

HYDRANGEA STELLATA FIMBRIATA.

The flowers of this handsome now Hydrangea are borne in immenso trusses, sometimes nine inches in diameter; the bracts are of the purest white, most elegantly fringed in a very striking and attractive manner, giving it a most distinct appearance. 5s.

HYDRANGEA HORTENSIS FOL. MARGINATA, 3s. 6d.

HORTENSIS CYANOCLADA, 1s. 6d. and 2s. 6d.

— **THOMAS HOGG**, 1s. 6d. and 2s. 6d.

JAPONICA, 1s. 6d.

— **ELEOANTISSIMA**, 1s. 6d.

— **FOLIIS TRICOLORIBUS**, 3s. 6d. and 5s.

HYDRANGEA JAPONICA SPECIOSA, 3s. 6d. & 5s.

MADAME VON SEIBOLD, 3s. 6d. and 5s.

OTAKSA, 1s. 6d. and 2s. 6d.

BOSEA, 3s. 6d.

STELLATA PEBLIFERA, 1s.

VOLUBILIS (SCANDENS), *vide* page 51.

IMANTOPHYLLUM BLANDFORDIÆFLORUM STRIATUM.

An ornamental greenhouse plant, producing dense heads of handsome Blandfordia-like flowers, the exterior being of a bright crimson-carmine colour, the expanding portion of the segments margined with salmon-buff. Added to the beauty of its flowers, the foliage of this plant is also attractively striated with creamy-yellow. 1 guinea.

IMANTOPHYLLUM CYRTANTHIFLORUM, 5s.

CYRTANTHIFLORUM CHLORACEUM, 10s. 6d.

IMANTOPHYLLUM CYRTANTHIFLORUM

FULOENS, 15s.

CYRTANTHIFLORUM SUPERBUM, 21s.

IMANTOPHYLLUM MINIATUM.

A most effective and beautiful plant, producing broad corymbs of large deep salmon-coloured erect blossoms, relieved by a lighter centre; it blooms during the winter and spring months. 3s. 6d., 5s., 7s. 6d. and 10s. 6d.; fine plants, 1 and 1½ guinea.

IMANTOPHYLLUM MINIATUM ALBO-LIMBATUM,

2 and 3 guineas

MINIATUM AURORA, 1 and 1½ guinea

— **FLAMBEAU**, 2 guineas

— **FORMOSUM**, 15s. and 21s.

— **FULGENS**, 15s. and 21s.

— **GRANDIFLOREM**, 1½, 2 and 3 guineas

— **HYBRIDUM**, 15s.

— **ILLUSTRIS**, 3 guineas

— **IMPERIALE**, 3 guineas

— **INSIGNE**, 1½, 2 and 3 guineas

— **MADAME VAN HOUTTE**, 1½ guinea

— **PRINCE OF ORANGE**, 1½, 2 and 3 guineas

— **PRINCEPS**, 1½, 2 and 3 guineas

— **SPECIOSUM**, 1½ guinea

INDIGOFERA DECORA, 5s.

IRIS ROBINSONIANA, 1s. 6d.

ISMENE CALATHINA, 1s. 6d.

JASMINUM ANGULARE, 5s.

GRANDIFLOREM, 3s. 6d.

ODORATISSIMUM, 2s. 6d. and 3s. 6d.

POITEAU, 3s. 6d.

See also page 26.

JUNCUS ZEBBINUS, *vide* Scirpus

KENNEDYA MARRYATTE, 2s. 6d.

of sorts, 3s. 6d. and 5s.

LACHENALIA, of sorts, 1s. to 2s. 6d.

LAGERSTREEMIA INDICA, 3s. 6d.

of sorts, 3s. 6d. and 5s.

LAPAGERIA ALBA.

This extremely beautiful climber produces numerous fine large bell-shaped pure white flowers. It is a neat-growing plant of free habit. 10s. 6d., 15s. and 21s.; fine specimens, 2, 3, 4 and 5 guineas and upwards.

LAPAGERIA ROSEA.

Various sizes of this well-known and extremely useful conservatory climber, 5s., 7s. 6d. and 10s. 6d.; fine specimens, 1, 1½, 2 and 3 guineas and upwards.

LAPAGERIA RUBRA SUPERBA.

A magnificent variety, producing fine large flowers of an exceedingly rich and brilliant crimson colour; it is one of the most highly attractive of ornamental climbers for the greenhouse and conservatory. 10s. 6d., 15s. and 21s.; fine specimens, 2, 3, 4 and 5 guineas and upwards.

LASIANDRA MACRANTHA, 3s. 6d.

MACRANTHA FLORIBUNDA, 5s.

LAURUS CAMPHORA, 5s.

LEUCOPOGON CUNNINGHAMII, 3s. 6d.

LEPTOSPERMUM SCOPARIUM (New Zealand Tea Plant), 3s. 6d.

LESCHENAULTIA BILOBA SPLENDENS (MAJOR), 3s. 6d. and 5s.

FORMOSA, 2s. 6d. and 3s. 6d.

LIBERTIA GRANDIFLORA.

A very handsome herbaceous perennial from New Zealand, which proves to be nearly hardy, and an abundant flowerer. The plant is an evergreen, with tufts of distichous grassy leaves. The flower stems are 3 feet high, bearing spike-like panicles of showy pure white flowers, produced in succession for a month or six weeks. 5s.

LIBONIA FLORIBUNDA, 1s. 6d. and 2s. 6d.

PENRHOSIENSIS, 1s. 6d. and 2s. 6d.

LILIUM, of sorts, *vide* pages 52 to 54.

LINUM TRIGYNUM, *vide* REINWARDTIA

LITTONIA MODESTA.

A pretty Liliaceous plant of a genus allied to *Gloriosa*: it produces charming golden-yellow bell-shaped flowers, which are highly elegant and attractive. 3s. 6d.

LOMATIA FERRUGINEA, 5s. and 7s. 6d.

LUCULIA GRATISSIMA, 5s. and 7s. 6d.

MACKAYA BELLA.

This beautiful Acanthaceous plant is a native of Natal. The flowers have a pale lilac corolla nearly two inches long, the throat ornamented with delicately pencilled reticulated purple veins, tubular below, campanulate upwards, with a deeply five-lobed spreading limb. The plant is very floriferous, and when in full bloom, appears a mass of most delicate, pendent, campanulate flowers. This charming plant has been figured in the *Botanical Magazine*, Tab. 5797. 3s. 6d. & 5s.

MACADAMIA TERNIFOLIA, 5s. and 7s. 6d.

MACROZAMIA, *vide* Index

MAGNOLIA CAMPBELLII, *vide* page 54.

MAGNOLIA FUSCATA 3s. 6d. and 5s.

PUMILA, *vide* page 26.

MANDEVILLA SUAVEOLENS, 2s. 6d. and 3s. 6d.

MARICA NORTHIANA.

An Iris-like plant, a native of Brazil. It has broad sword-shaped leaves, and the flower stems, which are flattened and leaf-like, bear singularly handsome flowers, which consist of three ovate ivory-white sepals, spotted with brown at the base, and three yellowish petals marked with rich brown in the lower parts, and white veined with blue at the recurved tips. 7s. 6d. and 10s. 6d.

MARSILEA MACROPUS, "NARDU," 10s. 6d.

METROSIDEROS FLORIBUNDA, 2s. 6d.

ROBUSTA, 3s. 6d. and 5s.

MITRARIA COCCINEA, 2s. 6d. and 3s. 6d.

MONOCHETUM SERICEUM MULTIFLORUM, 2s. 6d. and 3s. 6d.

MUSA CAVENISHII, *vide* page 26.

SUPERBA, *vide* page 26.

MUSA ENSETE.

This is the grand Banana of Abyssinia. In growth it is one of the most striking and noble of ornamental plants, and it is without doubt one of the most effective for summer out-door gardening. Its immense erect leaves are from eight to ten feet long, of a beautiful dark green colour, the midrib being bright crimson, forming an admirable and striking contrast. It attains altogether an average growth of twelve to fifteen feet in height. 5s., 7s. 6d. and 10s. 6d.

MYRSIPHYLLUM ASPARAGOIDES, 2s. 6d. & 3s. 6d.

MYRTUS, of sorts, 1s. 6d. and 2s. 6d.

NERINE ATROSANGUINEA, 10s. 6d.

CORUSCA, 1s. 6d.

— **MAJOR**, 3s. 6d.

ELEGANS, 7s. 6d.

— **CERULEA**, 7s. 6d.

— **CARMINATA**, 7s. 6d.

FOTHERGILLII, 3s. 6d.

— **MAJOR**, 5s.

HUMILIS, 2s. 6d.

— **CERULEA**, 7s. 6d.



MUSA ENSETE.

NERINE HUMILIS ELEGANS, 7s. 6d.

JAPONICA, 2s. 6d. and 3s. 6d.

PULCHELLA, 3s. 6d.

ROSEA, 2s. 6d.

SARNIENSIS (THE GUERNSEY LILY), 9s. & 12s.
per dozen.

VENUSTA, 3s. 6d.

NERIUM MADONI GRANDIFLORUM, 2s. 6d.

ALBUM PLENUM (Double White), 2s. 6d.

LILIAN HENDERSON, 3s. 6d.

RUBRUM PLENUM (Double Red), 2s. 6d.

of sorts, 2s. 6d. and 3s. 6d.

OLEA FRAGRANS, 3s. 6d. and 5s.**OPHIPOGON JABURAN AUREO-VARIEGATUS**,
2s. 6d. and 3s. 6d.SPICATUS ARGENTEO-MARGINATUS, 2s. 6d.
and 3s. 6d.**ORCHIDS**, of sorts, *vide* Index**PALMS**, of sorts, *vide* Index**PARDANTHUS CHINENSIS**, 6d. each; 5/- per doz.**PASSIFLORA OERULEA**, *vide* page 54.

OERULEA, Eynsford Gem, 2s. 6d.

— ORANDIFLORA, 3s. 6d.

— RACEMOSA, 2s. 6d.

PASSIFLORA CAMPBELLII, 3s. 6d.

CLOWESII, 3s. 6d.

COLVILLII, 2s. 6d.

EDULIS, 3s. 6d.

IMPERATRICE EUGENIE, 3s. 6d.

LAWSONI, 3s. 6d.

MUNEGI, 3s. 6d.

of sorts, 2s. 6d., 3s. 6d. and 5s.

see also page 30.**PELARGONIUM**, *vide* Index**PHÆDRANASSA CHLORACEA**, 6d. each; 5/- doz.**PHALANGIUM ARGENTEO-LINEARE** (ANTHERICUM
VARIEGATUM), 2s. 6d. and 3s. 6d.

LINEARE ELEGANS, 5s.

PHILESIA BUXIFOLIA, 7s. 6d. and 10s. 6d.**PHORMIUM ATRIGRUPUREUM**, 5s. and 7s. 6d.

COLENSOI VARIEGATUM, 5s. and 7s. 6d.

TENAX, 3s. 6d., 5s. and 7s. 6d.

— NIGRO-LIMBATUM 10s. 6d.

— NIGRO-PICTUM 10s. 6d. and 15s.

— VARIEGATUM, 1 and 1½ guinea

— VEITCHII VARIEGATUM, 5s. and 7s. 6d.

PHYLLOCACTUS, of sorts, 3s. 6d. and 5s.**PHYLLOCACTUS PEACOCKII.**

Handsome as are the flowers of the well-known common leaf flowering Cactus, they are far surpassed in size and gorgeous colouring by the magnificent blossoms of the variety now offered, the brilliancy and richness of which is beyond description. It will succeed in any greenhouse, and with but little care. 5s., 7s. 6d. and 10s. 6d.

PHYSIANTHUS ALBENS, 2s. 6d.**PIMELEA DECUSSATA**, 2s. 6d. and 3s. 6d.

HENDERSONI, 3s. 6d. and 5s.

NIEPPERIOANA, 3s. 6d. and 5s.

PIMELEA SPECTABILIS, 3s. 6d. and 5s.**PINCINETITIA TUBERCULATA**, 21s.**PISTACIA TEREBINTHUS**, 7s. 6d.**PITTIOSPORUM RALPHSII**, 5s.**PITTIOSPORUM CRASSIFOLIUM.**

A bushy growing plant, of erect branching habit, with light green leaves, which are tomentose on the under surface; the flowers are of a dark chocolate-purple colour, and are freely produced in nodding peduncled umbels; it is a native of New Zealand. 5s.

PITTIOSPORUM EUGENIGIDES VARIEGATUM, 7s. 6d.
and 10s. 6d.**PLEROMA ELEGANS**, 3s. 6d.

SARMENTOSA, 2s. 6d. and 3s. 6d.

PLUMBAGO CAPENSIS, 2s. 6d. and 3s. 6d.**PLUMBAGO CAPENSIS ALBA**, 2s. 6d. and 3s. 6d.*Also vide* page 32.**POLYGALA CORDIFOLIA**, 3s. 6d.

DALMAISIANA, 3s. 6d.

POLYGONUM, *vide* page 55.**PRIMULA IMPERIALIS.**

This distinct Primula is found on the summit of one of the loftiest mountains of Java, where it grows at an elevation of eight to nine thousand feet. The flowers, which are golden-yellow and agreeably scented, are borne in four to six superposed whorls on an erect scape, the whole inflorescence having a very imposing and stately appearance. The leaves are of good size and substance, the surface being bullate, the margins denticulate. 10s. 6d.

PRIMULA FLORIBUNDA, 2s. 6d.

SINENSIS ALBA PLENA, 1s. 6d. and 2s. 6d.

— FLORE-PLENE, of sorts, 2s. 6d., 3s. 6d.
and 5s.**PROTEINOPHALLUS RIVIERI**, *vide* Amorpho-
phallus**PUNICA GRANATUM** (POMEGRANATE), 3s. 6d. and
5s.

GRANATUM ALBA PLENA, 3s. 6d. and 5s.

— RUBRA PLENA, 3s. 6d. and 5s.

— LEGRELLII (Double Buff), 3s. 6d. & 5s.

REINWARDTIA TETRAOXYNE (LINUM TRIGYNUM),
2s. 6d.**RHODEA JAPONICA**, 3s. 6d. and 5s.

JAPONICA ARGENTEA, 15s.

RHODODENDRONS, *vide* pages 46 to 48.**RHYNCHOSPERMUM JASMINOIDES**, *vide* Trache-
loperium**RICHARDIA AFRICANA** (*Calla æthiopica*), 1s.
and 1s. 6d.

AFRICANA, Little Gem, 3s. 6d.

— CANDIDISSIMA

— COMPACTA

— GIGANTEA

ALBO-MACULATA, 1s. and 1s. 6d.

AURATA

RICHARDIA (CALLA) ELLIOTTANA.

This magnificent new species in habit of growth and shape of flower, is almost identical with the well-known *R. æthiopica*, but it differs from that species in the flowers being of a rich golden yellow colour, while the decorative character of the plant is further enhanced by the leaves being ornamented with a number of creamy white spots. 4 guineas.

RICHARDIA, PENTLANDII

ROEZLIA REOTA, *vide* Fourcraea Beddinghausi

ROGEIRA ORATISSIMA, 3s. 6d. and 5s.

RUSCUS ANDROOYNUS, 3s. 6d.

SALVIAS, *vide* Bedding Plants

SARRACENIAS, of sorts, 3s. 6d., 5s. to 10s. 6d.

SCHIZOPHRAGMA HYDRANGEOIDES, *vide*

Hydrangea volubilis, page 51.

SENECIO MACROGLOSSUS (The Cape Ivy), 3s. 6d.

PULCHER, *vide* page 55.

SOLANUM JASMINOIDES, 2s. 6d.

SOLLYA LINEARIS, 3s. 6d. and 5s.

SPARMANNIA AFRICANA, 2s. 6d.

AFRICANA FLORE-PLENO, 3s. 6d. and 5s.

SPIGELIA SPLENDENS, 2s. 6d. and 3s. 6d.

STATICE HOLFORDII, 3s. 6d. and 5s.

MACROPHYLLA, 5s.

PROFUSA (RATTRAYANA), 3s. 6d. & 5s.

STENOCARPUS CUNNINGHAMII, 5s. to 10s. 6d.

STRELITZIA REGINÆ, *vide* page 34.

STREPTOSOLEN (BROWALLIA) JAMESONI, 1s. 6d.

TACSONIA BUCHANANI, *vide* page 34.

ERIANTHA, 2s. 6d.

EXONIENSIS, 2s. 6d.

MANICATA, 2s. 6d.

MOLLISSIMA, 2s. 6d.

PINNATISTIPULA, 2s. 6d.

VAN VOLKEMI, 2s. 6d.

TECOMA ROSEA.

A remarkably handsome greenhouse climber of the Bignoniaceous order, imported from South Africa. It has opposite pinnate leaves, and bears magnificent racemes, three to four feet in length, of large showy trumpet-shaped flowers, which are of a rosy lilac colour. This beautiful plant can scarcely be too strongly recommended as a handsome showy climber. 3s. 6d., 5s. and 7s. 6d.

TECOMA SMITHII.

A very handsome free-flowering hybrid greenhouse climber. The flowers, which are produced in large panicles, are of a bright orange colour, with chestnut brown markings at the base of the lobes, forming a dark ring around the throat. It has been introduced from Australia, where it has been awarded Certificates by the Horticultural Societies of South Australia and Victoria. 10s. 6d.

TECOMA, *vide* Bignonia

THEA ASSAMICA, 3s. 6d.

THEAS of sorts, 3s. 6d. and 5s.

THIBAUDIA ACUMINATA, 3s. 6d.

THUNBERGIA, *vide* pages 33 and 34.

TRACHELOSPERMUM (RHYNCHOSPERMUM)

JASMINOIDES, 3s. 6d. and 5s.

(RHYNCHOSPERMUM) JASMINOIDES ALBO-
VARIEOATUM, 3s. 6d. and 5s.

(—) JASMINOIDES LUTEO-VARIEGATUM, 3s. 6d.
and 5s.

TREMANDRA ERICÆFOLIA, 2s. 6d. and 3s. 6d.

HIRSUTA, 2s. 6d. and 3s. 6d.

TREMANDRA VERTICILLATA, 2s. 6d. and 3s. 6d.

TROPÆOLUM AZUREUM GRANDIFLORUM, 3s. 6d.
and 5s.

BRACHYCERAS, 2s. 6d.

PENTAPHYLLUM, 2s. 6d.

TRICOLOR GRANDIFLORUM (JARRATHII), 1s. and
1s. 6d.

TUBEROSUM, *vide* page 57.

of sorts, 1s. 6d., 2s. 6d. and 3s. 6d.

TUBEROSES BEST DOUBLE

AFRICAN

AMERICAN

THE PEARL

These can be supplied in dormant bulbs, by the dozen or hundred, at the proper season.

TURRÆA HETEROPHYLLA.

A small-growing slender-branched shrub, a native of Natal. It has glabrous branches, and ovate undivided or three-lobed leaves, which fall away before the flowering season. The flowers are white, five-petalled, clustered at the end of the branches. 5s. and 7s. 6d.

VALLOTA PURPUREA, 2s. 6d.

PURPURA MAJOR, 3s. 6d. and 5s.

VITIS HETEROPHYLLA HUMULIFOLIA, 2s. 6d.

HETEROPHYLLA VARIEOATA, 2s. 6d. & 3s. 6d.

WITSSENIA CORYMBOSA, 3s. 6d.

YUCCA ALOEFOLIA VARIEGATA, 5s.

FILAMENTOSA VARIEOATA, 5s. and 7s. 6d.

YUCCA PARMENTIERI, *vide* FOURCRAEA BEDDING-
HAUSEI

QUADRICOLOR, 5s. and 7s. 6d.

TONELIANA, *vide* FOURCRAEA BEDDINGHAUSEI

ZAMIA, *vide* Index.

ZEPHYRANTHES CARINATA, 12s. per dozen.

TUBISPATHA, 9s. per dozen.

STOVE CLIMBERS, WALL AND PILLAR PLANTS.

ALLAMANDAS, of sorts
ANTIGONONS, of sorts
ARISTOLOCHIA ELEOANS
 — **RIDICULA**
 — of sorts
BIGNONIA CHAMBERLAYNII
 — **REOALIS**
 — of sorts
BOUGAINVILLEA GLABRA
 — **REFULOENS**
 — of sorts
CISSUS DISCOLOR
CLERODENDRON BALFOUR-
IANUM
 — of sorts
COMBRETUMS, of sorts
DIOSCOREA ILLUSTRATA
 — **SPECIOSA**
 — of sorts

DIPLADENIA BOLIVIENSIS
 — **BREARLEYANA**
 — of sorts
ECHITES, of sorts
FICUS BARBATA
 — **RADICANS**
 — of sorts
GLORIOSA PLANTII
 — **SUPERBA**
 — — **ORANDIFLORA**
HIBISCUS, of sorts
HOYA CARNOSA
 — **GLOBULOSA**
 — of sorts
IPOMÆA HORSFALLIE
 — **TERNATA**
 — of sorts
JASMINUM ORACILLUM

JASMINUM, of sorts
MARCGRAVIA INDICA
 — **PARADOXA**
PASSIFLORA KERMESINA
 — **MACROCARPA**
 — **PRINOEPS**
 — **QUADRANGULARIS VARIEGATA**
 — of sorts
POTHOS FLEXUOSUS
 — of sorts
SMILAX DISCOLOR
 — of sorts
SPATHODEA CAMPANULATA
STEPHANOTIS FLORIBUNDA
THUNBERGIAS, of sorts
TECOMA AMBOINENSIS
TACSONIA BUCHANANI
VANILLA AROMATICA

GREENHOUSE CLIMBERS, WALL AND PILLAR PLANTS.

ACACIA DEALBATA
 — of sorts
ASPARAGUS PLUMOSUS NANUS
BIGNONIA CAPREOLATA
 — **CHERERE**
 — of sorts
BOMAREA CARDERII
CISSUS ANTARCTICA
 — of sorts
COBEA SCANDENS VARIEOATA
CLEMATIS INDIVISA
 — **LOBATA**
CLIANTHUS, of sorts
FICUS, of sorts
GELSEMIUM SEMPERVIRENS
HABROTHAMNUS AUBLETII
 — **AURANTIACUS**

HABROTHAMNUS ELEOANS
 — **NEWELLII**
 — of sorts
HARDENBERGIA MONOPHYLLA
 — — **VARIEOATA**
 — of sorts
JASMINUMS, of sorts
KENNEDYA MARRYATTE
 — of sorts
LAPAGERIA ALBA
 — **ROSEA**
 — **RUBRA SUPERBA**
MANDEVILLEA SUAVEOLENS
PASSIFLORA CAMPBELLII
 — **IMPERATRICE EUOENIE**
 — **LAWSONI**
 — **MONROI**

PASSIFLORA, of sorts
PLUMBAGO CAPENSIS
 — **ALBA**
SENECIO MACROLOSSUS (The
 Cape Ivy)
SOLLYA LINEARIS
SOLANUM JASMINOIDES
TACSONIA ERIANTHA
 — **EXONIENSIS**
 — **JAMESONI**
 — **VAN VOLKEMII**
 — of sorts
TECOMA CAPENSIS
 — **ROSEA**
TRACHELOSPERMUM (REYN-
 COSPERMUM), of sorts
TROPEOLUMS, of sorts

VERONICAS.

ANNETTE, pale bluish-purple, with distinct white eye. 1s. 6d.
CAROLINE, light lilac-blue, with small white eye; exceedingly free-flowering; a distinct and pretty variety. 1s. 6d.
DISPLAY, rosy-crimson, with small white eye; free, and of good habit. 1s. 6d.
ECLATANTE, dark carmine; very floriferous. 2s. 6d.
IMPERIALE, brilliant amaranth-red, changing to carmine-magenta. 1s. 6d.
JARDIN FLEURI, long spikes of dark carmine red flowers; a free-flowering and very distinct variety. 1s. 6d.
LA FAVORITE, enormous spikes of violet flowers, 2s. 6d.

LA FÉE AUX ROSES, very long spikes of bright rose flowers, very floriferous; very striking and attractive. 1s. 6d.
MÉTÉORE, dark reddish-crimson flowers; very distinct. 2s. 6d.
THÉOPHILE ROQUES, a very floriferous dwarf variety, long spikes of soft rose flowers edged with white, white eye. 1s. 6d.
RICHESSSE, long spikes of rose-carmine flowers. 2s. 6d.
RUBENS, flowers large and fine, of a beautiful magenta colour. 1s. 6d.
VESTA, exceedingly floriferous; beautiful light blue, with attractive white centre. 1s. 6d.

GREENHOUSE RHODODENDRONS.

ALBESCENS, an extremely handsome sweet-scented greenhouse variety, producing very large and beautiful glistening white flowers, slightly undulated on the margins, the upper segments being marked at the base with sulphur yellow. 7s. 6d.

ANDERSONI, a handsome introduction from the Himalayas, giving very large and fine trusses of blossoms, which are of a bright rich carmine colour. 3s. 6d. and 5s.

ARBOREUM, 3s. 6d.

ARGENTEUM, *vide grande*.

ASSAMICUM, flowers about 3½ inches broad, pure milk-white, with a cream-coloured stain at the base of the upper lobe near the mouth of the tube. 5s.

BARBATUM, bright scarlet flowers, distinct and effective. 5s.

BLANDFORDIEFLORUM. 3s. 6d. and 5s.

CALOPHYLLUM, a handsome species, producing large funnel-shaped pure white flowers. 3s. 6d.

CILIATUM, blush white; very free flowering. 2s. 6d. and 3s. 6d.

CINNABARINUM. 3s. 6d. and 5s.

CLARINDA, flowers of a very delicate blush-pink, the petals being prettily crimped. 10s. 6d.

COUNTESS OF DERBY, bell-shaped flowers of great substance and large size; pure white and most deliciously fragrant; a very free-blooming variety. 7s. 6d.

COUNTESS OF HADDINGTON, large blush-white flowers; exceedingly beautiful. 3s. 6d. & 5s.

COUNTESS OF SEFTON, large cup-shaped flowers, with fringed edges; pure white, slightly shaded with rosy-purple; the trusses are large, often equalling in size and fulness those of a hardy Rhododendron. 5s. and 7s. 6d.

DAVIESII, a free-growing hybrid of bushy habit, producing freely its trusses of beautiful flowers of a lustrous orange-red colour. 5s., 7s. 6d. and 10s. 6d.

DIADEM, fine trusses of irregularly shaped flowers of a pleasing soft rosy pink colour. 10s. 6d.

DIANA, an extremely free flowering hybrid, producing fine heads of bloom even on small plants. The individual flowers have long tubes, and are of a delicate blush pink colour, the petals being somewhat crimped and wavy. 10s. 6d.

DUCHESS OF CONNAUGHT, bright vermilion-red flowers of great substance. 7s. 6d. and 10s. 6d.

DUCHESS OF EDINBURGH, large scarlet flowers, very beautiful. 7s. 6d. and 10s. 6d.

DUCHESS OF TECK, buff-yellow, shaded with scarlet, very fine. 5s. and 7s. 6d.

EMBLEM, this produces immense heads of long-tubed flowers; the tube blush and the segments of a beautiful rich bright pink colour; exceedingly handsome and attractive. 7s. 6d., 10s. 6d. & 15s.

EXONIENSE, 3s. 6d.

FAIR ROSAMOND, fine trusses of delicate blush tinted flowers of large size, the petals being of good shape and substance, prettily crimped and undulated on the margins. 10s. 6d.

FALCONERI, magnificently ornamental; this species has the largest leaves in the genus. 5s. & 7s. 6d.

FRAGRANTISSIMUM, deliciously fragrant flowers, of the purest white, lightly spotted with ochre on the upper segment; the back of the flower pencilled and shaded with rose. 3s. 6d.

FULGENS, rich fiery crimson; extremely showy and effective; compact habit. 3s. 6d. and 5s.

GRANDE (ARGENTEUM), immense heads of large ivory-white flowers deeply stained with crimson at the base. 7s. 6d.

HIMALAICUM, this variety produces fine large handsome trusses of bright carmine flowers. 3s. 6d.

JAMESONI, this variety produces large terminal trusses of handsome bright red flowers. 3s. 6d. & 5s.

JASMINIFLORUM, an elegant free-blooming species, with fragrant white flowers, borne successively in clusters. 3s. 6d. and 5s.



RHODODENDRON, PINK BEAUTY.

RHODODENDRON, PINK BEAUTY.

A remarkably beautiful hybrid, producing immense trusses of fine large flowers, of a delicate soft pink colour, with long bluish-white tube. This handsome hybrid belongs to the perpetual-blooming section of greenhouse Rhododendrons. 7s. 6d., 10s. 6d. and 15s.

GREENHOUSE RHODODENDRONS—continued.

- JAVANICUM**, a beautifully golden-yellow flowering species. 3s. 6d., 5s. and 7s. 6d.
- JENKINSII**, flowers exceedingly large, funnel-shaped, and of snowy whiteness; the handsome wax-like attractive blossoms render it a most beautiful plant for conservatory decoration. 5s.
- JUNO**, a very pretty and distinct hybrid with orange-buff flowers, borne in large heads. 10s. 6d.
- LADY ALICE FITZWILLIAM**, clusters of white blooms, each flower three and a half to four inches across. 3s. 6d. and 5s.
- LADY SKELMERSDALE**, pure white trumpet-shaped fragrant flowers; very handsome. 5s.
- LEPIDOTUM**, flowers of medium size, of a rosy purple colour. 7s. 6d.
- MRS. JAMES SHAW**, a variety of bushy habit, producing in profusion pure white sweet-scented flowers, which are cup-shaped and of great substance. 5s.
- MULTIFLORUM**, bears a profusion of beautiful white flowers; of dwarf habit, 2s. 6d. and 3s. 6d.
- MYRA**, this chaste and pretty hybrid is a most desirable addition to the handsome and perpetual flowering section of Rhododendrons, and blooming as they do from almost every growth, too much can hardly be said in their favour. The variety now offered produces in the freest manner large trusses of well-shaped pure white flowers, the petals being crisped and undulated. 10s. 6d.
- NILAGIRICUM**, a splendid species from the Neilgherry Hills and Nepal, producing immense terminal trusses of fine large showy flowers, varying in colour in different plants from blush and rose to the deepest crimson. 3s. 6d. and 5s.
- PINK BEAUTY**, *vide* page 47.
- PLATO**, large flowers of a light shade of salmon-pink, the throat gradually expanding from base of tube. 10s. 6d.
- PRINCE LEOPOLD**, bright carmine, very handsome; a richly coloured variety. 7s. 6d. and 10s. 6d.
- PRINCE OF WALES**, a fine variety producing reddish orange flowers. 7s. 6d. and 10s. 6d.
- PRINCESS ALEXANDRA**, a pretty hybrid variety, of compact growth, with similar flowers to those of *R. jasminiflorum*, but larger and longer tubed, pure white, with pink stamens. 3s. 6d. and 5s.
- PRINCESS ALICE**, a neat dwarf bushy-growing variety of the *ciliatum* type, producing clusters of deliciously-scented bell-shaped white flowers, flushed with pink. 3s. 6d. and 5s.
- PRINCESS ROYAL**, a handsome and distinct variety of neat compact growth, with clusters of richly-shaded, rose-coloured, funnel-shaped flower tubes. 3s. 6d. and 5s.
- QUEEN OF DWARFS**, bears large well-expanded snow-white flowers of great substance; it is of bushy habit, and very floriferous. 5s.
- RETUSUM**, this distinct species produces clusters of tubular orange-coloured flowers. 5s. and 7s. 6d.
- ROSALIND**, a charming hybrid of neat compact habit, and very free blooming; it produces fine clusters of beautiful long-tubed flowers of a delicate soft pink shade; a most pleasing and effective variety. 7s. 6d., 10s. 6d. and 15s.
- ROSY GEM**, a charmingly attractive hybrid, producing large heads of long-tubed flowers of a rich rose colour, the edges of the segments deep pink, the exterior of the tube blush-white. This will be found a most desirable acquisition for the greenhouse. 7s. 6d., 10s. 6d. and 15s.
- SESTERIANUM**, fine large fragrant white flowers. 3s. 6d. and 5s.
- SMIRNOWII**, introduced from Armenia; produces corymbs of pretty campanulate reddish-crimson flowers, of medium size. 10s. 6d.
- TAYLORI**, rich bright pink flowers with white tube; a splendid variety producing fine large trusses. 3s. 6d. and 5s.
- THIBAUDIENSE**, this remarkable Rhododendron has been introduced from Bhotan; its bright red tubular flowers are produced in terminal trusses, in form somewhat resembling those of the *Correas* and *Thibaudias*, and having the same alabaster-like translucent lustre, hence its name. 3s. 6d. and 5s.
- THOMSONI**, bright scarlet cup-shaped flowers of good form. 5s.
- UNGERNII**, introduced from Armenia; the flowers, which are borne in umbellate corymbs, are pure white and of medium size. 10s. 6d.
- VEITCHIANUM**, a beautiful species, with very large white flowers, relieved by a yellow centre or base, and elegantly fringed or frilled on the margin. 5s. and 7s. 6d.
- VIRGINALE**, the pure white flowers of this beautiful variety are large and funnel-shaped; it has leathery dark green foliage, and forms a splendid plant for conservatory decoration, the great size and snowy whiteness of its blossoms rendering it extremely attractive. 5s.
- WIGHTII**, a fine species of neat habit, producing clusters of large and elegant bell-shaped flowers of a golden-yellow colour, the expanding lobes being marked with blotches of reddish-crimson surmounted by pink dots. 7s. 6d.

ABUTILONS.

- ALBERT DÉLAUX, dwarf, large rosy-mauve flowers, with rose nerves. 1s. 6d.
- AMARANTINA, large well-formed flowers, of a brilliant purple-amaranth colour. 2s. 6d.
- ARMAND CAUVY, golden-yellow flowers, veined with violet; dwarf. 2s. 6d.
- AURELIA, bright golden-yellow. 1s. 6d.
- BARON ALPH. DE ROTHSCHILD, soft canary-yellow. 2s. 6d.
- BLANDII, deep yellow, veined crimson. 1s. 6d.
- BOULE DE NEIGE, white. 1s.
- BOULE D'OR, golden-yellow. 1s. 6d.
- BRILLIANT, fine well-shaped flowers, of a bright red colour. 1s.
- CLOCHETTE FLEURIE, dark violet-amaranth, with purple centre and veins. 1s. 6d.
- CESARE COSTA, brilliant carmine-rose. 2s. 6d.
- CONQUETE, whitish-rose, throat dark carmine, with bright rose nervations. 1s. 6d.
- COURONNE D'OR, deep sulphur-yellow. 1s. 6d.
- DARWINII SUPERBUM, 1s.
- DESBOISI, bright rose colour. 1s. 6d.
- EDOUARD LAYEILLON, deep rich golden-yellow, flushed with rose. 1s. 6d.
- EMPEROR, very fine large dark crimson flowers. Received First Class Certificate. 1s. 6d.
- EVELINE, blush, shaded with pink, and beautifully veined with deep rose. 1s. 6d.
- FUTURE FAME, deep rose shaded crimson. 1s. 6d.
- G. DÉLAUX, rich reddish-carmine. 1s. 6d.
- GOLDEN QUEEN, clear golden-primrose flowers; excellent for pot culture, 3s. 6d.
- H. PINEAU, old gold, chocolate veins. 2s. 6d.
- HIBISCUS, canary-yellow flowers. 1s. 6d.
- INSIGNE FOLIIS AUREO-MARGINATIS, 5s.
- J. A. BECKER, very dark, unique. 2s. 6d.
- JULES PAQUET, brilliant cerise, white throat, dwarf habit. 2s. 6d.
- KING OF ROSES, flowers rich deep rose. 1s. 6d.
- LA CANDEUR, a large well-formed pure white flower of globular shape. 1s. 6d.
- LA LORRAINE, bright red. 1s. 6d.
- LE GRELOT, delicate rose colour. 1s. 6d.
- L. VAN HOUTTE, rich mauve-purple. 1s. 6d.
- LYDIA, light yellow, flushed crimson. 1s. 6d.
- MADAME A. LAGORCE, salmon-rose, yellow throat. 2s. 6d.
- MADAME CHABERT, large canary-yellow flowers. 2s. 6d.
- MADAME DE LESTAPIE, immense rose flowers. 2s. 6d.
- MADAME GABRIELLE DE ROVIRA, silver-white, suffused rose. 2s. 6d.
- MADAME P. JUNG, rosy-salmon, yellow throat. 2s. 6d.
- MADLE. LAURENCE ARRIBAT, white, rose veins. 2s. 6d.
- M. FORGEOT, brilliant orange, crimson veins. 2s. 6d.
- M. GALABRU, flowers reddish-violet. 2s. 6d.
- M. JULES BARIGNY, reddish-crimson, dwarf. 2s. 6d.
- M. JULES MARTY, salmon shaded gold, rose nerves. 2s. 6d.
- MDLE. ANNA DÉLAUX, rose, marked with white, and veined dark rose. 1s. 6d.
- MARSHAL, reddish-cinnamon, shaded with orange, and veined with crimson. 1s. 6d.
- MEGAPOTAMICUM VARIEGATUM. 1s. 6d.
- MODIOLA, bright rosy-crimson. 1s. 6d.
- M. B. MODESTE, rich bright crimson-red, veined with dark crimson, very attractive. 1s. 6d.
- M. LOUIS MARIGNAC, rose; reverse of petals of a silvery hue. 1s. 6d.
- M. PETIT, rich reddish-crimson colour, veined crimson. 1s. 6d.
- M. VIVIAND-MOREL, large fine flower of a violet colour, shaded amaranth. 1s. 6d.
- PROGNE, a large well-formed flower of a rich magenta-rose colour. 1s. 6d.
- PURPUREUM, very fine purple-coloured flowers, shaded with magenta. 1s.
- R. RAGIONIERI, orange-scarlet, crimson veins. 2s. 6d.
- RICHESSÉ, beautiful bright rose flowers, marked with silvery-white, and veined with dark rose. 1s. 6d.
- ROYAL SCARLET, a beautiful waxy flower of a brilliant fiery scarlet; dwarf habit. 1s. 6d.
- SELLOWIANUM MARMORATUM 1s. 6d.
- SERAPH, pure white. 1s. 6d.
- SOUVENIR DE BONN, beautifully variegated foliage, 2s. 6d. and 3s. 6d.
- STRIATUM SPLENDIDUM, bright orange, striped with rich crimson. 1s.
- THOMSONI PLENUM, fine double deep rich orange flowers, shaded and streaked with crimson. This handsome variety has also ornamental foliage. 1s.
- TROPHY, yellow, veined with carmine. 1s. 6d.
- VILLE SOLEIL, a very floriferous dwarf variety; dark carmine-cerise flowers, shaded and darkly veined with rich orange-brown. 2s. 6d.
- VEXILLARIUM GRANDIFLORUM, produces a profusion of dark cerise flowers with crimson throat, very distinct. 2s. 6d.
- ZARA, clear lemon-yellow. 1s. 6d.

NEW, RARE AND DESIRABLE HARDY PLANTS.

ACER PLATANOIDES LEOPOLDII, 1s. 6d.

ACORUS JAPONICUS SIEBOLDII STRIATUS, 1s. 6d.

ALPINE PLANTS.

Choice selections of these pretty plants, suitable for Rock-work, &c. 9s. and 12s. per dozen.

AKEBIA QUINATA, 1s. 6d.

ALSTROMERIA AURANTIACA, 2s. 6d. per dozen.

BRASILIENSIS, 7s. 6d. per dozen.

CHILENSIS, 2s. 6d. per dozen.

PSITTACINA, 2s. 6d. per dozen.

see also page 35.

ALTHEA FRUTEX, vide Hibiscus syriacus

AMARYLLIS BELLADONNA, 9d. and 1s. each; 6s. and 9s. per dozen

AMPELOPSIS SEMPERVIRENS, 5s.

TRIUSPIDATA (*Vitis japonica*), 1s. 6d. & 2s. 6d.

— PURPUREA, a very handsome purple-leaved variety of this useful wall climber, 3s. 6d.

ANDROMEDA JAPONICA, 2s. 6d., 3s. 6d. & 5s.

ARISEMA CORNUTUM (*Sauromatum guttatum*), 3s. 6d.

ARUNDO CONSPICUA, 1s. 6d. and 2s. 6d.

ASCLEPIAS TUBEROSA, 1s.

ASPIDISTRA LURIDA, 2s. 6d. and 3s. 6d.

LURIDA VARIEGATA, 3s. 6d. and 5s.

ASTILBE BARBATA, vide *Spiraea japonica*.

AUCUBA JAPONICA FEMINA, various sorts, 3s. 6d. and 5s.

JAPONICA LUTEO-PIOTA, 7s. 6d.

— MASCULA, various sorts, 3s. 6d. & 5s.

AZALEA LINEARIFOLIA, 5s.

AZALEA MOLLIS.

This useful hardy Japanese shrub cannot be too strongly recommended, for it is invaluable either grown in pots, for forcing, for greenhouse or conservatory decoration, for beds or grouping in the open borders. It blossoms in a profuse manner, the large funnel-shaped flowers ranging in colour from rosy-salmon through various shades of yellow to bright orange. 1s. 6d., 2s. 6d. and 3s. 6d.

AZALEAS, hardy varieties, of sorts, 18s., 30s. and 42s. per dozen

AZARA MICROPHYLLA, 2s. 6d. and 3s. 6d.

BAMBUSA AUREA, 2s. 6d.

FALCATA, vide page 36.

FORTUNEI VARIEGATA, 2s. 6d.

MAXIMOWICZII, 3s. 6d. and 5s.

METAKE (*Arundinaria japonica*), 2s. 6d. and 3s. 6d.

NANA, 2s. 6d. and 3s. 6d.

SIMONII, 3s. 6d.

BERBERIS HETEROPODA, 5s.

STENOPHYLLA, 1s. 6d. and 2s. 6d.

of sorts, 3s. 6d. and 5s.

BIGNONIA GRANDIFLORA, 2s. 6d. and 3s. 6d.

RADIOANS MAJOR, 1s. 6d. and 2s. 6d.

vide pages 18 and 36.

BOCCONIA JAPONICA, 3s. 6d.

CALOCHORTUS, of sorts, 12s. per dozen

CALYCANTHUS PRÆCOX, vide *Chimonanthus fragrans*

CAMPANULA TURBINATA, 1s.

CARPENTERIA CALIFORNICA.

A handsome Californian shrub, producing large terminal bunches of white flowers, which have similar fragrance to that of the *Philadelphus*; it is extremely ornamental. 5s.

CEANOTHUS of sorts, 2s. 6d. and 3s. 6d.

CHIMONANTHUS FRAGRANS, 2s. 6d. and 3s. 6d.

CHOISYA TERNATA, 1s. 6d. and 2s. 6d.

CHRYSANTHEMUMS, vide Index

CINNAMOMUM SERICEUM, 5s.

CITRUS, vide page 36.

CLEMATIS.

As hardy climbers, the large-flowered hybrid varieties cannot be too strongly recommended, for they are of easy and free growth, profuse bloomers, and the colours of the different sorts are varied and distinct, such as light and dark blue, white, plum, silvery-grey, violet, lavender, rosy-purple, mauve, &c. Price 18s. and 30s. per dozen. New varieties 42s. per dozen.

CLEMATIS COCOINEA, 2s. 6d.

JACKMANNI ALBA, 2s. 6d.

CORNUS MASCULA AUREO-ELEGANTISSIMA, 2s. 6d.

SIBERICA SPATHII, a very handsome ornamental shrub, with beautifully variegated foliage, 3s. 6d.

CRATEGUS CARRIERI, large white flowers, turning to rose, fruit as large as a cherry. 5s.

LELANDII, 1s. and 1s. 6d.

ORIENTALIS SANGUINEA, THE EASTERN THORN, flowers white, produced in umbels in great profusion; deep purplish red fruits. 2s. 6d.

CRINUM CAPENSE ALBUM, 1s.

CAPENSE ROSEUM, 1s.

MOOREI, *vide* page 38.

POWELLII, *vide* page 38.

CROCOSMA AUREA, 1s.

AUREA MACULATA, 3s. 6d.

IMPERIALIS, a very handsome and striking new species, producing spikes of immense fiery orange-scarlet flowers $3\frac{1}{2}$ to 4 inches in diameter. 3s. 6d. and 5s.

DELPHINIUMS, of sorts, 1s. 6d. and 2s. 6d.

DESMODIUM PENDULIFLORUM, 1s. 6d. and 2s. 6d.

DEUTZIA CRENATA ROSEO-PLENA, 1s. 6d.

PRIDE OF ROCHESTER, a handsome flowering new double variety, *vide* illustration. 1s. 6d. each; 15s. per dozen.

DIEYTRA SPECTABILIS, 1s. and 1s. 6d.

SPECTABILIS ALBA, 2s. 6d.

DIMORPHANTHUS MANDCHURICUS, 1s. 6d.

ELYMUS GLAUCIFOLIUS, 1s. 6d. 15s. per dozen.

EREMURUS ROBUSTUS, 5s.

ERYTHRINA, *vide* pages 24 and 40.

ESCALLONIA MACRANTHA, 2s. 6d.

EUCRYPHIA PINNATIFOLIA, 10s. 6d.

EULALIA GRACILLIMA UNIVITTATA, 3s. 6d.

JAPONICA ALBO-LINEATA, 2s. 6d. and 3s. 6d.

— ZERRINA, 2s. 6d. and 3s. 6d.

EUONYMUS OCCIDENTALE, this hardy ornamental shrub is a native of the Eastern States of North America, where it forms a bush, with slender upright branches, bearing on short petioles bright green leaves, two to four inches long, in shape ovate to lanceolate, acuminate and serrulate. The flowers, which are produced on slender peduncles, are dark brown. 3s. 6d.

EXOCHORDA ALBERTI, 3s. 6d.

FRAXINUS MANDCHURIENSIS, 3s. 6d.

FREESIAs, *vide* page 40.

GENISTA ANDREANA, very handsome, 3s. 6d.

GUNNERA MANIOATA, 3s. 6d.

SCABRA, 3s. 6d.

HERERA AMURENSIS, 2s. 6d.

ATROPURPUREA, 1s. 6d.

SPECTABILIS AUREA, 2s. 6d.

CYCLAMEN EUROPEUM, 5s. per dozen.

CYDONIA JAPONICA, of sorts, 1s. 6d. and 2s. 6d.

CYPRIPEDIUM ACOULE, 3s. 6d. and 5s.

ARIETINUM, 2s. 6d.

MONTANUM, 5s.

PARVIFLORUM, 2s. 6d.

PUBESCOENS, 2s. 6d.

SPECTABILE, 3s. 6d., 5s. and 7s. 6d.

[Various species of these interesting Terrestrial Orchids can be supplied at the proper season, when dormant.]



DEUTZIA, PRIDE OF ROCHESTER.

HEDERA HELIX AURANTIACA, this is the scarlet-berried Ivy, 2s. 6d. and 3s. 6d.

HEMEROCALLIS, of sorts, 9d. and 1s.

HERBACEOUS PLANTS.

Choice selections of these useful hardy border plants, 6s. and 9s. per dozen.

HIBISCUS SYRIACUS (ALTHEA FRUTEX), 1s. 6d.

SYRIACUS ALBO-PLENUS, 1s. 6d.

— AMARANTHE, 1s. 6d.

— ANEMONEFLORUS, 1s. 6d.

— ARDENS, 1s. 6d.

— BOULE DE FEU, 1s. 6d.

— CÆRULEUS PLENUS, 1s. 6d.

— CARNEUS PLENUS, 1s. 6d.

— COMTE DE FLANDRES, 1s. 6d.

— CÆLESTIS, 1s. 6d.

— DE LA VEUVE, 1s. 6d.

— DUO DE BRARANT, 1s. 6d.

— ELEGANTISSIMUS, 1s. 6d.

— GRANDIFLORUS SUPERBUS, 1s. 6d.

— LADY STANLEY, 1s. 6d.

— LEOPOLDII, 1s. 6d.

HIBISCUS SYRIACUS PURPUREUS PLENUS, 1s. 6d.

SYRIACUS PURPUREUS VARIEGATUS, 1s. 6d.

— RANUNCULÆFLORUS, 1s. 6d.

— RUBER PURPUREUS FL. PL., 1s. 6d.

— SPECIOSUS, 1s. 6d.

— SPECTABILIS FL. PL., 1s. 6d.

— VIOLACEUS ATROPURPUREUS FL. PL., 1s. 6d.

— SEMI-PLENUS, 1s. 6d.

see also pages 24, 25 and 41.

HOTELA JAPONICA, *vide* Spiræa japonica

HYACINTHUS CANDICANS, 1s. 6d. per dozen.

HYDRANGEA ASPERA, 2s. 6d.

PANICULATA GRANDIFLORA, 1s. and 1s. 6d.

PEKINENSIS, 3s. 6d.

VOLUBILIS (SCANDENS), 1s. 6d.

see also page 41.

HYPERICUM MOSERIANUM.

A handsome evergreen shrub, attaining a height of 3 to 5 feet, of great floriferousness, being covered from May till late in Autumn with magnificent deep yellow flowers, having a diameter of nearly 3 inches. It has obtained a First-Class Certificate. 2s. 6d.

IDESIA POLYCARPA (POLYCARPA MAXIMOWICZII), 2s. 6d. and 3s. 6d.

IRIS CRISTATA, 1s. 6d.

IBERICA, 1s. and 1s. 6d.

IRIS GERMANICA.

The handsome hybrids of this beautiful section are of the greatest use for the adornment of beds and borders, the flowers are of rich and varied colours, striped or blotched with purple and violet, on a white or yellow ground. 4s., 6s. and 9s. per dozen; choice mixed varieties, 2s. 6d. and 3s. 6d. per doz.

IRIS KÄMPFERI.

A magnificent collection of this handsome and attractive plant has been imported from Japan. Scarcely any plants in the flower garden can compare for gorgeous beauty with this section of Iris; they can therefore be most highly recommended. 1s. 6d., 2s. 6d. & 3s. 6d.; choice varieties, 5s. & 7s. 6d.

IRIS PUMILA ATROCERULEA 2s. per dozen.

PUMILA CERULEA, 2s. per dozen.

— **LUTEA**, 3s. 6d. per dozen.

SIBIRICA, 1s.

SUSIANA, 1s.

TECTORUM, 3s. 6d.

JUNCUS LÆTIVIRENS, 3s. 6d.

ZEBRINUS, *vide* Scirpus Tabernæmontani zebrianus

KNIPHOFIA ALOIDES (Tritoma Uvaria), 9d.

ALOIDES (Tritoma Uvaria) **GLAUDESCENS**, 1s. 6d.

— (— —) **ORANDIFLORA**, 1s.

— (— —) **NOBILIS**, 2s. 6d.

LARDIZABALA BIFERNATA, 3s. 6d.

LIBERTIA FORMOSA, 6d.

IXIOIDES, 6d.

LILIUMS.

AURANTIACUM, *vide* croceum.

AURATUM, 1s., 1s. 6d., 2s. 6d. and 3s. 6d.

Dormant bulbs at the proper season, 6d., 9d., 1s. and 1s. 6d. each.

— **CRUENTUM**, the finest of the *auratum* section, each petal being marked down the centre with a broad band of the richest crimson, 10s. 6d.



LILIUM AURATUM.

AURATUM ORNATUM, 10s. 6d.

— **PICTUM**, 7s. 6d.

— **PLATYPHYLLUM**, a handsome variety, giving gigantic flowers with large and very broad segments, much greater in substance than the ordinary variety, 3s. 6d. and 5s.

— **VIRGINALE**, 7s. 6d.

— **RUBRO-VITTATUM**, 7s. 6d. and 10s. 6d.

— **VIRGINALE** (Wittei), 7s. 6d. and 10s. 6d.

BATEMANÆ, 1s. and 1s. 6d.

BROWNII, very handsome large flowers, trumpet-shaped, internally white, externally purplish brown. 3s. 6d. and 5s.

BULBIFERUM, 1s.

BYZANTINUM, *vide* chalcedonicum.

CALIFORNICUM, 2s. 6d.

CALLOSUM 2s. 6d. and 3s. 6d.

CANADENSE 1s. and 1s. 6d.

— **RUBRUM**, 2s. 6d.

CANDIDUM, 4d. and 6d.

— **FLORE-PLENO**, 6d.

CHALCEDONICUM (BYZANTINUM), an effective and showy Lily, with brilliant scarlet flowers. 1s. 6d.

COLUMBIANUM, 1s. 6d. and 2s. 6d.

CONCOLOR 2s. 6d. and 3s. 6d.

— **CORIDION**, 2s. 6d.

CORDIFOLIUM, a rare Japanese Lily. 3s. 6d.

CROCEUM (AURANTIACUM), 1d. and 6d.

DALMATIUM, *vide* Martagon dalmaticum

DAHURICUM ERECTUM, 4d.

— **FULGIDUM** (Sappho) 4d.

— **GRANDIFLORUM**, 6d.

— **IMMACULATUM**, 6d.

— **INCOMPARABILE**, 4d.

— **SULPHUREUM**, 2s. 6d.

ELEGANS (THUNBERGIANUM), 1s. 6d.

— (—) **ALICE WILSON**, 5s.

— (—) **ALUTACEUM**, 6d.

— (—) **ATROSANGUINEUM** (FULGENS), 6d.

— (—) **SEMI-PLENUM**, 2s. 6d.

— (—) **BICOLOR**, 2s. 6d. and 3s. 6d.

— (—) **CRUENTUM**, 3s. 6d.

— (—) **FLAVESCENS**, 2s. 6d.

— (—) **FORMOSUM**, 1s. 6d.

— (—) **GUTTATUM**, 3s. 6d.

— (—) **LATERITIUM** (BILIGULATUM), 6d.

— (—) **MACULATUM**, 6d.

— (—) **PICTUM**, 6d.

— (—) **PRINCE OF ORANGE** (CITRINUM), 6d.

— (—) **SANGUINEUM**, 6d.

— (—) **STAMINOSUM** (FLORE-PLENO), 1s. 6d.

— (—) **WALLACEI**, 1s. 6d.

LILIUMS—continued.



LILIUM LONGIFLORUM HARRISII.

EXCELSUM, *vide* testaceumEXIMIUM, *vide* longiflorum eximium

GIGANTEUM, 5s., 7s. 6d. and 10s. 6d.

HANSONI, bright golden-yellow, spotted with crimson, 5s.

HOOKERI, a new white flowering hybrid from Japan. 7s. 6d.

HUMBOLDTII, quite hardy, and produces fine spikes of golden-yellow flowers, spotted with purple. 2s. 6d.

ISABELLINUM, *vide* testaceum

JAPONICUM (odorum), a beautiful sweet-scented White Lily, 7s. 6d.

KAMSCHATICUM (SARANA) The Black Lily, 3s. 6d.

KRAMERI, an exceedingly elegant Lily, with large trumpet-shaped blossoms of a beautiful soft rose colour; the lobes of the flowers gracefully recurved. 1s. 6d. & 2s. 6d.

LANCIFOLIUM, *vide* speciosum

LEICHTLINI, scarce, 3s. 6d. and 5s.

LONGIFLORUM, 6d.

— Gigantic bulbs, 9d.

— EXIMIUM 9d. and 1s.

— FOLIIS ALBO-MARGINATIS, 2s. 6d.

— VARIEGATIS, 3s. 6d.

— HARRISII. The handsome free-flowering Easter Lily of Bermuda, invaluable for pot culture, its pure white flowers being borne in the greatest profusion, *vide* illustration. 6d., 9d. and 1s.

Extra size, 1s. 6d., 2s. 6d. and 3s. 6d.

LONGIFLORUM WILSONI, 1s. 6d. & 2s. 6d.

MARTAGON (Turk's Cap Lily). 3d.

— ALBUM, 3s. 6d. and 5s.

— AURANTIACUM, *vide* pyrenaicum— COCCINEUM, *vide* chalcidonicum

— DALMATICUM, a very distinct and attractive Lily, producing beautiful flowers of a rich blackish-purple colour. 1s. 6d. and 2s. 6d.

— CATTANÆ, purple, 2s. 6d. & 3s. 6d.

MONADELPHUM SZOVITZIANUM, rich citron colour, spotted with black; anthers of a rich chocolate-brown; flowers deliciously fragrant; one of the best of the Lilies. 1s. 6d. and 2s. 6d.

— giganto bulbs, 3s. 6d.

NEILGHERRENSE, a magnificent Lily, one of the finest of its section; blossoms creamy-white, deliciously fragrant and nearly a foot long, admirably adapted for conservatory decoration. 3/6 & 5/

NEPALENSE, very rare and extremely beautiful. 10s. 6d. and 15s.

OCHROLEUCUM. The blossoms, which are deliciously scented, have the lower or basal portion of the segments of a clear ochreous yellow, the remaining portion of the petals, which gracefully recurve, being of a milk-white colour, very distinct and desirable. 5s.

PARDALINUM, a very showy hardy Lily, freely producing its fine flowers, which are of a rich golden-orange colour, attractively spotted with maroon-purple. 1s. & 1s. 6d.

— BOURGÆI, 3s. 6d.

PARRYI, flowers deep citron-yellow, with a few scattered purplish spots, and chocolate anthers; a desirable species and easily cultivated, 3s. 6d. and 5s.

PARVUM, yellow, slightly spotted, 2s. 6d. and 3s. 6d.

PEREGRINUM, *vide* testaceum

POMPONIUM, an elegant species with bright scarlet flowers. 1s. and 1s. 6d.

Extra strong English grown bulbs, 2s. 6d. and 3s. 6d.

PUBERULUM, 2s. 6d.

PURPUREUM (RUBESCENS), 3s. 6d. and 5s.

PYRENAICUM, 6d.

ROSEUM, *vide* Thompsonianum.RUBESCENS, *vide* purpureum.

SPECIOSUM (LANCIFOLIUM) ALBUM, 1/ & 1/6

— (—) ALBUM CORYMBIFLORUM, 9d. & 1s.

— (—) NOVUM, 5s.

— (—) CRUENTUM, 2s. 6d.

— (—) KRETZERI, exquisitely formed flowers, of snowy-whiteness; a great improvement on the ordinary white variety, 1s. 6d. and 2s. 6d.

— (—) SUPERBUM, 5s.

— (—) MELPOMENE, 2s. 6d. and 3s. 6d.

— (—) PUNCTATUM, 1s. 6d. and 2s. 6d.

— (—) PURPURATUM, 2s. 6d. & 3s. 6d.

— (—) ROSEUM, 6d., 9d. and 1s.

— (—) RUBRUM, 6d., 9d. and 1s.

LILIUMS—continued.

SPECIOSUM (LANCIFOLIUM) RUBRUM CORYMBIFLORUM, 1s. 6d.
 — (—) — **SUPERBUM**, 1s. 6d. and 2s. 6d.
 — (—) — **SCHRYMAKERSI**, 1s. 6d.
SUPERBUM, 9d. and 1s.
 — **PYRAMIDALE**, 2s. 6d.
SZOVITZIANUM, *vide monadelphum Szovitzianum*
TESTACEUM (**EXCELSUM**, **ISABELLINUM**, **PEREGRINUM**), nankeen-coloured flowers, 1s. 6d.
THOMPSONIANUM (**ROSHUM**), 1s.
THUNBERGIANUM, *vide elegans*.
TIGRINUM, 3d.

TIGRINUM FLORE-PLENO, 4d.
 — **FORTUNEI**, 6d. and 9d.
 — **JUCUNDUM** (**Maximowiczii**), 1s. 6d. and 2s. 6d.
 — **LEOPOLDII (SPLENDENS)**, bright orange-scarlet; large dark spots; exceedingly attractive, 6d. and 9d.
VENUSTUM, 1s. 6d.
UMBELLATUM, *vide dahuricum*.
WALLICHIANUM, 7s. 6d.
WASHINGTONIANUM, flowers white, slightly flushed with lilac, very sweet-scented, 2s. 6d. and 3s. 6d.

Good and varied selections of Lilies made at 12s., 18s., 30s. and 42s. per dozen.

LIMONIA TRIFOLIATA, 3s. 6d.
MAGNOLIA CAMPBELLII, 10s. 6d. and 15s.
 CONSPICUA, 3s. 6d.
 LENNEI, 5s.
 PURPUREA, 2s. 6d.
 SOULANGEANA, 3s. 6d.
 STELLATA (HALLEANA), 5s. and 7s. 6d.
 of sorts, 3s. 6d., 5s. to 10s. 6d.
MALUS FLORIBUNDA, 1s. 6d.
 HALLEANA, a new and distinct Japanese sort, with narrow leaves and giving a profusion of pink flowers, 2s. 6d.
MAXIMOWICZIA CHINENSIS, 1s. 6d.
MILLA BIFLORA, 6s. per dozen.
MONTBRETIA CROCOSMEFLORA, 6d.
 CROCOSMEFLORA AUREA, fine spikes of large golden-yellow flowers. 9d.
 — **BOUQUET PARFAIT**, spikes of very large flowers, centre dark orange-yellow, the upper part bright vermilion. 9d.
 — **DRAP D'OR**, erect habit, fine flowers with chrome-yellow lobes. 1s. 6d.
 — **ELDORADO**, very floriferous and of dwarf habit; large golden-yellow flowers. 2s. 6d.
 — **ELEGANS**, brilliant yellow, exterior of tubes and buds vermilion. 6d.
 — **ETOILE DE FEU**, large spikes of flowers, dark red on the exterior, the interior bright vermilion, centre clear yellow. 6d.
 — **GERBE D'OR**, a dwarf and proliferous variety, producing magnificent golden-yellow flowers. 9d.
 — **INCENDIE**, erect spikes of brilliant red flowers, centre citron, speckled with purple; the finest high-coloured variety. 3s. 6d.
 — **MÉTÉORE**, large flowers, lobes large and round, interior dark orange, exterior blood red. 1s. 6d.
 — **PHARE**, a most effective variety with very rich coloring; the interior of the flower is brilliant red, the centre yellow, the exterior very bright reddish-crimson. 9d.
 — **CROCOSMEFLORA PLUIE D'OR**, handsome spikes of ochreous yellow flowers; a new colour in Montbretias. 1s. 6d.

MONTBRETIA CROCOSMEFLORA PYRAMIDALIS, spikes of erect flowers of an apricot-salmon colour. 9d.
CROCOSMEFLORA RAYON D'OR, golden yellow; throat spotted red. 1s.
 — **SOLFATARE**, fine erect spikes of large orange-yellow flowers, a very distinct and attractive variety. 2s. 6d.
 — **SOLEIL COUCHANT**, brilliant golden-yellow flowers; dwarf habit. 3s. 6d.
 — **TIGRIDIE**, rich orange-yellow flowers, maculated in the centre with brown; very striking. 3s. 6d.
 — **TRANSCENDENT**, bright orange-red, very floriferous. 1s.
POTTII, 6d.
 — **GRANDIFLORA**, very large flowers in erect spikes, exterior reddish-scarlet, interior orange-yellow, very effective. 1s.
NELLIA TORREYI, a dwarf-growing shrub, furnished with small slightly pubescent leaves, and producing along the branches umbels of pretty white flowers. 3s. 6d.
NEVIUSIA ALABAMENSIS, 3s. 6d.
NYMPHÆA ALBA, 1s. 6d. and 2s. 6d.
OPUNTIA RAFINESQUIANA, 2s. 6d.
PÆONIA ARBOREA (Tree Pæony), choice sorts, 5s. each, 48s. per dozen.
 HERBACEOUS, 12s. and 18s. per dozen.
PANCRATIUM ILLYRICUM, 1s.
 MARITIMUM, 9d.
PASSIFLORA CERULEA, 1s. 6d. and 2s. 6d.
 CONSTANCE ELIOTT, 1s. 6d. and 2s. 6d.
 JOHN SPAULDING, 1s. 6d.
PHELLODENDRON AMURENSE, "The Cork Tree of the Amoor," 3s. 6d.
PHILADELPHUS CORONARIUS FOLIS AUREIS, 1s. 6d.
 GRANDIFLORUS SPECIOSISSIMUS PLENUS, 3s. 6d.
 HYBRIDUS LEMOINEI, 2s. 6d.
 KETELEERI FLORE-PLENO, 2s. 6d.
 MICROPHYLLUS, 2s. 6d.
 PRIMULÆFLORUS, 3s. 6d.
 ROSÆFLORUS PLENUS, 2s. 6d.

PHILADELPHUS LEMOINEI ERECTUS.

This new variety is a cross between *Philadelphus microphyllus* and one of the beautiful varieties of *P. coronarius*. The plant is of free growth, the flowers being white and very sweet-scented, with yellow anthers, being borne in axillary umbels the whole length of the branches. 3s. 6d.

PHLOXES (HERBACEOUS).

Selections of good and choice kinds at 12s. and 18s. per dozen.

PIERIS OVALIFOLIA DENSIFLORA, 3s. 6d. and 5s.
PIPER FUTOKADSURA, 3s. 6d. and 5s.
POLYCARPA MAXIMOWICZII, *vide* Idesia polycarpa
POLYGONUM MULTIFLORUM, 2s. 6d. and 3s. 6d.
 SACHALINENSE, 1s. 6d. and 2s. 6d.
POPULUS CANADENSIS AUREA VAN GEERTII,
 foliage of an attractive golden hue. 2s. 6d.
POTENTILLA, handsome double-flowered
 kinds. 1s. 6d. and 2s. 6d.

PRIMULA CORTUSOIDES HYBRIDA, 2s. 6d.
 FLORIBUNDA, *vide* page 43.
 IMPERIALIS, *vide* page 43.
 JAPONICA, 1s. and 1s. 6d.
 — of sorts, 3s. 6d. each.
PRUNUS SINENSIS ALBO-PLENA, 2s. 6d.
 SINENSIS ROSEO-PLENA, 2s. 6d.
 TRILOBA, 1s. 6d.
PUNICA, *vide* page 43.

PRUNUS PISSARDII.

A remarkably ornamental plant, introduced from Persia; it has splendid foliage of a deep crimson-scarlet colour, and will be found most effective for out-door decoration. 1s. 6d. and 2s. 6d.

RHEUM OFFICINALE.

Very much interest attaches to this plant, as being the ascertained source whence is derived the true Turkey Rhubarb. *R. officinale*, which inhabits and is cultivated in Thibet and Western China, is a very distinct and well-marked plant, of ornamental character. It is a perennial, producing three to seven lobed leaves, and flowering stems four to ten feet high, branching in a paniculate manner, the branches spreading and closely packed with spike-like greenish flowers. 1s. 6d., 2s. 6d. and 3s. 6d.

RHODEA, *vide* page 43.
RHODODENDRONS, choice hybrids of sorts, to
 name, 3s. 6d. and 5s.
RHUS OLABRA LACINIATA, 1s. and 1s. 6d.

RIBES ALPINUM PUMILUM AUREUM, 5s.
RICHARDIA, *vide* pages 43 and 44.
ROSA RUOOSA ALBA, 1s. 6d. and 2s. 6d.
 RUOOSA (REBELIANA), 1s. 6d. and 2s. 6d.

RUBUS CRATÆGIFOLIUS.

Introduced from Manchuria. It is erect in growth, with large shining dark-green leaves, turning red in autumn. It gives a quantity of transparent scarlet fruits of a sugary and agreeable taste, very ornamental. 1s. 6d. each. 15s. per dozen.

RUBUS FRUTICOSUS DENTATUS.


A very peculiar variety of our native Bramble; the stems are purple, and furnished with red thorns; the leaves are small, trifoliate, with the leaflets deeply inciso-dentate. It is of comparatively slender growth, and will form a hardy climber of a very elegant character. 3s. 6d.

SALVIAS, *vide* Bedding Plants.
SARRACENIAS, *vide* page 44.
SAUROMATUM, *vide* Arisema.
SAXIFRAGA CILIATA, 1s. 6d.
 PELTATA, 1s. 6d.
SCHIZOPHRAGMA HYDRANGEOIDES, *vide* Hy-
 drangea volubilis.

SCIRPUS (JUNCUS) TABERNÆMONTANI ZEBRINUS,
 3s. 6d. and 5s.
SEDUM SPURIUM SPLENDENS, 1s. 6d.
SENECIO PULCHER, 1s. 6d.
 see also page 44.
SKIMMIA OBLATA, 2s. 6d. and 3s. 6d.
SPIRÆA AMURENSIS, 1s. 6d.

SPIRÆA ASTILBOIDES.

One of the most handsome of hardy herbaceous perennials, which cannot be too highly appreciated as a decorative plant for early forcing. Certificated both by the Royal Horticultural and Royal Botanic Societies. The inflorescence consists of compound feathery branches of elegant white flowers. It is a charming plant for pot culture, its beautiful flowers being produced in the greatest profusion. *Vide* illustration, page 56. 1s. 6d. & 2s. 6d. each. 15s. & 24s. per dozen.

**SPIRÆA ASTILBOIDES.****SPIRÆA JAPONICA AUREO-RETICULATA.**

Pretty variegated foliage, added to which it bears a profusion of handsome compact spikes of pure white flowers. 1s. and 1s. 6d.

SPIRÆA JAPONICA COMPACTA MULTIFLORA.

This most desirable variety is a great improvement on the old *S. Japonica*, as it produces a profusion of large and dense spikes of pure white flowers, in telling contrast to the dark green foliage of the plant, the habit of which is dwarf and compact. 1s.

SPIRÆA KAMTSCHATIKA (GIGANTEA).

A very remarkable species imported from Asia. It grows from 6 to 7 feet high, well furnished with large Aralia-like leaves. The flowers are produced in large cymes and are pure white. 3s. 6d.

SPIRÆA PALMATA.

The bright pink Spiræa, one of the most beautiful hardy plants in cultivation, producing lovely broad corymbs of pink flowers. It is a native of Japan. 1s.

SPIRÆA PALMATA ALBA.

A counterpart of *S. palmata*, except in the colour of the flowers, which are pure white; a very beautiful and elegant variety. 1s. 6d.

STAPHYLEA COLCHICA, 2s. 6d. and 3s. 6d.

HYBRIDA COULOMBIERI, 3s. 6d.

STATICE LATIFOLIA, 1s.

STAUNTONIA LATIFOLIA, 2s. 6d.

STYRAX JAPONICA, 3s. 6d.

SYRINGA JAPONICA, 3s. 6d.

VULGARIS FL.-PL. ALPHONSE LAVALLEE, 2s. 6d.

— — — COMTE HORACE DE

CHOISKUL, 2s. 6d.

— — — IYACINTHIFLORA PLENA, 1s. 6d.

SYRINGA VULGARIS FLORE-PLENO LEMOINEI.

A beautiful variety of the *Lilac*, producing large branched spikes, well furnished with double rosette-like flowers; the buds before opening are rose-coloured, and the fully expanded flowers are of a soft lilac shade; but the plant is more particularly charming when forced, in which state the blossoms are pure white; exceedingly useful for all kinds of decoration. 2s. 6d. each; 24s. per dozen.

SYRINGA VULGARIS FL.-PL. EMILE LEMOINE.

A very fine variety, producing immense compound bunches of large well-shaped globular flowers, the colour being a very soft shade of rosy-lilac. 5s.

SYRINGA VULGARIS FL.-PL. JEAN BART.

A very floriferous variety, the inflorescence being composed of very long thyrses grouped together, the flowers being very double, irregular in form, of a vinous rose colour; the buds carmine. 3s. 6d.

**SPIRÆA ASTILBOIDES
FLORIBUNDA.**

A new variety, differing from the type in producing beautiful thyrsoid spikes of bloom, much more crowded with flowers than is the case with *S. astilboides*. It is also described by the raiser as of more robust and hardier growth, the foliage being of a rich deep green colour. 2s. 6d. each. 24s. per dozen.

**SPIRÆA BUMALDA
RUBERRIMA.**

A dwarf hybrid variety, raised between *S. bumalda* and *S. crispifolia*. The flowers, which are borne in corymbs, are dark carmine-rose, with bright carmine centre, the long tufts of rose stamens giving the flowers a plumose appearance. 5s.

**SPIRÆA (HOTEIA)
JAPONICA.**

Strong clumps in the autumn. 5s. per dozen.

SYRINGA VULGARIS FL.-PL. LA TOUR
 D'AUVERGNE, 3s. 6d.
VULGARIS FL.-PL. LEON SIMON, 3s. 6d.
 ——— **LE GAULOIS**, 1s. 6d.

SYRINGA VULGARIS FL.-PL. MADAME JULES
 FINGER, 2s. 6d.
VULGARIS FL.-PL. MATHIEU DE DOMBASLE,
 2s. 6d.

SYRINGA VULGARIS FL.-PL. M. MAXIME CORNU.

A vigorous variety, producing fine thyrses of beautiful rosy-lilac double flowers, formed by corollas superposed one in the other; forces well. 2s. 6d.

SYRINGA VULGARIS FL.-PL. MICHEL BUCHNER, 2s. 6d. | **SYRINGA VULGARIS FL.-PL. PYRAMIDAL**, 2s. 6d.

SYRINGA VULGARIS FL.-PL. PRÉSIDENT GRÉVY.

Magnificent thyrses of flower attaining a length of one foot and a proportionate breadth. The individual flowers are three-quarters of an inch in diameter, composed of several rows of petals of a beautiful cobalt-blue colour, shading off to rose at the margins. Deliciously fragrant. 2s. 6d.

SYRINGA VULGARIS FL.-PL. RENONCULE, 2s. 6d. | **SYRINGA VULGARIS FL.-PL. RUBELLA**, 2s. 6d.

SYRINGA VULGARIS FL.-PL. SENATEUR VOLLAND.

A very dwarf brilliant coloured double lilac, a new shade of colour, buds Fuchsia-red, the flowers when open being rosy-pink. 3s. 6d.

SYRINGA VULGARIS FL.-PL. VIRGINITE.

Flowers very double, petals long, of a most pleasing shade of soft rose; the colour of the *Roso, Souvenir de la Malmaison*. Quite a new tint in double lilacs. 3s. 6d.

TIGRIDIA CONCHIFLORA, 2s. 6d. per dozen.

GRANDIFLORA, 2s. 6d. per dozen.

—— **ALBA**, 2s. 6d. per dozen.

—— **AURANTIACA**, 2s. 6d. per dozen.

} These can be supplied, when dormant, by the dozen or hundred at the proper season.

TRITOMA *vide* Kniphofia.

TRITONIA AUREA, *vide* CROCOSMA AUREA.

MINIATA bright crimson, 2s. 6d.

TROPÆOLUM SPECIOSUM, handsome crimson flowers, 1s.

TROPÆOLUM TUBEROSUM, flowers scarlet and yellow, a very attractive and decorative species, 6d. and 9d.

see also page 44.

VERONICAS.

Where the climate is mild these make handsome decorative shrubs for the open border, and produce freely an abundance of showy flowers. They are well adapted for training against low walls or trellises. *vide* page 45.

VITIS JAPONICA, *vide* Ampelopsis trienspidata

| **VITIS VINIFERA PURPUREA**, 5s.

WEIGELA AMABILIS LOOYMANSII AUREA, 1s. 6d.

LONGIFOLIA ARGENTEO-MARGINATA, 3s. 6d.

SIEBOLDII FOLIIS ARGENTEO-MARGINATIS, 2s. 6d.

WEIGELA ABEL CARRIERE, 1s. 6d.

AUG. WILHELM, 2s. 6d.

CONGO, 1s. 6d.

WEIGELA CANDIDA.

An extremely distinct variety, of vigorous habit and very free-blooming, producing fine large pure white flowers. 1s. 6d. each; 15s. per dozen.

WEIGELA JEAN MACE.

A distinct and free-blooming variety, producing fine large purple flowers; the buds are of a very dark crimson-purple colour; it is the darkest Weigela in cultivation. 1s. 6d.

WEIGELA MONTESQUIEU.

Fine reddish-crimson flowers of perfect shape; a very handsome and distinct variety. 1s. 6d.

WEIGELA DIDEROT, 1s. 6d.

ÉMILE GALLÉ, 1s. 6d.

WISTARIA (GLYCINE) MULTIJUGA, a magnificent species, bearing bunches of bloom from two and a half to three feet long, exceedingly handsome. 2s. 6d. and 3s. 6d.

MULTIJUGA ALBA, 2s. 6d. and 3s. 6d.

SINENSIS, 2s. 6d. and 3s. 6d.

WISTARIA SINENSIS ALBA, 2s. 6d. and 3s. 6d.

SINENSIS FLORE-PLENE, 3s. 6d.

XANTHOCERAS SORBIFOLIA, a handsome flowering shrub, 3s. 6d.

YUCCA RECURVA, 3s. 6d. and 5s.

—— **VARIEGATA**, 7s. 6d.

see also page 44.

ZEPHYRANTHES, *vide* page 44.

OFFICINAL AND MEDICINAL PLANTS

TROPICAL FRUITS, &c.

Mr. WILLIAM BULL's collection of living economic plants contains specimens of nearly all the spices and condiments in domestic use, many of the most highly esteemed tropical esculent fruits, many of those from which furniture and other woods are obtained, the principal gums and medicinal products, the poison trees from Java, Brazil, and Madagascar, at one time only heard of in tales of fiction, and plants which supply our daily beverages and food, as well as many of historical interest.

The individual prices of the following depend upon the size of the plants and rarity of the species, particulars of which can be furnished on application.

Collections made at 5, 7 and 10 guineas.

Abyssinian Banana.....	Músa Enséte	<i>Abyssinia</i>
African Baobab Tree	Adansónia digitáta	<i>Africa</i>
African Mangosteen	Garcinia Livingstóni	<i>Africa</i>
African Rubber	Landolphia Watsoniana	<i>Africa</i>
Allspice	Eugenia Pimenta	<i>W. Indies</i>
Arrowroot	Maránta arundinácea.....	<i>S. America</i>
Annatto Dye Plant	Bixa Orellána	<i>Tropical America</i>
Australian Banyan	Ficus macrophylla	<i>Australia</i>
Balsam of Peru	Myróxylon Pereira.....	<i>Peru</i>
Banyan Tree	Ficus indica	<i>E. Indies</i>
Bark of Commerce	Cinchóna officínalis.....	<i>Tropical America</i>
Bengal Quince.....	Ægle Marmelos	<i>E. Indies</i>
Betle Pepper.....	Piper Bétle	<i>E. Indies</i>
Black Pepper	Piper nigrum	<i>E. Indies</i>
Brazil Nut.....	Berthollétia excélsa.....	<i>Brazil</i>
Cabbage Palm	Eutépe edúlis.....	<i>Brazil</i>
Camphor	Cámphora officínalis	<i>Japan</i>
Cape Chestnut.....	Calodendron capense	<i>Cape Colony</i>
Captain Cook's Tea Plant	Leptospermum scopárium	<i>New Zealand</i>
Cardamon	Amómum Cardamómum	<i>E. Indies</i>
Cascarilla Bark	Croton Elutéria	<i>Bahama Islands</i>
Cashew Nut.....	Anacardium occidentale	<i>India</i>
Cassia.....	Cinnamomum Cassia	<i>East Indies</i>
Cherimoyer	Anona Cherimolia	<i>Peru</i>
Chinese Plantain Tree	Músa Cavendishii	<i>China</i>
Cinnamon	Cinnamómum zeylanicum	<i>Ceylon</i>
Clove	Caryophyllus aromaticus	<i>Moluccas</i>
Coca	Erythróxylon Cóca.....	<i>Peru</i>
Cocoa	Theobróma Cacao	<i>Tropical America</i>
Coffee, Arabian	Cofféa arábica	<i>Yemen</i>
Coffee, Liberian	Cofféa liberica	<i>Liberia</i>
Contrayerva Root	Dorsténia Contrayerva	<i>S. America</i>
Croton Oil	Croton Tighium	<i>India</i>
Cuba Bast.....	Paritium elátum	<i>W. Indies</i>
Cubeb Pepper	Piper Cubéba	<i>Java</i>
Cundurango	Gonólobus Cundurango	<i>S. America</i>
Date	Phoenix dactylifera.....	<i>Levant</i>
Durian	Durio zibethinus.....	<i>India</i>
Edible Eugenia	Eugenia edulis	<i>Brazil</i>
Edible-fruited Passion Flower.....	Passiflora edúlis	<i>Brazil</i>
Edible Vangueria	Vangueria edúlis	<i>Madagascar</i>
Fiddle Wood.....	Citharéxylon quadranguláre.....	<i>Jamaica</i>
Fustick Wood	Chlorophora (Maclúra) tinetória	<i>W. Indies</i>
Gamboge	Zanthóchymus pictórius	<i>E. Indies</i>
Gigantic Granadilla	Passiflora macrocarpa	<i>Rio Negro</i>

OFFICIAL AND MEDICINAL PLANTS—continued.

Ginger	Zingiber officinale	E. Indies
Granadilla	Passiflora quadrangularis	W. Indies
Guarana Tea Plant	Paullinia sorbilis	Brazil
Guava	Psidium Cattleianum	Brazil
Indian Cedar	Cedrela odorata	West Indies
Ipecacuanha	Cephaelis Ipecacuanha	Brazil
Jack Fruit	Artocarpus integrifolius	W. Indies
Jalap	Exogonium purga	Mexican Andes
Jamaica Quassia	Pierone excelsa	Jamaica
Japan Cinnamon	Cinnamomum sericeum	Japan
Japanese Pepper	Piper Futokadsura	Japan
Kola Nut	Cola acuminata	Niger
Latania Palm	Latania borbonica	Bourbon
Ledger's Bark	Cinchona Ledgeriana	S. America
Lemon Grass	Andropogon citratus	India
Litchi	Nephelium Litchi	China
Loquat	Eriobotrya japonica	Japan
Mahogany Tree	Swietenia Mahagoni	W. Indies
Malabar Silk Cotton Tree	Bombax malabaricum	Malabar
Manilla Hemp	Musa textilis	Philippine Isles
Matico	Artanthe elongata	Peru
Milk Tree	Galactodendron utile	S. America
Mustard Tree of Scripture	Salvadora persica	Persia
Nardoo	Marsilea macropus	Australia
Natal Plum	Arduina grandiflora	Natal
Notted-leaved Custard Apple	Anona reticulata	S. America
Nutmeg	Myristica moschata	E. Indies
Palissander Wood	Machaerium firmum	S. America
Para Rubber	Hévea brasiliensis	Brazil
Patchouli Scent Plant	Pogostemon Patchouli	E. Indies
Poison Bulb	Buphano toxicaria	Natal
Poison Nut	Thevetia nerifolia	W. Indies
Queensland Nut	Macadamia ternifolia	Queensland
Rhubarb	Rhéum officinale	China
Rose Apple	Eugenia Jambos	India
Sacred Indiau Fig	Ficus religiosa	India
Sandal Wood	Santalum album	India
Sand Box Tree	Hura crepitans	S. America
Sarsaparilla	Smilax Sarsaparilla	N. America
Satin Wood	Chloroxylon Swietenia	E. Indies
Snake Wood	Cecropia palmata	S. America
Soap Berry	Sapindus Saponaria	W. Indies
Sour Sop	Anona muricata	W. Indies
Star Apple	Chrysophyllum Cainito	W. Indies
Strychnine	Strychnos nux-vómica	East Indies
Sugar Cane	Saccharum officinarum	India
Sweet Sop	Anona squamosa	S. America.
Sycamore Tree of Scripture	Ficus Sycomorus	Egypt
Tamarind Tree	Tamarindus indica	E. Indies
Tea	Théa Bohéa	China
Tea, Assam	Théa assamica	Assam
Tonga	Epipremnum mirabile	South Sea Islands
Tonquin Bean	Dipterix odorata	Guiana
Traveller's Tree	Ravenala madagascariensis	Madagascar
Turpentine Tree	Pistacia Terebinthus	S. Europe
Upas Tree	Antiaris toxicaria	Java
Vanilla	Vanilla aromatica	S. America
Violet Sugar Cane	Saccharum violaceum	India
Zerumbet Ginger	Zingiber Zerumbet	E. Indies

Purchasers of Official and Medicinal Plants, Tropical Fruits, &c., can have collections made at 5, 7 and 10 guineas. The difference in price principally depends upon the size of the plants, and the rarity of the species.

ORCHIDS.

In Mr. WILLIAM BULL'S Establishment will be found the largest and best stock in Europe of good established plants—tens of thousands of plants to select from. His Orchid Houses are always quite a sight, from the large number of plants in flower, and he will be pleased to show them to any one interested in this beautiful class.

Mr. W. B. recommends those desirous of having their houses gay with Orchid flowers, to purchase good established well-cultivated plants, which bloom well, are more satisfactory, and comparatively cheaper than newly-imported or semi-established plants.

Besides plants at the prices enumerated, Mr. W. B. has a large quantity of very fine specimens (some of them unique), at 2, 3, 5, 7 and 10 guineas each, and upwards.

S, distinguishes the stove kinds; **I**, intermediate house; **C**, cool house.

Those marked thus (*) are winter-blooming kinds.

S	ACANTHEPHIPIUM	bicolor	East Indies	7s. 6d. and 10s. 6d.
<i>I</i>	<i>javanicum</i>		Java	7s. 6d. and 10s. 6d.
<i>I</i>	ACINETA	Barkeri	Mexico	7s. 6d., 10s. 6d. & 15s.
<i>I</i>	<i>chrysantha</i>		South America	10s. 6d. and 15s.
<i>I</i>	<i>densa</i>		South America	21s. and 31s. 6d.
<i>I</i>	<i>Humboldtii</i>	(<i>superba</i>)	Colombia	5s., 7s. 6d. and 10s. 6d.
<i>I</i>	ACROPERA	Loddigesii	Mexico	5s. and 7s. 6d.
<i>I</i>	<i>luteola</i>		Mexico	7s. 6d. and 10s. 6d.
* <i>C</i>	ADA	aurantiaca	Pamplona	3s. 6d., 5s. and 7s. 6d.
			Fine plants,	21s. and 31s. 6d.
* <i>C</i>	<i>aurantiaca</i>	<i>punctata</i>	Pamplona	
S	ÆRANTHUS	Leonis , <i>vide</i> Angræcum Leonis		
<i>I</i>	AERIDES	<i>affine</i>	Sylhet	5s., 7s. 6d. and 10s. 6d.
<i>I</i>	<i>affine</i>	<i>roseum</i>	Sylhet	7s. 6d. and 10s. 6d.
<i>I</i>	—	<i>superbum</i>	Sylhet	21s. and 31s. 6d.
S	<i>Ballantinianum</i>		East Indies	42s. and 63s.
<i>I</i>	<i>crassifolium</i>		Burmah	5s., 7s. 6d. and 10s. 6d.
S	<i>crispum</i>	(<i>Brookei</i>)	Bombay	5s., 7s. 6d. and 10s. 6d.
S	<i>cylindricum</i>	(<i>Vandarum</i>)	East Indies	31s. 6d. and 42s.
S	<i>Emericii</i>		Andaman Islands	21s. and 31s. 6d.
S	<i>expansum</i>	Leonis , <i>vide</i> falcatum Leonis		
S	<i>falcatum</i>	(<i>Larpentæ</i>)	East Indies	42s. and 63s.
S	—	Leonis (<i>expansum</i>)	East Indies	7s. 6d. to 21s.
<i>I</i>	<i>Fieldingii</i>	(<i>Fox Brush</i>)	East Indies	10s. 6d. and 15s.
			Fine plants,	21s. to 84s.
<i>I</i>	—	<i>rubrum</i>	East Indies	81s. and 105s.
S	<i>Godefroyanum</i>		Cochin China	15s., 21s. and 31s. 6d.
S	<i>Houlletianum</i>		Cochin China	10s. 6d., 15s. and 21s.
C	<i>japonicum</i>		Japan	7s. 6d. and 10s. 6d.
S	<i>Larpentæ</i> , <i>vide</i> falcatum			
S	<i>Lawrenceæ</i>		East Indies	31s. 6d., 42s. and 63s.
<i>I</i>	<i>Lindleyanum</i>		Coonoor	10s. 6d. and 15s.
S	<i>Lobbii</i>		Moulmein	7s. 6d., 10s. 6d. and 15s.
S	—	<i>magnificum</i>	Moulmein	42s. and 63s.
S	—	<i>rubrum</i>	Moulmein	42s. and 63s.
S	<i>maculosum</i>		Bombay	7s. 6d., 10s. 6d. and 15s.
S	—	<i>superbum</i>	Bombay	
S	<i>mitratum</i>		East Indies	10s. 6d. and 15s.
S	<i>nobile</i>		India	21s. and 31s. 6d.
S	<i>odoratum</i>	(<i>cornutum</i>)	East Indies	5s., 7s. 6d. and 10s. 6d.
S	—	<i>majus</i>	East Indies	7s. 6d. and 10s. 6d.

<i>S</i>	AERIDES <i>odoratum purpurascens</i>	East Indies	10s. 6d., 15s. and 21s.
<i>S</i>	<i>Picotianum</i>	Cochin China	63s. and 84s.
<i>S</i>	<i>quinquevulnerum</i>	Philippine Islands	10s. 6d., 15s. & 21s.
<i>S</i>	<i>Rohanianum</i>	East Indies	15s. and 21s.
<i>S</i>	<i>rubrum (radicosum)</i>	Bombay	63s. and 84s.
<i>S</i>	<i>Sanderianum</i>	East Indies	31s. 6d., 42s. and 63s.
<i>S</i>	<i>Savageanum</i>	East Indies	21s. and 31s. 6d.
<i>S</i>	<i>Schroederi</i>	Bombay	
<i>S</i>	<i>suavissimum</i>	East Indies	15s. and 21s.
<i>S</i>	<i>Vandarum, vide cylindricum</i>		
<i>S</i>	<i>Veitchii</i>	East Indies	105s.
<i>S</i>	<i>virens</i>	Java	7s. 6d. and 10s. 6d.
<i>S</i>	— <i>Dayanum</i>	East Indies	10s. 6d., 15s. and 21s.
<i>S</i>	— <i>superbum</i>	East Indies	15s. and 21s.
<i>I</i>	<i>Warneri</i>	Bombay	10s. 6d., 15s. and 21s.
<i>S</i>	AMBLOSTOMA <i>cernuum</i>	Brazil	7s. 6d. and 10s. 6d.
<i>S</i>	ANGRÆCUM <i>arcuatum</i>	Africa	15s. and 21s.
<i>S</i>	<i>articulatum</i>	Madagascar	7s. 6d., 10s. 6d. to 21s.
<i>S</i>	<i>bilobum</i>	West Coast of Africa	10s. 6d.
<i>S</i>	<i>calceolus</i>	Madagascar	10s. 6d.
<i>S</i>	<i>Chailluanum</i>	West Coast of Africa	21s., 31s. 6d. and 42s.
<i>S</i>	<i>citratum</i>	Madagascar	7s. 6d., 10s. 6d. & 15s.
<i>S</i>	— <i>majus</i>	Madagascar	15s. and 21s.
<i>S</i>	<i>distichum</i>	West Coast of Africa	7s. 6d. and 10s. 6d.
<i>S</i>	<i>Du Buyssoni</i>	Madagascar	31s. 6d.
* <i>S</i>	<i>eburneum (superbum)</i>	Madagascar	21s. and 31s. 6d.
<i>S</i>	<i>Ellisii</i>	Madagascar	21s., 31s. 6d. and 42s.
<i>I</i>	<i>falcatum</i>	Japan	10s. 6d. and 15s.
<i>S</i>	<i>fastuosum</i>	Madagascar	31s. 6d. and 42s.
<i>S</i>	<i>hyaloides</i>	Madagascar	10s. 6d., 15s. and 21s.
<i>S</i>	<i>Leonis (Aeranthus Leonis)</i>	Comoro Island	5s., 7s. 6d. and 10s. 6d.
<i>S</i>	<i>modestum (Sanderianum)</i>	West Coast of Africa	10s. 6d., 15s. & 21s.
<i>S</i>	<i>pertusum</i>	West Coast of Africa	
<i>S</i>	<i>polystachys</i>	West Coast of Africa	21s. and 31s. 6d.
<i>S</i>	<i>Scottianum</i>	Comoro Island	10s. 6d., 15s. & 21s.
* <i>S</i>	<i>sesquipedale</i>	Madagascar	21s., 31s. 6d. and 42s.
		Fine plants, 3 to 5 guineas.	
* <i>S</i>	— <i>majus</i>	Madagascar	84s. and 105s.
<i>S</i>	<i>vesicatum</i>	West Coast of Africa	15s.
* <i>S</i>	<i>virens (Brongniartianum)</i>	Madagascar	21s. and 31s. 6d.
<i>I</i>	ANGULOA <i>Clowesii</i>	Colombia	5s., 7s. 6d. and 10s. 6d.
<i>I</i>	<i>eburnea</i>	Peru	63s. and 84s.
<i>I</i>	<i>Ruckerii</i>	South America	21s., 31s. 6d. and 42s.
<i>I</i>	— <i>acuta</i>	South America	
<i>I</i>	— <i>punctata</i>	South America	42s. and 63s.
<i>I</i>	— <i>retusa</i>	South America	
<i>I</i>	— <i>sanguinea</i>	South America	63s. and 84s.
<i>I</i>	<i>uniflora</i>	Colombia	10s. 6d. and 15s.
<i>I</i>	— <i>alba</i>	Colombia	42s. and 63s.
<i>I</i>	— <i>superba</i>	Colombia	42s.
<i>I</i>	ANIA <i>latifolia, vide Tainia latifolia</i>		
<i>S</i>	ANÆCTOCHILUS <i>Dawsonianus, vide Goodyera</i>		
<i>S</i>	<i>Petola</i>	Borneo	10s. 6d., 15s. & 21s.
* <i>S</i>	ANSELLIA <i>africana</i>	Sierra Leone	21s., 31s. 6d. and 42s.
<i>S</i>	<i>humilis</i>	Zambesi	42s. and 63s.
<i>S</i>	— <i>pallida</i>	Zambesi	42s. and 63s.
<i>I</i>	<i>lutea</i>	Africa	21s. and 31s. 6d.

<i>I</i>	ARPOPHYLLUM giganteum	Mexico	15s. and 21s.
<i>I</i>	<i>spicatum</i>	Mexico	10s. 6d. and 15s.
<i>I</i>	ARUNDINA bambusæfolia	Assam	31s. 6d. and 42s.
<i>C</i>	BARKERIA elegans	Mexico	10s. 6d. and 15s.
<i>C</i>	<i>melanocaulon</i>	Mexico	7s. 6d., 10s. 6d. & 15s.
<i>C</i>	<i>spectabilis</i>	Mexico	15s.
<i>I</i>	BIFRENARIA atropurpurea	Brazil	21s. and 31s. 6d.
<i>I</i>	<i>aurantiaca</i>	South America	15s. and 21s.
<i>I</i>	<i>Harrisoniæ, vide Lycaste Harrisonæ</i>		
<i>I</i>	<i>vitellina</i>	South America	15s.
<i>C</i>	BLETIA hyacinthina	China	5s. and 7s. 6d.
<i>I</i>	<i>Sherrattiana</i>	Colombia	10s. 6d. and 15s.
<i>*I</i>	<i>Tankervilleæ, vide Phaius grandifolius</i>		
<i>I</i>	<i>verecunda</i>	Florida	15s.
<i>I</i>	<i>— alba</i>	Florida	15s.
<i>I</i>	BRASSAVOLA cucullata	Mexico	10s. 6d. and 15s.
<i>S</i>	<i>Digbyana</i>	Honduras	10s. 6d. and 15s.
<i>I</i>	<i>glaucia</i>	Mexico	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	<i>— oculata</i>	Mexico	15s.
<i>I</i>	<i>nodosa</i>	South America	7s. 6d. and 10s. 6d.
<i>I</i>	BRASSIA antherotes	South America	42s. and 63s.
<i>I</i>	<i>brachiata, vide Wrayæ</i>		
<i>I</i>	<i>caudata</i>	South America	21s. and 31s. 6d.
<i>I</i>	<i>Keiliana</i>	South America	42s. and 63s.
<i>S</i>	<i>Lawrenceana</i>	Demerara	42s. and 63s.
<i>S</i>	<i>maculata</i>	West Indies	10s. 6d. and 15s.
<i>I</i>	<i>signata</i>	South America	31s. 6d.
<i>C</i>	<i>verrucosa</i>	Guatemala	5s., 7s. 6d. and 10s. 6d.
<i>I</i>	<i>Wrayæ (brachiata)</i>	South America	31s. 6d. and 42s.
<i>S</i>	BROUGHTONIA sanguinea	Jamaica	7s. 6d. and 10s. 6d.
<i>S</i>	BULBOPHYLLUM Henshalli	East Indies	31s. 6d. and 42s.
<i>S</i>	<i>Lobbii, vide Sarcopodium Lobbii</i>		
<i>S</i>	<i>reticulatum</i>	East Indies	
<i>S</i>	<i>umbellatum</i>	East Indies	21s., 31s. 6d. and 42s.
<i>I</i>	BURLINGTONIA bahiensis	Brazil	
<i>I</i>	<i>candida</i>	Demerara	7s. 6d. and 10s. 6d.
<i>I</i>	<i>decora</i>	Brazil	15s. and 21s.
<i>I</i>	<i>— imperialis</i>	Brazil	21s. and 31s. 6d.
<i>I</i>	<i>fragrans</i>	Brazil	7s. 6d. and 10s. 6d.
<i>I</i>	<i>venusta</i>	Brazil	15s. and 21s.
<i>I</i>	CALANTHE curculigoides	Indian Archipelago ..	
<i>S</i>	<i>furcata</i>	New Caledonia	21s., 31s. 6d. and 42s.
<i>I</i>	<i>Masuca</i>	Nepal, Sikkim	21s. and 31s. 6d.
<i>C</i>	<i>pleiochroma</i>	Japan	21s.
<i>C</i>	<i>— brevior</i>	Japan	21s.
<i>*I</i>	<i>Regnieri</i>	Cochin China	10s. 6d. and 15s.
<i>*I</i>	<i>— amethystina</i>	Cochin China	42s.
<i>*I</i>	<i>— fulgens</i>	Cochin China	42s.
<i>*I</i>	<i>— purpurea</i>	Cochin China	42s.
<i>*I</i>	<i>— striata</i>	Cochin China	42s.
<i>*I</i>	<i>Sedenii</i>	Hybrid	21s.
<i>C</i>	<i>Sieboldii, vide Phaius Sieboldii</i>		
<i>*I</i>	<i>Stevensiana</i>	Cochin China	7s. 6d., 10s. 6d. and 15s.
<i>C</i>	<i>Textori</i>	Japan	21s.
<i>*I</i>	<i>Turneri</i>	India	10s. 6d. and 15s.
<i>*I</i>	<i>— nivalis</i>	India	10s. 6d. and 15s.
<i>*I</i>	<i>Veitchii</i>	Hybrid	3s. 6d., 5s. and 7s. 6d.
<i>*I</i>	<i>— alba</i>	Hybrid	

*I	CALANTHE	Veitchii	superba	Hybrid	10s. 6d.
S		veratrifolia		East Indies	21s., 31s. 6d. and 42s.
*I		vestita	luteo-oculata	Tavoy, Java	5s. and 7s. 6d.
*I		—	oculata gigantea	Tavoy, Java	21s.
*I		—	rubro-oculata	Tavoy, Java	3s. 6d. and 5s.
I	CATASETUM	Bungerothii		Ecuador	21s., 31s. 6d. and 42s.
I		Darwinianum		British Guiana	21s. and 31s. 6d.
I		decipiens		South America	
I		macrocarpum		Brazil	10s. 6d.
I		purum		South America	
I		Russellianum		South America	
I		saccatum		South America	
I		sanguineum		Brazil	10s. 6d. and 15s.
I		—	integrale	South America	15s.
I		tabulare		South America	15s., 21s. and 31s. 6d.
I		tridentatum		South America	
I	CATTLEYA	Aclandiæ		Brazil	7s. 6d., 10s. 6d. and 15s.
I		Alexandræ		Northern Brazil	
I		amethystina	vide intermedia		
I		amethystoglossa		Brazil	10s. 6d. 15s. and 21s.
I		aurea	vide C. Dowiana aurea		
I		Bassettii	vide speciosissima		
I		bicolor	Measuresiana	Brazil	31s. 6d. and 42s.
I		Boothiana	vide lobata		
I		Bowringiana		Central America	7s. 6d., 10s. 6d. and 15s.
I		—	splendens	Central America	42s. and 63s.
I		—	violacea	Central America	42s. and 63s.
I		bulbosa	vide Walkeriana		
I		chocoensis		Colombia	10s. 6d., 15s. and 21s.
C		citrina		Oaxaca	3s. 6d., 5s. and 7s. 6d.
I		crispa		Brazil	10s. 6d., 15s. and 21s.
I		—	superba	Brazil	21s., 31s. 6d. and 42s.
I		Crossiana		Hybrid	
I		dolosa		Brazil	10s. 6d. and 15s.
I		Dormaniana		Brazil	31s. 6d. and 42s.
S		Dowiana		Costa Rica	10s. 6d., 15s. and 21s.
S		—	aurea	Colombia	10s. 6d., 15s. and 21s.
S		—	magnifica	Colombia	
S		—	punctata	Costa Rica	
I		Eldorado		Rio Negro	7s. 6d., 10s. 6d. and 15s.
I		—	aurea	Rio Negro	42s. and 63s.
I		—	carnea	Rio Negro	31s. 6d. and 42s.
I		—	conspicua	Rio Negro	63s. and 84s.
I		—	picta	Rio Negro	84s.
I		—	rosea	Rio Negro	31s. 6d. and 42s.
I		—	rubella	Rio Negro	84s.
I		—	splendens	Rio Negro	21s., 31s. 6d. and 42s.
I		—	superba	Rio Negro	42s. and 63s.
I		—	Wallisii (alba)	Rio Negro	105s.
I		elegans	vide Lælia elegans		
I		Forbesii		Brazil	10s. 6d.
I		Gaskelliana		Venezuela	7s. 6d., 10s. 6d. and 15s.
I		—	Alexandræ	Venezuela	
I		—	aurea	Venezuela	
I		—	carnea	Venezuela	21s. and 31s. 6d.
I		—	delicata	Venezuela	21s. and 31s. 6d.
I		—	grandiflora	Venezuela	42s.

<i>I</i>	CATTLEYA <i>Gaskelliana picta</i>	Venezuela	21s. and 31s. 6d.
<i>I</i>	<i>Gaskelliana pulchra</i>	Venezuela	21s. and 31s. 6d.
<i>I</i>	— <i>rosea</i>	Venezuela	31s. 6d.
<i>I</i>	— <i>superba</i>	Venezuela	21s. and 31s. 6d.
<i>I</i>	<i>gigas</i>	Colombia	5s., 7s. 6d. to 21s.
<i>I</i>	— <i>atropurpurea</i>	Colombia	
<i>I</i>	— <i>Chelsoni</i>	Colombia	
<i>I</i>	— <i>formosa</i>	Colombia	
<i>I</i>	— <i>fulgens</i>	Colombia	
<i>I</i>	— <i>imperialis</i>	Colombia	21s., 31s. 6d. and 42s.
<i>I</i>	— <i>magnifica</i>	Colombia	
<i>I</i>	— <i>marginata</i>	Colombia	
<i>I</i>	— <i>Normaniana</i>	Colombia	
<i>I</i>	— <i>picturata</i>	Colombia	
<i>I</i>	— <i>regalis</i>	Colombia	
<i>I</i>	— <i>Reginæ</i>	Colombia	
<i>I</i>	— <i>rosea</i>	Colombia	
<i>I</i>	— <i>Sanderiana</i>	Colombia	10s. 6d., 15s. and 21s.
<i>I</i>	— <i>mirabile</i>	Colombia	
<i>I</i>	— <i>splendens</i>	Colombia	
<i>I</i>	— <i>tyrianthina</i>	Colombia	
<i>I</i>	<i>grandis</i> , <i>vide</i> <i>Lælia grandis</i>		
<i>I</i>	<i>guttata</i>	Brazil	15s. and 21s.
<i>I</i>	<i>Harrisoniæ</i>	Brazil	10s. 6d., 15s. and 21s.
<i>I</i>	— <i>superba</i>	Brazil	31s. 6d. and 42s.
<i>I</i>	— <i>violacea</i>	Brazil	
<i>I</i>	<i>Holfordi</i> , <i>vide</i> <i>C. luteola</i>		
<i>I</i>	<i>intermedia</i> (<i>amethystina</i>)	Brazil	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	<i>labiata</i> (<i>Warocqueana</i>)	South America	15s., 21s. & 31s. 6d.
<i>I</i>	<i>Lawrenceana</i>	British Guiana	15s., 21s. and 31s. 6d.
<i>I</i>	— <i>oculata</i>	British Guiana	
<i>I</i>	— <i>splendens</i>	British Guiana	
<i>I</i>	<i>Lemoniana</i> , <i>vide</i> <i>C. speciosissima</i>		
<i>I</i>	<i>Leopoldii</i>	Brazil	10s. 6d., 15s. and 21s.
<i>I</i>	<i>lobata</i> (<i>Lælia Boothiana</i>)	Brazil	10s. 6d., 15s. and 21s.
<i>I</i>	<i>Loddigesii</i>	Brazil	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	<i>Luddemanniana</i> , <i>vide</i> <i>C. speciosissima</i>		
<i>I</i>	<i>luteola</i> (<i>Holfordii</i>)	South America	7s. 6d., 10s. 6d. and 15s.
<i>*I</i>	<i>marginata</i> , <i>vide</i> <i>Lælia marginata</i>		
<i>I</i>	<i>maxima</i> (<i>Quindos</i>)	Ecuador, Popayan....	15s., 21s. and 31s. 6d.
<i>I</i>	— <i>albo-marginata</i>	Ecuador	
<i>I</i>	— <i>peruvienis</i>	Peru	21s., 31s. 6d. and 42s.
<i>I</i>	— <i>superba</i>	Ecuador	42s. and 63s.
<i>I</i>	<i>Mendelii</i>	South America	5s., 7s. 6d. and 10s. 6d.
<i>I</i>	— <i>Alexandræ</i>	South America	
<i>I</i>	— <i>ampliata</i>	South America	
<i>I</i>	— <i>conspicua</i>	South America	
<i>I</i>	— <i>delicata</i>	South America	
<i>I</i>	— <i>excellens</i>	South America	
<i>I</i>	— <i>gigantea</i>	South America	
<i>I</i>	— <i>grandiflora</i>	South America	
<i>I</i>	— <i>grandis</i>	South America	
<i>I</i>	— <i>insignis</i>	South America	
<i>I</i>	— <i>magnifica</i>	South America	
<i>I</i>	— <i>majestica</i>	South America	
<i>I</i>	— <i>miniata</i>	South America	
<i>I</i>	— <i>ornata</i>	South America	
<i>I</i>	— <i>picta</i>	South America	

<i>I</i>	CATTLEYA Mendelii princeps	South America	
<i>I</i>	Mendelii Rex	South America	
<i>I</i>	— speciosa	South America	
<i>I</i>	— superba	South America	
<i>I</i>	— superbissima	South America	
<i>I</i>	— tincta	South America	21s., 31s. 6d. and 42s.
<i>I</i>	— triumphans	South America	
<i>I</i>	— Venus	South America	
<i>I</i>	— Victoriæ	South America	
<i>I</i>	Mossiaë	Venezuela	5s., 7s. 6d. and 10s. 6d.
			Fine plants, 21s., 31s. 6d., 42s. and 63s.
<i>I</i>	— albo-marginata	Venezuela	63s. and 84s.
<i>I</i>	— Alexandræ	Venezuela	
<i>I</i>	— amœna	Venezuela	
<i>I</i>	— aurantiaca	Venezuela	15s., 21s. and 31s. 6d.
<i>I</i>	— aurea grandiflora	Venezuela	
<i>I</i>	— Chelsoni	Venezuela	
<i>I</i>	— Cleopatra	Venezuela	
<i>I</i>	— conspicua	Venezuela	
<i>I</i>	— delicata	Venezuela	21s. and 31s. 6d.
<i>I</i>	— — aurantiaca	Venezuela	
<i>I</i>	— flammea	Venezuela	
<i>I</i>	— formosa	Venezuela	
<i>I</i>	— grandiflora	Venezuela	21s. and 31s. 6d.
<i>I</i>	— grandis	Venezuela	
<i>I</i>	— imperialis	Venezuela	
<i>I</i>	— insignis	Venezuela	
<i>I</i>	— Lawrenceana	Venezuela	63s. and 84s.
<i>I</i>	— magnifica	Venezuela	
<i>I</i>	— marginata	Venezuela	
<i>I</i>	— maxima	Venezuela	
<i>I</i>	— mirabilis	Venezuela	
<i>I</i>	— picta	Venezuela	
<i>I</i>	— picturata	Venezuela	63s. and 84s.
<i>I</i>	— pulcherrima	Venezuela	63s. and 84s.
<i>I</i>	— rosea	Venezuela	63s. and 84s.
<i>I</i>	— — elegans	Venezuela	
<i>I</i>	— rubra	Venezuela	105s. and 147s.
<i>I</i>	— speciosa	Venezuela	
<i>I</i>	— splendens	Venezuela	42s. and 63s.
<i>I</i>	— superba	Venezuela	21s., 31s. 6d. and 42s.
<i>I</i>	— venosa	Venezuela	
<i>I</i>	nobilior	Brazil	31s. 6d. and 42s.
<i>I</i>	Patinii , <i>see</i> Lælia Patinii		
<i>I</i>	Percivaliana	Venezuela	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	— magnifica	Venezuela	
<i>I</i>	— marginata	Venezuela	31s. 6d. and 42s.
<i>I</i>	— ornata	Venezuela	
<i>I</i>	— picta	Venezuela	
<i>I</i>	— rubra superba	Venezuela	
<i>I</i>	— rubro-nigra	Venezuela	
<i>I</i>	— splendens	Venezuela	
<i>I</i>	Perrinii , <i>vide</i> Lælia Perrinii		
* <i>I</i>	Pinellii , <i>vide</i> Lælia præstans		
* <i>I</i>	Rex	Andes of Peru	
<i>I</i>	Schilleriana (Regnellii)	Brazil	15s., 21s. and 31s. 6d.
<i>I</i>	Schofieldiana	Brazil	
<i>I</i>	Schrœderæ	Colombia	10s. 6d., 15s. to 42s.

<i>I</i>	CATTLEYA	<i>Schröderæ albescens</i>	Colombia	
<i>I</i>		<i>Schröderæ aurantiaca</i>	Colombia	
<i>I</i>		— <i>delicata</i>	Colombia	
<i>I</i>		— <i>luteo-picta</i>	Colombia	
<i>I</i>		— <i>superba</i>	Colombia	42s. and 63s.
<i>I</i>		— <i>virginalis</i>	Colombia	
<i>S</i>		<i>signata</i>	Hybrid	
<i>I</i>		<i>Skinneri</i>	Mexico	7s. 6d., 10s. 6d. and 15s.
<i>I</i>		— <i>alba</i>	Mexico	
<i>I</i>		— <i>oculata</i>	Mexico	42s. and 63s.
<i>I</i>		<i>speciosissima</i> (<i>Bassettii</i> , <i>Lemoniana</i> , <i>Luddemanniana</i>)	Caracas	{ 5s., 7s. 6d., 10s. 6d. 15s., 21s. and 31s. 6d.
<i>S</i>		<i>Stelzneriana</i> , <i>vide</i> <i>Lælia elegans</i>		
<i>S</i>		<i>superba</i>	Essequibo	7s. 6d., 10s. 6d. and 15s.
<i>S</i>		— <i>splendens</i>	Essequibo	10s. 6d., 15s. and 21s.
<i>*I</i>		<i>Trianæi</i>	Colombia	5s., 7s. 6d. and 10s. 6d.
<i>*I</i>		— <i>alba</i>	Colombia	
<i>*I</i>		— <i>ampliata</i>	Colombia	42s. and 63s.
<i>*I</i>		— <i>bella</i>	Colombia	105s.
<i>*I</i>		— <i>bogotensis</i>	Colombia	21s., 31s. 6d. and 42s.
<i>*I</i>		— <i>carnea</i>	Colombia	31s. 6d. and 42s.
<i>*I</i>		— <i>conspicua</i>	Colombia	
<i>*I</i>		— <i>delicata</i>	Colombia	5s., 7s. 6d. and 10s. 6d.
<i>*I</i>		— <i>elegans</i>	Colombia	63s. and 84s.
<i>*I</i>		— <i>excellens</i>	Colombia	105s.
<i>*I</i>		— <i>fimbriata</i>	Colombia	
<i>*I</i>		— <i>flammea</i>	Colombia	
<i>*I</i>		— <i>gemma</i>	Colombia	
<i>*I</i>		— <i>grandis</i>	Colombia	42s. and 63s.
<i>*I</i>		— <i>illustris</i>	Colombia	105s.
<i>*I</i>		— <i>insignis</i>	Colombia	84s.
<i>*I</i>		— <i>macrantha</i>	Colombia	84s.
<i>*I</i>		— <i>magnifica</i>	Colombia	84s. and 105s.
<i>*I</i>		— <i>marginata</i>	Colombia	42s. and 63s.
<i>*I</i>		— <i>miniata</i>	Colombia	
<i>*I</i>		— <i>ornata</i>	Colombia	
<i>*I</i>		— <i>perfecta</i>	Colombia	
<i>*I</i>		— <i>picta</i>	Colombia	63s. and 84s.
<i>*I</i>		— <i>princeps</i>	Colombia	
<i>*I</i>		— <i>quadricolor</i>	Colombia	31s. 6d. and 42s.
<i>*I</i>		— <i>Rosalind</i>	Colombia	
<i>*I</i>		— <i>rosea</i>	Colombia	31s. 6d. and 42s.
<i>*I</i>		— <i>rubescens</i>	Colombia	63s.
<i>*I</i>		— <i>speciosa</i>	Colombia	63s. and 84s.
<i>*I</i>		— <i>splendens</i>	Colombia	42s. and 63s.
<i>*I</i>		— <i>superba</i>	Colombia	31s. 6d. and 42s.
<i>*I</i>		— <i>tricolor</i>	Colombia	
<i>*I</i>		— <i>Venus</i>	Colombia	63s. and 84s.
<i>*I</i>		— <i>Vesta</i>	Colombia	63s. to 105s.
<i>*I</i>		— <i>Victoria</i>	Colombia	
<i>*I</i>		— <i>virginalis</i>	Colombia	63s. and 84s.
<i>I</i>		<i>velutina</i>	Brazil	10s. 6d., 15s. and 21s.
<i>I</i>		<i>Walkeriana</i> (<i>bulbosa</i>)	Brazil	7s. 6d., 10s. 6d. and 15s.
<i>I</i>		<i>Warnerii</i>	Brazil	7s. 6d., 10s. 6d. to 21s.
<i>I</i>		— <i>magnifica</i>	Brazil	
<i>I</i>		— <i>picta</i>	Brazil	
<i>I</i>		— <i>splendens</i>	Brazil	
<i>I</i>		<i>Warocqueana</i> , <i>vide</i> <i>labiata</i>		
<i>I</i>		<i>xanthina</i> , <i>vide</i> <i>Lælia xanthina</i>		

<i>I</i>	CHYSIS aurea	Mexico	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	bractescens	Peru	10s. 6d. and 15s.
<i>I</i>	chelsoniensis	Hybrid	21s. and 31s. 6d.
<i>I</i>	lævis	Mexico	21s.
<i>I</i>	CIRRHOPETALUM imbricatum	Sierra Leone	63s.
<i>I</i>	ornatissimum	East Indies	42s.
<i>I</i>	picturatum	East Indies	31s. 6d. and 42s.
<i>S</i>	pulchrum	Borneo	63s.
<i>S</i>	Thouarsii	Manilla	42s. and 63s.
<i>S</i>	umbellatum, vide Bulbophyllum		
<i>C</i>	COCHLIODA Noezliana, vide Odontoglossum Noezlianum		
<i>S</i>	CELIA bella	Mexico	21s. and 31s. 6d.
<i>S</i>	macrostachya	Guatemala	15s., 21s. and 31s. 6d.
<i>S</i>	CELOGYNE asperata (Lowii)	Borneo	15s., 21s. and 31s. 6d.
<i>I</i>	assamica	Assam	21s.
* <i>I</i>	barbata	Assam	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	corrugata	Khasya	10s. 6d. and 15s.
* <i>C</i>	cristata	Nepal, Sylhet	5s., 7s. 6d. and 10s. 6d.
* <i>C</i>	— Chatsworth variety	East Indies	10s. 6d., 15s. and 21s.
* <i>C</i>	— hololeuca (alba)	East Indies	84s., 105s. and 147s.
* <i>C</i>	— Lemoniana	East Indies	15s., 21s. and 31s. 6d.
* <i>C</i>	— maxima	East Indies	
<i>S</i>	Dayana	Borneo	42s. and 63s.
<i>I</i>	elata	Assam	7s. 6d., 10s. 6d. to 21s.
<i>I</i>	fimbriata	East Indies	15s. and 21s.
* <i>I</i>	flaccida	Assam	10s. 6d. and 15s.
<i>I</i>	Gardneriana	East Indies	21s., 31s. 6d. and 42s.
<i>I</i>	lenticinosa	Moulmain	7s. 6d. and 10s. 6d.
<i>I</i>	Massangeana	Assam	10s. 6d., 15s. and 21s.
		Remarkably fine specimens, from 5 to 20 guineas	
<i>I</i>	ocellata	Assam	5s. and 7s. 6d.
<i>I</i>	ovalis	East Indies	
<i>I</i>	Ruckerii	East Indies	
<i>I</i>	speciosa	Java	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	— major	Java	21s. and 31s. 6d.
<i>I</i>	tomentosa	East Indies	10s. 6d.
<i>C</i>	COLAX jugosus	Brazil	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	COMPARETTIA macroplectron	South America	10s. 6d., 15s. and 21s.
<i>S</i>	CORYANTHES macrantha	Caracas	42s.
<i>C</i>	CRYPTOCHILUS sanguineus	Assam	21s.
<i>C</i>	CRYPTOPHORANTHUS Dayanum, vide Masdevallia Dayana		
<i>S</i>	CYCNOCHES chlorochilon	South America	15s., 21s. and 31s. 6d.
<i>I</i>	CYMBIDIUM affine, vide C. Mastersii affine		
<i>I</i>	albucæflorum, vide C. madidum		
<i>I</i>	aloifolium, of gardens, see pendulum		
<i>I</i>	Devonianum	Assam	
* <i>C</i>	eburneum	East Indies	10s. 6d., 15s. and 21s.
* <i>C</i>	— Dayanum	East Indies	
* <i>C</i>	— maculatum	East Indies	
<i>S</i>	elegans, vide Cyperorchis elegans		
<i>S</i>	Finlaysonianum atropurpureum (pendulum		
	atropurpureum of gardens)	Java	
* <i>C</i>	giganteum	Assam	21s. and 31s. 6d.
<i>C</i>	grandiflorum (Hookerianum)	Sikkim, Himalaya ...	63s., 84s. and 105s.
<i>C</i>	Lowianum	Burmah	7s. 6d., 10s. 6d. and 15s.
		Very fine specimens, from 3 to 40 guineas each	
<i>C</i>	— atropurpureum	Burmah	
<i>C</i>	— eximium	Burmah	
<i>C</i>	— Victoriæ	Burmah	

<i>I</i>	CYMBIDIUM madidum (albucæflorum)	Queensland	
* <i>C</i>	Mastersii	East Indies	10s. 6d., 15s. and 21s.
* <i>C</i>	— affine	East Indies	15s., 21s. to 42s.
<i>I</i>	pendulum (aloifolium of gardens)	East Indies	5s. and 7s. 6d.
<i>S</i>	— atropurpureum, of gardens, vide Finlaysonianum atropurpureum		
<i>I</i>	tigrinum	East Indies	21s. and 31s. 6d.
<i>S</i>	CYPERORCHIS elegans (Cymbidium)	East Indies	
* <i>C</i>	Mastersii, vide Cymbidium Mastersii		
<i>I</i>	CYPRIPEDIUM Ainsworthii	Hybrid	21s., 31s. 6d. and 42s.
<i>I</i>	albo-purpureum	Hybrid	21s., 31s. 6d. and 42s.
* <i>I</i>	amandum	Hybrid	31s. 6d., 42s. and 63s.
<i>I</i>	Amesianum	Hybrid	21s., 31s. 6d. and 42s.
<i>I</i>	apiculatum	Hybrid	
* <i>I</i>	Argus	East Indies	5s., 7s. 6d. and 10s. 6d.
* <i>I</i>	— superbum	East Indies	42s. and 63s.
<i>I</i>	Arthurianum	Hybrid	42s., 63s. and 84s.
<i>I</i>	Ashburtoniæ	Hybrid	10s. 6d., 15s. and 21s.
<i>I</i>	aureum	Hybrid	
<i>I</i>	barbatum	Mount Ophir	3s. 6d. and 5s.
<i>I</i>	— biflorum	Mount Ophir	10s. 6d., 15s. and 21s.
<i>I</i>	— grandiflorum	Java	15s., 21s. and 31s. 6d.
<i>I</i>	— nanum	Java	42s.
<i>I</i>	— majus	Mount Ophir	10s. 6d.
<i>I</i>	— nigrum	Mount Ophir	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	— pictum	Mount Ophir	15s.
<i>I</i>	— plumosum	Mount Ophir	21s. and 31s. 6d.
<i>I</i>	— pulcherrimum	Mount Ophir	15s. and 21s.
<i>I</i>	— purpureum	Mount Ophir	10s. 6d. and 15s.
<i>I</i>	— superbum	Mount Ophir	7s. 6d. and 10s. 6d.
<i>I</i>	— violaceum	Mount Ophir	21s. and 31s. 6d.
* <i>I</i>	— Warnerianum	East Indies	10s. 6d., 15s. and 21s.
<i>I</i>	Bartetii	Hybrid	42s., 63s. and 84s.
<i>S</i>	bellatulum	Siam	5s., 7s. 6d. and 10s. 6d.
<i>C</i>	Boxallii	Burmah	5s., 7s. 6d. to 15s.
<i>C</i>	— atratum	Burmah	21s., 31s. 6d. and 42s.
* <i>I</i>	Bullenianum	Borneo	3s. 6d. and 5s.
<i>I</i>	callosum	Siam	10s. 6d., 15s. and 21s.
<i>I</i>	— coloratum	Siam	42s.
<i>I</i>	— pictum	Siam	42s.
<i>I</i>	— sublæve	Siam	63s.
<i>I</i>	calophyllum	Hybrid	10s. 6d., 15s. and 21s.
<i>I</i>	calurum	Hybrid	10s. 6d., 15s. and 21s.
<i>I</i>	Calypso	Hybrid	42s. and 63s.
<i>I</i>	cardinale	Hybrid	31s. 6d., 42s. and 63s.
<i>I</i>	Carnusianum	Hybrid	63s., 84s. and 105s.
<i>I</i>	caudatum	Central America	10s. 6d., 15s. to 31s. 6d.
<i>I</i>	— major	Central America	
<i>I</i>	— nigrum	Central America	
<i>I</i>	— roseum	Central America	15s., 21s. and 31s. 6d.
<i>I</i>	— Wallisii	Ecuador	63s.
<i>S</i>	Chamberlainianum	New Guinea	21s., 31s. 6d. and 42s.
<i>I</i>	chloroneurum	Hybrid	10s. 6d., 15s. and 21s.
<i>I</i>	ciliolare	East Indies	5s., 7s. 6d. and 10s. 6d.
<i>I</i>	conchiferum	Hybrid	10s. 6d., 15s. and 21s.
<i>I</i>	concolor	Moulmein	10s. 6d., 15s. and 21s.
<i>I</i>	— Regnierii	Moulmein	10s. 6d. and 15s.
* <i>I</i>	Crossianum	Hybrid	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	— superbum	Hybrid	31s. 6d. and 42s.

<i>S</i>	CYPRIPEDIUM Curtisii	Sumatra	10s. 6d., 15s. to 42s.
<i>C</i>	Dauthierii	Hybrid	10s. 6d., 15s. and 21s.
<i>I</i>	Dayanum	Borneo	21s. and 31s. 6d.
<i>I</i>	Dominii	Hybrid	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	Druryi	East Indies	21s., 31s. 6d. and 42s.
<i>I</i>	Elliotianum	Hybrid	15s., 21s. and 31s. 6d.
<i>I</i>	Euryale	Hybrid	63s.
<i>S</i>	euryandrum	Hybrid	21s., 31s. 6d., and 42s.
<i>S</i>	exul	East Indies	21s., 31s. 6d. and 42s.
<i>I</i>	Fitchianum	Hybrid	42s. and 63s.
<i>S</i>	gemmiferum	Hybrid	63s. and 84s.
<i>S</i>	Godefroyæ	Siam	10s. 6d. and 15s.
<i>S</i>	grande	Hybrid	21s., 31s. 6d. and 42s.
<i>C</i>	Harrisianum	Hybrid	5s., 7s. 6d. and 10s. 6d.
<i>C</i>	— nigrum	Hybrid	42s. and 63s.
<i>C</i>	— superbum	Hybrid	84s. and 105s.
<i>I</i>	Hartwegii	Ecuador	10s. 6d., 15s. and 21s.
<i>S</i>	Haynaldianum	East Indies	10s. 6d., 15s. and 21s.
<i>I</i>	hirsutissimum	Assam	10s. 6d., 15s. and 21s.
<i>S</i>	Hookeræ	Borneo	5s., 7s. 6d. and 10s. 6d.
<i>I</i>	hybridum	Hybrid	10s. 6d., 15s. and 21s.
<i>I</i>	— marginatum	Hybrid	21s. and 31s. 6d.
* <i>C</i>	insigne	Nepal	3s. 6d. and 5s.
* <i>C</i>	— albo-marginatum	Nepal	10s. 6d. and 15s.
* <i>C</i>	— — majus	Nepal	42s.
* <i>C</i>	— Chantinii (punctatum violaceum)	Nepal	10s. 6d., 15s. and 21s.
* <i>C</i>	— Freemanii	Nepal	
* <i>C</i>	— maculatum	Nepal	15s. and 21s.
* <i>C</i>	— Maulei	Nepal	10s. 6d., 15s. and 21s.
* <i>C</i>	— maximum	Nepal	10s. 6d.
* <i>C</i>	— pictum	Nepal	21s.
* <i>C</i>	— picturatum	Nepal	31s. 6d.
* <i>C</i>	— punctatum	Nepal	15s.
* <i>C</i>	— — violaceum, vide Chantinii		
<i>I</i>	Io	Hybrid	42s. and 63s.
<i>I</i>	— grande	Hybrid	
<i>S</i>	javanico-superbiens	Hybrid	63s., 84s. and 105s.
<i>I</i>	javanicum	Java	7s. 6d. and 10s. 6d.
<i>S</i>	lævigatum (philippinense)	Philippine Islands	7s. 6d. and 10s. 6d.
<i>I</i>	Laforcadei	Hybrid	42s. & 63s.
<i>I</i>	Lathamianum	Hybrid	31s. 6d., 42s. and 63s.
<i>I</i>	Lawrenceanum	Borneo	5s., 7s. 6d. and 10s. 6d.
<i>I</i>	— coloratum	Borneo	63s.
<i>I</i>	— expansum	Borneo	42s.
<i>I</i>	— majus	Borneo	
<i>I</i>	— marmoratum	Borneo	
<i>I</i>	— superbum	Borneo	21s. and 31s. 6d.
* <i>I</i>	Leeanum	Hybrid	10s. 6d., 15s. and 21s.
* <i>I</i>	— superbum	Hybrid	21s., 31s. 6d., and 42s.
<i>S</i>	Lindleyanum	British Guiana	10s. 6d., 15s. and 21s.
<i>I</i>	longifolium	Costa Rica	7s. 6d. and 10s. 6d.
<i>S</i>	Lowii	Borneo	10s. 6d., 15s. and 21s.
<i>S</i>	marmorophyllum	Hybrid	15s., 21s. and 31s. 6d.
<i>S</i>	Mastersianum	East Indies	
<i>I</i>	Measuresianum	Hybrid	
* <i>S</i>	Meirax	Hybrid	42s., 63s. and 84s.
* <i>S</i>	melanophthalmum	Hybrid	21s., 31s. 6d. and 42s.

<i>S</i>	CYPRIPEDIUM	<i>Morganiae</i>	Hybrid	105s. and 147s.
* <i>S</i>		<i>nitens</i>	Hybrid	10s. 6d., 15s. and 21s.
* <i>S</i>		— <i>superbum</i>	Hybrid	21s., 31s. 6d. and 42s.
<i>S</i>		<i>nitidissimum</i>	Hybrid	42s., 63s. and 84s.
* <i>S</i>		<i>niveum</i>	East Indies	7s. 6d., 10s. 6d. & 15s.
<i>I</i>		<i>œnanthum</i>	Hybrid	10s. 6d., 15s. and 21s.
<i>I</i>		— <i>superbum</i>	Hybrid	21s., 31s. 6d. and 42s.
<i>S</i>		<i>Parishii</i>	East Indies	10s. 6d., 15s. and 21s.
<i>I</i>		<i>pavoninum</i>	Hybrid	
<i>S</i>		<i>philippinense</i> , <i>vide lævigatum</i>		
<i>I</i>		<i>politum</i>	Hybrid	31s. 6d. and 42s.
<i>I</i>		<i>porphyreum</i>	Hybrid	10s. 6d., 15s. and 21s.
<i>S</i>		<i>præstans</i>	New Guinea	42s. and 63s.
<i>I</i>		<i>purpuratum</i>	Hong Kong	15s., 21s. and 31s. 6d.
<i>I</i>		<i>regale</i>	Hybrid	105s.
<i>S</i>		<i>Robelenii</i>	Malay Archipelago	7s. 6d. and 10s. 6d.
<i>I</i>		<i>Roezlii</i>	South America	10s. 6d. and 15s.
<i>S</i>		<i>Rothschildianum</i>	East Indies	15s., 21s. and 31s. 6d.
<i>I</i>		<i>Sallierii</i>	Hybrid	15s., 21s. and 31s. 6d.
<i>S</i>		<i>Sanderianum</i>	Malay Archipelago	15s. and 21s.
<i>S</i>		<i>Saundersianum</i>	Hybrid	
<i>C</i>		<i>Schlimii</i>	Colombia	10s. 6d., 15s. and 21s.
<i>C</i>		— <i>album</i>	Colombia	21s., 31s. 6d. and 42s.
<i>I</i>		<i>Schroderæ</i>	Hybrid	21s., 31s. 6d. and 42s.
<i>C</i>		<i>Sedeni</i>	Hybrid	7s. 6d., 10s. 6d. & 15s.
<i>C</i>		— <i>candidulum</i>	Hybrid	10s. 6d., 15s. and 21s.
<i>C</i>		— <i>superbum</i>	Hybrid	15s. and 21s.
<i>I</i>		<i>Seegerianum</i>	Hybrid	63s.
<i>I</i>		<i>selligerum</i>	Hybrid	7s. 6d., 10s. 6d. & 15s.
<i>I</i>		— <i>majus</i>	Hybrid	42s., 63s. and 84s.
* <i>I</i>		<i>Spicerianum</i>	East Indies	7s. 6d., 10s. 6d. and 15s.
* <i>I</i>		— <i>grandiflorum</i>	East Indies	63s.
* <i>I</i>		— <i>magnificum</i>	East Indies	
* <i>I</i>		— <i>prasinum</i>	East Indies	63s.
* <i>I</i>		— <i>virescens</i>	East Indies	63s.
* <i>I</i>		— <i>viride</i>	East Indies	
<i>I</i>		<i>stenophyllum</i>	Hybrid	10s. 6d., 15s. and 21s.
<i>S</i>		<i>Stonei</i>	Borneo	10s. 6d. and 15s.
<i>I</i>		<i>superbiens</i> (<i>Veitchii</i>)	Java	10s. 6d., 15s. and 21s.
<i>I</i>		<i>superciliare</i>	Hybrid	10s. 6d., 15s. and 21s.
<i>I</i>		— <i>ornatum</i>	Hybrid	21s. and 31s. 6d.
<i>I</i>		<i>Swanianum</i>	Hybrid	10s. 6d., 15s. and 21s.
<i>S</i>		<i>tonsum</i>	Sumatra	21s., 31s. 6d. and 42s.
* <i>C</i>		<i>venustum</i>	Nepal	5s. and 7s. 6d.
* <i>C</i>		— <i>pardinum</i>	Nepal	21s.
<i>I</i>		<i>vernixium</i>	Hybrid	7s. 6d., 10s. 6d. and 15s.
<i>I</i>		<i>vexillarium</i>	Hybrid	31s. 6d., 42s. and 63s.
<i>C</i>		<i>villosum</i>	Moulmein	7s. 6d., 10s. 6d. and 15s.
<i>C</i>		— <i>aureum</i>	Moulmein	31s. 6d., 42s. and 63s.
<i>S</i>		<i>Volonteanum</i>	East Indies	
<i>I</i>		<i>Williamsianum</i>	Hybrid	42s. and 63s.
<i>I</i>	CYRTOPODIUM	<i>Andersoni</i>	Brazil	15s. and 21s.
<i>I</i>		<i>punctatum</i>	South America	15s., 21s. and 31s. 6d.
<i>I</i>		<i>St. Legerianum</i>	Paraguay	15s., 21s. and 31s. 6d.
<i>S</i>	CYRTOPTERA	<i>Regnieri</i>	Cochin China	21s. and 31s. 6d.
<i>I</i>	DENDROBIUM	<i>aggregatum</i>	East Indies	5s., 7s. 6d. & 10s. 6d.
<i>I</i>		<i>aggregatum majus</i>	East Indies	7s. 6d., 10s. 6d. & 15s.
<i>I</i>		<i>Ainsworthii</i>	Hybrid	7s. 6d., 10s. 6d. to 21s.

<i>I</i>	DENDROBIUM	Ainsworthii roseum ..	Hybrid	31s. 6d., 42s. and 63s.
<i>I</i>		albo-sanguineum	Moulmein	5s., 7s. 6d. and 10s. 6d.
<i>I</i>		amœnum	East Indies	15s. and 21s.
<i>S</i>		anosmum (Dayanum)	Manilla	21s. and 31s. 6d.
<i>S</i>		aurantiacum	East Indies	10s. 6d. and 15s.
<i>I</i>		aureum (heterocarpum)	East Indies	7s. 6d., 10s. 6d. and 15s.
<i>I</i>		barbatulum	East Indies	10s. 6d., 15s. and 21s.
<i>S</i>		Bensoniæ	Arracan Hills	5s., 7s. 6d. and 10s. 6d.
<i>S</i>		— nigrum	Arracan Hills	42s.
<i>S</i>		bicameratum	Burmah	10s. 6d.
<i>S</i>		bigibbum	Torres Straits	10s. 6d. and 15s.
<i>I</i>		binoculare	Burmah	21s. and 31s. 6d.
<i>S</i>		Brymerianum	Burmah	10s. 6d., 15s. and 21s.
<i>I</i>		Calceolaria	East Indies	10s. 6d. and 15s.
<i>I</i>		Cambridgeanum, vide D. ochreatum		
<i>I</i>		canaliculatum (Tattonianum)	Queensland	10s. 6d. and 15s.
<i>I</i>		cariniferum	East Indies	7s. 6d. and 10s. 6d.
<i>I</i>		chlorops	India	
<i>I</i>		chrysanthum	Nepal	7s. 6d. and 10s. 6d.
<i>I</i>		chrysotoxum	Moulmein	5s., 7s. 6d. and 10s. 6d.
<i>I</i>		— superbum	Moulmein	10s. 6d. and 15s.
<i>S</i>		ciliatum	Moulmein	7s. 6d. and 10s. 6d.
<i>I</i>		clavatum	East Indies	15s., 21s. and 31s. 6d.
* <i>S</i>		crassinode	Arracan & Siam Mountains	5s., 7s. 6d. and 10s. 6d.
* <i>S</i>		— album	Arracan & Siam Mountains	
* <i>S</i>		— Barberianum	Arracan & Siam Mountains	7s. 6d., 10s. 6d. and 15s.
<i>I</i>		crepidatum	East Indies	5s. and 7s. 6d.
<i>S</i>		cretaceum	Burmah	5s. and 7s. 6d.
<i>S</i>		crystallinum	Arracan Mountains ..	7s. 6d. and 10s. 6d.
<i>S</i>		cucullatum, vide D. Pierardii		
<i>I</i>		cupreum	East Indies	21s. and 31s. 6d.
<i>S</i>		Dalhousianum	East Indies	7s. 6d., 10s. 6d. and 15s.
<i>S</i>		Dayanum, vide D. anosmum		
<i>S</i>		Dearei	Philippine Islands	7s. 6d., 10s. 6d. and 15s.
<i>I</i>		densiflorum	East Indies	7s. 6d., 10s. 6d. and 15s.
<i>I</i>		Devonianum	Khasya	5s., 7s. 6d. and 10s. 6d.
<i>I</i>		dixanthum	East Indies	10s. 6d. and 15s.
<i>I</i>		Dominianum	Hybrid	21s., 31s. 6d. and 42s.
<i>S</i>		Draconis (eburneum)	Burmah	7s. 6d., 10s. 6d. and 15s.
<i>I</i>		Endocharis	Hybrid	15s., 21s. and 31s. 6d.
<i>I</i>		Falconeri	East Indies	7s. 6d. and 10s. 6d.
<i>S</i>		Farmeri	India	10s. 6d., 15s. and 21s.
<i>S</i>		— album	India	
<i>S</i>		— aureum	India	7s. 6d., 10s. 6d. and 15s.
<i>I</i>		fimbriatum	Nepal	10s. 6d. and 15s.
<i>I</i>		— oculatum	Nepal	7s. 6d., 10s. 6d. and 15s.
<i>S</i>		Findlayanum	Moulmein	10s. 6d. and 15s.
<i>S</i>		formosum giganteum	Burmah	5s., 7s. 6d. and 10s. 6d.
<i>I</i>		Freemanii	Assam	10s. 6d., 15s. and 21s.
<i>I</i>		Gibsonii	Tenasserim	21s. and 31s. 6d.
<i>I</i>		Griffithianum	East Indies	42s. and 63s.
<i>I</i>		Guibertii	East Indies	
<i>S</i>		Harveyanum	Burmah	15s.
<i>I</i>		heterocarpum, vide aureum		
* <i>C</i>		Hillii, vide speciosum Hillii		
<i>C</i>		infundibulum	Moulmein	7s. 6d., 10s. 6d. and 15s.
<i>C</i>		Jamesianum	Moulmein	7s. 6d., 10s. 6d. and 15s.
<i>C</i>		japonicum, vide moniliforme		
<i>S</i>		Jenkinsii	Gualpara	7s. 6d., 10s. 6d. and 15s.

<i>I</i>	DENDROBIUM Kingianum	Australia	10s. 6d., 15s. and 21s.
<i>I</i>	Kingianum album	Australia	31s. 6d. and 42s.
<i>S</i>	Leechianum	Hybrid	63s. and 84s.
<i>I</i>	Linawianum (moniliforme, Hort.) ..	China and Japan	10s. 6d., 15s. and 21s.
<i>I</i>	lituiflorum	East Indies	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	longicorne	Khasya Hills	15s. and 21s.
<i>I</i>	luteolum	Moulmein	10s. 6d. and 15s.
<i>S</i>	macrophyllum (superbum)	Manilla	5s., 7s. 6d. and 10s. 6d.
<i>S</i>	— giganteum	Manilla	21s. and 31s. 6d.
<i>S</i>	MacCarthiae	Ceylon	21s. and 31s. 6d.
<i>I</i>	marmoratum	Assam	7s. 6d. and 10s. 6d.
<i>C</i>	moniliforme (japonicum)	Japan	7s. 6d.
<i>I</i>	moniliforme, Hort., vide Linawianum		
<i>S</i>	monophyllum	Queensland	
<i>I</i>	moschatum	East Indies	10s. 6d. and 15s.
<i>S</i>	mutabile (triadenium)	Java	
<i>*I</i>	nobile	Assam	5s. and 7s. 6d.
<i>*I</i>	— albescens	Assam	
<i>*I</i>	— cærulesoens	Assam	15s., 21s. and 31s. 6d.
<i>I</i>	— Cooksoni	Assam	
<i>*I</i>	— elegans	Assam	21s.
<i>*I</i>	— excellens	Assam	
<i>*I</i>	— grandiflorum	Assam	21s. and 31s. 6d.
<i>*I</i>	— insignis	Assam	
<i>*I</i>	— nobiliss	Assam	63s., 84s. and 105s.
<i>*I</i>	— pendulum	Assam	21s. and 31s. 6d.
<i>*I</i>	— pulcherrimum	Assam	21s. and 31s. 6d.
<i>*I</i>	— roseum	Assam	42s. and 63s.
<i>*I</i>	— rubellum	Assam	31s. 6d. and 42s.
<i>*I</i>	— splendens	Assam	
<i>*I</i>	— Wallichianum	Assam	15s. and 21s.
<i>I</i>	nodatum (Aphrodite)	Moulmein	7s. 6d. and 10s. 6d.
<i>I</i>	ochreatum (Cambridgeanum)	Chittagong	7s. 6d. and 10s. 6d.
<i>I</i>	Parishii	Moulmein	7s. 6d., 10s. 6d. and 15s.
<i>S</i>	Parthenium	Borneo	31s. 6d. and 42s.
<i>I</i>	Paxtonii	Khasya	10s. 6d. and 15s.
<i>S</i>	Phalænopsis	North Australia	31s. 6d. and 42s.
<i>S</i>	— Schroderianum	New Guinea	15s., 21s. and 31s. 6d.
<i>I</i>	philippinense	East Indies	10s. 6d. and 15s.
<i>*I</i>	Pierardi	Delta of Ganges	3s. 6d., 5s. and 7s. 6d.
<i>I</i>	primulinum	East Indies	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	— giganteum	East Indies	10s. 6d. and 15s.
<i>I</i>	pulchellum	Assam	7s. 6d. and 10s. 6d.
<i>S</i>	purpureum candidulum	New Guinea	42s.
<i>I</i>	secundum	East Indies	7s. 6d. and 10s. 6d.
<i>S</i>	senile	Moulmein	15s. and 21s.
<i>*C</i>	speciosum	Australia	10s. 6d. and 15s.
<i>*C</i>	— Hillii	Australia	21s. and 31s. 6d.
<i>S</i>	splendidissimum grandiflorum	Hybrid	105s.
<i>S</i>	suavissimum	Burmah	7s. 6d., 10s. 6d. and 15s.
<i>S</i>	superbiens	Torres Straits	
<i>S</i>	superbum, vide macrophyllum		
<i>I</i>	Tattonianum, vide canaliculatum		
<i>S</i>	tetragonum	North Australia	21s.
<i>I</i>	thyrsiflorum	Burmah	5s., 7s. 6d. and 10s. 6d.
<i>I</i>	— carneum	Burmah	21s.
<i>I</i>	— superbum	Burmah	63s., 84s. and 105s.
<i>I</i>	— Walkerianum	Burmah	

<i>S</i>	DENDROBIUM tortile	East Indies	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	transparens	Nepal	7s. 6d. and 10s. 6d.
<i>S</i>	Treacherianum	Borneo	42s. and 63s.
<i>S</i>	triadenium, <i>vide mutabile</i>		
<i>S</i>	undulatum	Queensland	
<i>I</i>	Veitchianum	Java	7s. 6d. and 10s. 6d.
<i>I</i>	— stenopterum	Java	42s.
* <i>I</i>	Wardianum	Burmah	3s. 6d., 5s. and 7s. 6d.
* <i>I</i>	— grandiflorum	Burmah	15s. and 21s.
<i>I</i>	DENDROCHILUM , <i>vide</i> <i>Platyclinis</i>		
<i>S</i>	DIACRIUM bicornutum	West Indies.....	10s. 6d., 15s. and 21s.
<i>S</i>	DICHÆA vaginata.....	Mexico	10s. 6d.
<i>C</i>	DISA grandiflora	Cape of Good Hope ..	10s. 6d., 15s. and 21s.
<i>C</i>	racemosa	Cape of Good Hope ..	10s. 6d., 15s. and 21s.
<i>I</i>	EPIDENDRUM aromaticum	Guatemala	10s. 6d.
<i>C</i>	atropurpureum, <i>vide macrochilum</i>		
<i>S</i>	bicornutum, <i>vide</i> <i>Diacrium bicornutum</i>		
<i>I</i>	Brasavolæ	Guatemala	10s. 6d., 15s. and 21s.
<i>I</i>	Christii	South America	21s.
<i>I</i>	ciliare	South America	7s. 6d. and 10s. 6d.
<i>I</i>	cochleatum	West Indies	7s. 6d. and 10s. 6d.
<i>I</i>	criniferum	Costa Rica	15s. and 21s.
<i>I</i>	cuspidatum	Costa Rica	7s. 6d. and 10s. 6d.
<i>I</i>	dichromum	Bahia	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	evectum	South America	10s. 6d. and 15s.
<i>I</i>	falcatum (Parkinsonianum).....	Mexico	10s. 6d., 15s. and 21s.
<i>I</i>	Frederici Guilielmi	Peru	10s. 6d., 15s. and 21s.
<i>I</i>	giumaceum	South America	31s. 6d. and 42s.
<i>I</i>	insidiosum	South America	15s.
<i>I</i>	inversum	Brazil	
<i>I</i>	leucochilum	South America	
<i>C</i>	macrochilum (atropurpureum).....	South America	10s. 6d., 15s. and 21s.
<i>C</i>	myrianthum	Guatemala	63s. and 84s.
<i>I</i>	nemorale	Mexico	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	— superbum	Mexico	21s. and 31s. 6d.
<i>I</i>	nutans.....	South America	10s. 6d.
<i>I</i>	paniculatum	South America	15s. and 21s.
<i>I</i>	prismatocarpum	Chiriqui	10s. 6d., 15s. and 21s.
<i>I</i>	— superbum	Chiriqui	42s. and 63s.
<i>I</i>	radiatum roseum	South America	15s.
<i>I</i>	raniferum	Mexico	31s. 6d. and 42s.
<i>I</i>	rhizophorum (radicans)	Mexico	7s. 6d., 10s. 6d. to 21s.
<i>I</i>	selligerum	South America	10s. 6d.
<i>I</i>	syringothyrsus	South America	10s. 6d., 15s. and 21s.
<i>I</i>	tovarense	Venezuela	10s. 6d. and 15s.
<i>I</i>	varicosum	South America	31s. 6d. and 42s.
<i>C</i>	vitellinum majus	Mexico	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	ERIA acervata	East Indies	15s.
<i>I</i>	convallarioides	Nepal	15s. and 21s.
<i>I</i>	stellata	East Indies	10s. 6d., 15s. & 21s.
<i>S</i>	GALEANDRA Devoniana.....	Guiana	10s. 6d., 15s. and 21s.
<i>I</i>	GEODORUM dilitatum	East Indies	
<i>I</i>	GONGORA portentosa	South America	15s. and 21s.
<i>I</i>	punctata	South America	15s. and 21s.
<i>S</i>	GOODYERA (Anæctochilus) Dawsoniana	East Indies	10s. 6d. and 15s.
<i>I</i>	discolor	South America	5s. and 7s. 6d.

<i>S</i>	<i>GOODYERA</i>	<i>Rollissonii</i>			
<i>S</i>	<i>GRAMMANGIS</i>	<i>Ellisii</i>		Madagascar	21s., 31s. 6d. and 42s.
<i>S</i>	<i>GRAMMATOPHYLLUM</i>	<i>Measuresianum</i>		Phillipine Islands	
<i>S</i>	<i>GROBYA</i>	<i>Amherstiae</i>		Brazil	10s. 6d.
<i>S</i>	<i>HABENARIA</i>	<i>militaris</i>		Cochin China	
<i>I</i>	<i>HOULLETTIA</i>	<i>Brocklehurstiana</i>		Brazil	21s.
<i>C</i>		<i>odoratissima</i>		Colombia	10s. 6d., 15s. and 21s.
<i>I</i>		<i>— antioquiensis</i>		Colombia	
<i>I</i>	<i>HUNTLEYA</i>	<i>cerina</i> , <i>vide</i> <i>Pescatoria cerina</i>			
<i>S</i>	<i>IPSEA</i>	<i>speciosa</i>		Ceylon	7s. 6d. and 10s. 6d.
<i>S</i>	<i>KERFERSTEINIA</i>	<i>graminea</i>		Colombia	10s. 6d., 15s. and 21s.
* <i>C</i>	<i>LÆLIA</i>	<i>acuminata</i>		Mexico	10s. 6d. and 15s.
* <i>C</i>		<i>acuminata rosea</i>		Mexico	10s. 6d. and 15s.
* <i>C</i>		<i>albida</i>		Guatemala	5s., 7s. 6d. and 10s. 6d.
* <i>C</i>		<i>— bella</i>		Guatemala	10s. 6d. and 15s.
* <i>C</i>		<i>— grandiflora</i>		Guatemala	15s. and 21s.
* <i>C</i>		<i>— Marianæ</i>		Guatemala	10s. 6d. and 15s.
<i>I</i>		<i>amanda</i>		Brazil	63s. and 84s.
* <i>C</i>		<i>anceps</i>		Mexico	5s., 7s. 6d. and 10s. 6d.
* <i>C</i>		<i>— alba</i>		Mexico	
* <i>C</i>		<i>— Barkeriana</i>		Mexico	7s. 6d., 10s. 6d. and 15s.
* <i>C</i>		<i>— conspicua</i>		Mexico	105s.
* <i>C</i>		<i>— Dawsonii</i>		Mexico	
* <i>C</i>		<i>— delicata</i>		Mexico	21s. and 31s. 6d.
* <i>C</i>		<i>— grandiflora</i>		Mexico	
* <i>C</i>		<i>— Hillii</i>		Mexico	42s. and 63s.
* <i>C</i>		<i>— insignis</i>		Mexico	84s.
* <i>C</i>		<i>— major</i>		Mexico	21s. and 31s. 6d.
* <i>C</i>		<i>— oculata</i>		Mexico	21s. and 31s. 6d.
* <i>C</i>		<i>— Percivaliana</i>		Mexico	42s. and 63s.
* <i>C</i>		<i>— pulcherrima</i>		Mexico	42s.
* <i>C</i>		<i>— Sanderiana</i>		Mexico	63s. and 84s.
* <i>C</i>		<i>— Schroderiana</i>		Mexico	
* <i>C</i>		<i>— splendens</i>		Mexico	42s. and 63s.
* <i>C</i>		<i>— Stella</i>		Mexico	42s., 63s. and 84s.
* <i>C</i>		<i>— rosea</i>		Mexico	21s. and 31s. 6d.
* <i>C</i>		<i>— rubra</i>		Mexico	42s. and 63s.
* <i>C</i>		<i>— Williamsiana</i> , <i>vide</i> <i>Stella</i>			
* <i>C</i>		<i>autumnalis</i>		Mexico	10s. 6d., 15s. and 21s.
* <i>C</i>		<i>— atrorubens</i>		Mexico	15s., 21s. and 31s. 6d.
* <i>C</i>		<i>— insignis</i>		Mexico	
* <i>C</i>		<i>— superba</i>		Mexico	42s.
<i>I</i>		<i>Boothiana</i> , <i>vide</i> <i>Cattleya lobata</i>			
<i>I</i>		<i>cinnabarina</i>		Brazil	7s. 6d., 10s. 6d. and 15s.
<i>I</i>		<i>crispa</i> , <i>vide</i> <i>Cattleya crispa</i>			
<i>I</i>		<i>crispilabia</i> (<i>Lawrenceana</i>)		Brazil	31s. 6d. and 42s.
* <i>I</i>		<i>Dayana</i>		Brazil	5s., 7s. 6d. and 10s. 6d.
* <i>I</i>		<i>— superba</i>		Brazil	21s.
<i>I</i>		<i>elegans</i>		Brazil	21s., 31s. 6d. and 42s.
<i>I</i>		<i>— alba</i>		Brazil	31s. 6d., 42s. and 63s.
<i>I</i>		<i>— carnea</i>		Brazil	63s. and 84s.
<i>I</i>		<i>— Dayana</i>		Brazil	
<i>I</i>		<i>— irrorata</i>		Brazil	
<i>I</i>		<i>— maculoba</i>		Brazil	
<i>I</i>		<i>— Mastersiana</i>		Brazil	
<i>I</i>		<i>— miranda</i>		Brazil	147s.
<i>I</i>		<i>— prasiata</i>		Brazil	

<i>I</i>	<i>LÆLIA elegans Schilleriana</i>	Brazil	63s. and 84s.
<i>I</i>	<i>elegans Stelzneriana</i>	Brazil	84s. and 105s.
<i>I</i>	— <i>Wolstenholmiæ</i>	Brazil	
* <i>I</i>	<i>Eyermanniana</i>	Mexico	21s., 31s. 6d. and 42s.
<i>I</i>	<i>flava</i>	Brazil	10s. 6d., 15s. and 21s.
<i>C</i>	<i>furfuracea</i>	Mexico	21s. and 31s. 6d.
* <i>C</i>	<i>Gouldiana</i>	Mexico	
<i>I</i>	<i>grandis</i>	Brazil	21s., 31s. 6d. and 42s.
<i>I</i>	— <i>tenebrosa</i>	Brazil	31s. 6d., 42s. and 63s.
<i>I</i>	<i>harpophylla</i>	Brazil	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	<i>Lindleyana</i>	Brazil	42s.
<i>I</i>	<i>lobata, vide Cattleya lobata</i>		
<i>C</i>	<i>majalis (Flor de Maio)</i>	Oaxaca	7s. 6d., 10s. 6d. and 15s.
<i>C</i>	— <i>rubra</i>	Oaxaca	21s. and 31s. 6d.
* <i>I</i>	<i>marginata</i>	Oaxaca	5s., 7s. 6d. and 10s. 6d.
* <i>I</i>	— <i>rubra</i>	Oaxaca	63s.
<i>I</i>	<i>Patinii</i>	Colombia	10s. 6d., 15s. and 21s.
<i>I</i>	<i>Perrinii</i>	Brazil	7s. 6d., 10s. 6d. to 21s.
<i>I</i>	— <i>superba</i>	Brazil	31s. 6d. and 42s.
* <i>I</i>	<i>præstans (Pinellii, pumila)</i>	Brazil	5s., 7s. 6d. and 10s. 6d.
<i>I</i>	<i>purpurata</i>	Brazil	10s. 6d., 15s. and 21s.
<i>I</i>	— <i>alba</i>	Brazil	31s. 6d. and 42s.
<i>I</i>	— — <i>gloriosa</i>	Brazil	
<i>I</i>	— <i>atropurpurea</i>	Brazil	
<i>I</i>	— <i>atrorubens</i>	Brazil	
<i>I</i>	— <i>atrosanguinea</i>	Brazil	
<i>I</i>	— <i>bella</i>	Brazil	
<i>I</i>	— <i>Brysiانا</i>	Brazil	
<i>I</i>	— <i>Chelsoni</i>	Brazil	
<i>I</i>	— <i>erubescens</i>	Brazil	
<i>I</i>	— <i>formosa</i>	Brazil	
<i>I</i>	— <i>fulgens</i>	Brazil	
<i>I</i>	— <i>grandis</i>	Brazil	
<i>I</i>	— <i>Imperialis</i>	Brazil	
<i>I</i>	— <i>magnifica</i>	Brazil	
<i>I</i>	— <i>marginata</i>	Brazil	
<i>I</i>	— <i>maxima</i>	Brazil	
<i>I</i>	— <i>Nelisii</i>	Brazil	
<i>I</i>	— <i>nigra</i>	Brazil	
<i>I</i>	— <i>nobilior</i>	Brazil	
<i>I</i>	— <i>picturata</i>	Brazil	
<i>I</i>	— <i>Princess</i>	Brazil	
<i>I</i>	— <i>refulgens</i>	Brazil	
<i>I</i>	— <i>rosea</i>	Brazil	
<i>I</i>	— <i>rubicunda</i>	Brazil	
<i>I</i>	— <i>Russelliana</i>	Brazil	
<i>I</i>	— <i>Schrœderiana</i>	Brazil	
<i>I</i>	— <i>speciosa</i>	Brazil	
<i>I</i>	— <i>splendens</i>	Brazil	
<i>I</i>	— <i>superba</i>	Brazil	
<i>I</i>	— <i>versicolor</i>	Brazil	
<i>I</i>	— <i>Victoriæ</i>	Brazil	
<i>I</i>	— <i>Wyattiana</i>	Brazil	
<i>I</i>	<i>Schilleriana, vide L. elegans</i>		
<i>I</i>	<i>superbiens</i>	Malacatan	10s. 6d., 15s. and 21s.
<i>I</i>	<i>xanthina (Cattleya xanthina)</i>	Brazil	10s. 6d., 15s. and 21s.
<i>I</i>	<i>LEPTOTES bicolor</i>	South America	7s. 6d. and 10s. 6d.
* <i>I</i>	<i>LIMATODIS rosea</i>	Moulmein	5s. and 7s. 6d.

<i>I</i>	LIPARIS	Rheedii	South America	10s. 6d.
<i>S</i>		longipes	India	
<i>S</i>		— pendula	India	
<i>I</i>	LISSOCHILUS	Krebsii	Natal	15s. and 21s.
<i>C</i>	LYCASTE	aromatica	Mexico	7s. 6d., 10s. 6d. and 15s.
<i>I</i>		Barringtoniæ	West Indies	15s. and 21s.
<i>I</i>		Cobbiana	South America	
<i>C</i>		costata	South America	15s., 21s. and 31s. 6d.
<i>C</i>		cruenta	Guatemala	10s. 6d. and 15s.
<i>C</i>		— major	Guatemala	
<i>C</i>		Deppei	Mexico	7s. 6d. and 10s. 6d.
<i>C</i>		fulvescens	Colombia	
<i>C</i>		gigantea	South America	10s. 6d., 15s. and 21s.
<i>C</i>		(Maxillaria) Harrisoniæ	South America	5s., 7s. 6d. and 10s. 6d.
<i>C</i>		(—) — eburnea	South America	15s. and 21s.
<i>C</i>		(—) — pubigera	South America	31s. 6d.
<i>C</i>		(—) — purpurea	South America	31s. 6d.
<i>C</i>		lanipes	Guayaquil	10s. 6d., 15s. and 21s.
<i>I</i>		Lawrenceana	South America	21s. and 31s. 6d.
<i>I</i>		leucantha	South America	10s. 6d., 15s. and 21s.
<i>*I</i>		plana Measuresiana	Bolivia	31s. 6d. and 42s.
<i>*C</i>		Skinneri	Guatemala	3s. 6d., 5s. and 7s. 6d.
<i>*C</i>		— alba	Guatemala	63s., 84s. and 105s.
<i>*C</i>		— albo-marginata	Guatemala	
<i>*C</i>		— amœna	Guatemala	
<i>*C</i>		— ampliata	Guatemala	
<i>*C</i>		— aureola	Guatemala	
<i>*C</i>		— delicata	Guatemala	21s. and 31s. 6d.
<i>*C</i>		— fulgens	Guatemala	
<i>*C</i>		— grandis	Guatemala	42s. and 63s.
<i>*C</i>		— maculata	Guatemala	31s. 6d.
<i>*C</i>		— magnifica	Guatemala	
<i>*C</i>		— marginata	Guatemala	
<i>*C</i>		— marmorata	Guatemala	
<i>*C</i>		— maxima	Guatemala	
<i>*C</i>		— picta	Guatemala	42s. and 63s.
<i>*C</i>		— princeps	Guatemala	
<i>*C</i>		— radiata	Guatemala	
<i>*C</i>		— rosea	Guatemala	15s. and 21s.
<i>*C</i>		— — superba	Guatemala	
<i>*C</i>		— rubella	Guatemala	21s. and 31s. 6d.
<i>*C</i>		— — picta	Guatemala	
<i>*C</i>		— rubescens	Guatemala	
<i>*C</i>		— splendens	Guatemala	42s. and 63s.
<i>*C</i>		— superba	Guatemala	15s. and 21s.
<i>*C</i>		— tinctoria	Guatemala	42s. and 63s.
<i>*C</i>		— tricolor	Guatemala	31s. 6d.
<i>*C</i>		— venusta	Guatemala	
<i>*C</i>		— Vesta	Guatemala	
<i>*C</i>		— vivicans	Guatemala	
<i>I</i>		tetragona (Maxillaria)	Brazil	
<i>S</i>	MACODES	Petola, vide Anætochilus Petola		
<i>C</i>	MASDEVALLIA	abbreviata	Colombia	5s. and 7s. 6d.
<i>C</i>		amabilis	Colombia	3s. 6d. and 5s.
<i>C</i>		— lineata	Colombia	7s. 6d. and 10s. 6d.
<i>C</i>		anchorifera	Colombia	42s.
<i>C</i>		Backhousiana, vide Chimæra Backhousiana		

<i>C</i>	MASDEVALLIA Barlæana	Peru	5s., 7s. 6d. and 10s. 6d.
<i>C</i>	<i>bella</i>	Colombia	7s. 6d., 10s. 6d. to 21s.
<i>C</i>	<i>Benedictii</i> , <i>vide psittacina</i>		
<i>C</i>	<i>Bonplandii</i>	Colombia	5s. and 7s. 6d.
<i>C</i>	<i>calura</i>	Colombia	
<i>I</i>	<i>candida</i> , <i>vide towarensis</i>		
<i>C</i>	<i>Carderi</i>	Colombia	63s.
<i>C</i>	<i>chelsoni</i>	Hybrid	7s. 6d., 10s. 6d. and 15s.
<i>C</i>	<i>Chimæra</i>	Colombia	7s. 6d., 10s. 6d. to 21s.
<i>C</i>	— <i>Backhousiana</i>	Colombia	10s. 6d., 15s. and 21s.
<i>C</i>	— <i>gigantea</i>	Colombia	42s. and 63s.
<i>C</i>	— <i>Roezlii</i>	Colombia	21s. and 31s. 6d.
<i>C</i>	— <i>Wallisii</i>	Colombia	10s. 6d., 15s. and 21s.
<i>C</i>	— <i>Winniana</i>	Colombia	15s. and 21s.
<i>C</i>	<i>Colibri</i> , <i>vide Trochilus</i>		
<i>C</i>	<i>corniculata</i>	Colombia	10s. 6d., 15s. and 21s.
<i>C</i>	<i>Crossii</i> , <i>vide racemosa</i>		
<i>C</i>	<i>cucullata</i>	Colombia	63s. and 84s.
<i>C</i>	<i>Davisii</i>	South America	7s. 6d., 10s. 6d. to 21s.
<i>C</i>	<i>Dayana</i> (<i>Cryptophoranthus</i>)	Colombia	15s. and 21s.
<i>C</i>	<i>demissa</i>	South America	21s. and 31s. 6d.
<i>C</i>	<i>elephanticeps</i>	Colombia	
<i>C</i>	<i>Ephippium</i> , <i>vide Trochilus</i>		
<i>C</i>	<i>erythrochæte</i>	Colombia	10s. 6d., 15s. and 21s.
<i>C</i>	<i>Estradæ</i>	South America	10s. 6d., 15s. and 21s.
<i>C</i>	<i>Gorgona</i> , <i>vide nycterina</i>		
<i>C</i>	<i>Harryana</i>	Colombia	5s., 7s. 6d. and 10s. 6d.
<i>C</i>	— <i>acanthifolia</i> .—A charming variety of this beautiful Orchid, producing very fine flowers of a rich shining violet-rose colour; remarkably attractive	Colombia	42s. and 63s.
<i>C</i>	— <i>acuminata</i>	Colombia	42s. and 63s.
<i>C</i>	— <i>atropurpurea</i>	Colombia	42s. and 63s.
<i>C</i>	— <i>atrosanguinea</i>	Colombia	31s. 6d., 42s. and 63s.
<i>C</i>	— <i>aurantiaca</i>	Colombia	31s. 6d. and 42s.
<i>C</i>	— <i>cærulescens</i>	Colombia	5s., 7s. 6d. and 10s. 6d.
<i>C</i>	— <i>atroviolacea</i>	Colombia	63s. and 84s.
<i>C</i>	— <i>concolor</i>	Colombia	42s. and 63s.
<i>C</i>	— <i>gigantea</i>	Colombia	84s. and 105s.
<i>C</i>	— <i>grandiflora</i>	Colombia	63s. and 84s.
<i>C</i>	— <i>magnifica</i>	Colombia	42s. and 63s.
<i>C</i>	— <i>maxima</i>	Colombia	63s. and 84s.
<i>C</i>	— <i>superba</i>	Colombia	42s. and 63s.
<i>C</i>	— <i>coccinea</i>	Colombia	21s. and 31s. 6d.
<i>C</i>	— <i>Comet</i>	Colombia	84s. and 105s.
<i>C</i>	— <i>conchiflora</i> .—This fine variety produces splendid blossoms of a rich rosy-lake shade; the large showy flowers are, as the name implies, somewhat shell-like in appearance		7s. 6d. and 10s. 6d.
<i>C</i>	— <i>conspicua</i>	Colombia	
<i>C</i>	— <i>decora</i>	Colombia	42s. and 63s.
<i>C</i>	— <i>delicata</i>	Colombia	42s. and 63s.
<i>C</i>	— <i>Denisoniana</i>	Colombia	21s., 31s. 6d. and 42s.
<i>C</i>	— <i>elegans</i>	Colombia	42s. and 63s.
<i>C</i>	— <i>Flambeau</i>	Colombia	
<i>C</i>	— <i>flammea</i>	Colombia	
<i>C</i>	— <i>formosa</i>	Colombia	42s. and 63s.
<i>C</i>	— <i>gemma</i>	Colombia	
<i>C</i>	— <i>gloriosa</i>	Colombia	
<i>C</i>	— <i>illustris</i>	Colombia	
<i>C</i>	— <i>insignis</i>	Colombia	

<i>C</i>	MASDEVALLIA <i>Harryana</i> lilacina ..	Colombia	10s. 6d. and 15s.
<i>C</i>	<i>Harryana</i> luteo-oculata	Colombia	42s. and 63s.
<i>C</i>	— <i>magnifica</i>	Colombia	31s. 6d., 42s. and 63s.
<i>C</i>	— <i>Mars</i>	Colombia	
<i>C</i>	— <i>Meteor</i>	Colombia	
<i>C</i>	— <i>miniata</i>	Colombia	
<i>C</i>	— <i>mirabilis</i>	Colombia	
<i>C</i>	— <i>oculata</i>	Colombia	15s. and 21s.
<i>C</i>	— <i>ornata</i>	Colombia	42s. and 63s.
<i>C</i>	— <i>patens</i>	Colombia	
<i>C</i>	— <i>princeps</i>	Colombia	
<i>C</i>	— <i>purpurea</i>	Colombia	7s. 6d. and 10s. 6d.
<i>C</i>	— <i>magnifica</i>	Colombia	
<i>C</i>	— <i>regalis</i> .—A magnificent variety, with very large and broad flowers of good form and substance; their colour is peculiarly striking and attractive, being an extremely rich shade of dark glowing crimson	Colombia	31s. 6d. and 42s.
<i>C</i>	— <i>Reginæ</i>	Colombia	
<i>C</i>	— <i>rosacea</i>	Colombia	10s. 6d. and 15s.
<i>C</i>	— <i>rosea</i>	Colombia	21s. and 31s. 6d.
<i>C</i>	— <i>rotundiflora</i>	Colombia	
<i>C</i>	— <i>salmonæa</i>	Colombia	
<i>C</i>	— <i>sanguinea</i>	Colombia	7s. 6d. and 10s. 6d.
<i>C</i>	— <i>aurantiaca</i>	Colombia	63s. and 84s.
<i>C</i>	— <i>splendens</i>	Colombia	21s., 31s. 6d. and 42s.
<i>C</i>	— <i>superba</i>	Colombia	42s. and 63s.
<i>C</i>	— <i>triumphans</i>	Colombia	63s. and 84s.
<i>C</i>	— <i>venusta</i>	Colombia	
<i>C</i>	— <i>versicolor</i> .—A distinct variety, the rich magenta ground-colour being margined, or irregularly marked with intense maroon crimson	Colombia	15s., 21s. and 31s. 6d.
<i>C</i>	— <i>violacea</i>	Colombia	31s. 6d. and 42s.
<i>C</i>	— <i>magnifica</i>	Colombia	63s. and 84s.
<i>C</i>	— <i>oculata</i>	Colombia	42s. and 63s.
<i>C</i>	— <i>superba</i>	Colombia	42s. and 63s.
<i>C</i>	— <i>vivicans</i>	Colombia	31s. 6d. and 42s.
<i>C</i>	— <i>Walkeriana</i> .—A very handsome variety, with gigantic flowers $2\frac{1}{2}$ inches across	Colombia	31s. 6d. and 42s.
<i>C</i>	Houtteana , <i>vide</i> psittacina		
<i>C</i>	<i>igneæ</i>	Colombia	5s., 7s. 6d. and 10s. 6d.
<i>C</i>	— <i>aurantiaca</i>	Colombia	7s. 6d., 10s. 6d. and 15s.
<i>C</i>	— <i>citrina</i>	Colombia	
<i>C</i>	— <i>Massangeana</i>	Colombia	10s. 6d., 15s. and 21s.
<i>C</i>	— <i>militaris</i>	Colombia	31s. 6d. and 42s.
<i>C</i>	— <i>purpurea</i>	Colombia	42s. and 63s.
<i>C</i>	— <i>splendens</i>	Colombia	63s. and 84s.
<i>C</i>	— <i>penanthe</i>	Colombia	15s. and 21s.
<i>C</i>	— <i>speciosa</i>	Colombia	
<i>C</i>	— <i>Stobartiana</i>	Colombia	21s. and 31s. 6d.
<i>C</i>	<i>inflata</i>	Colombia	42s. and 63s.
<i>C</i>	<i>infracta</i>	Colombia	7s. 6d., 10s. 6d. and 15s.
<i>C</i>	— <i>purpurea</i>	Colombia	21s. and 31s. 6d.
<i>C</i>	<i>ionocharis</i>	South America	15s., 21s. and 31s. 6d.
<i>C</i>	<i>leontoglossa</i>	Colombia	21s.
<i>C</i>	<i>Lindeni</i>	Colombia	5s., 7s. 6d. and 10s. 6d.
* <i>C</i>	<i>macrura</i>	Colombia	21s., 31s. 6d. and 42s.
<i>C</i>	<i>maculata</i>	South America	3s. 6d. and 5s.
<i>C</i>	— <i>flava</i>	South America	7s. 6d. and 10s. 6d.

<i>C</i>	MASDEVALLIA <i>maculata superba</i> . . .	South America	
<i>C</i>	<i>muscosa</i>	South America	
<i>C</i>	<i>nycterina</i> (<i>Gorgona</i>)	Colombia	10s. 6d. and 15s.
<i>C</i>	<i>oethodes</i> (<i>Scaphosepalum</i>)	Colombia	5s.
<i>C</i>	<i>Peristeria</i>	Colombia	10s. 6d., 15s. and 21s.
<i>C</i>	<i>polysticta</i>	Colombia	5s. and 7s. 6d.
<i>C</i>	— <i>brevior</i>	Colombia	10s. 6d. and 15s.
<i>C</i>	— <i>caudata</i>	Colombia	10s. 6d. and 15s.
<i>C</i>	<i>porcelliceptis</i>	Colombia	31s. 6d. and 42s.
<i>C</i>	<i>psittacina</i> (<i>Benedictii</i> , <i>Houtteana</i>)	Colombia	7s. 6d., 10s. 6d. to 21s.
<i>C</i>	<i>racemosa</i> (<i>Crossii</i>)	Colombia	21s., 31s. 6d. and 42s.
<i>C</i>	<i>radiosa</i>	Colombia	21s. and 31s. 6d.
<i>C</i>	— <i>major</i>	Colombia	
<i>C</i>	<i>Reichenbachiana</i>	South America	10s. 6d. and 15s.
<i>C</i>	<i>rosea</i>	Ecuador	10s. 6d. and 15s.
<i>C</i>	<i>Schlimii</i>	Colombia	15s. and 21s.
<i>C</i>	<i>severa</i>	Colombia	42s. and 63s.
<i>C</i>	<i>Shuttleworthii</i>	Colombia	10s. 6d., 15s. and 21s.
<i>C</i>	— <i>xanthocorys</i>	Colombia	15s. and 21s.
<i>C</i>	<i>simula</i>	South America	15s. and 21s.
<i>C</i>	<i>spectrum</i>	South America	
<i>C</i>	<i>swerticefolia</i>	Colombia	10s. 6d. and 15s.
<i>C</i>	<i>torta</i>	Colombia	42s. and 63s.
<i>*I</i>	<i>tovarensis</i> (<i>candida</i>)	Venezuela	5s., 7s. 6d. and 10s. 6d.
<i>C</i>	<i>triadactylites</i>	South America	21s. and 31s. 6d.
<i>I</i>	<i>triangularis</i>	Venezuela	7s. 6d. and 10s. 6d.
<i>C</i>	<i>trichæte</i>	Colombia	21s. and 31s. 6d.
<i>C</i>	<i>Trochilus</i> (<i>Colibri</i> , <i>Ephippium</i>)	Colombia	15s., 21s. and 31s. 6d.
<i>C</i>	<i>Veitchiana</i>	Peru	7s. 6d., 10s. 6d. and 15s.
<i>C</i>	— <i>grandiflora</i>	Peru	21s., 31s. 6d. and 42s.
<i>C</i>	— <i>magnifica</i>	Peru	
<i>C</i>	<i>Vespertilio</i>	Colombia	21s. and 31s. 6d.
<i>I</i>	<i>Wagneriana</i>	Venezuela	3s. 6d., 5s. and 7s. 6d.
<i>C</i>	<i>Wallisii</i> , <i>vide M. Chimæra Wallisii</i>		
<i>C</i>	<i>xanthina</i>	Colombia	15s., 21s. and 31s. 6d.
<i>C</i>	MAXILLARIA <i>grandiflora</i>	South America	7s. 6d., 10s. 6d. and 15s.
<i>C</i>	<i>Harrisonia</i> , <i>vide Lycaste Harrisonia</i>		
<i>I</i>	<i>leontoglossa</i> , <i>vide Xylobium</i>		
<i>I</i>	<i>lepidota</i>	South America	10s. 6d. and 15s.
<i>*C</i>	<i>luteo-alba</i>	Colombia	7s. 6d., 10s. 6d. and 15s.
<i>C</i>	— <i>grandiflora</i>	Colombia	21s.
<i>C</i>	— <i>purpurea</i>	Colombia	21s.
<i>C</i>	<i>nigrescens</i>	Merida	7s. 6d. and 10s. 6d.
<i>C</i>	<i>picta</i>	Brazil	5s., 7s. 6d. and 10s. 6d.
<i>I</i>	<i>Sanderiana</i>	South America	
<i>I</i>	<i>squalens</i>	South America	5s. and 7s. 6d.
<i>I</i>	<i>tenuifolia</i>	Mexico	10s. 6d. and 15s.
<i>I</i>	<i>tetragona</i> , <i>see Lycaste tetragona</i>		
<i>C</i>	<i>Turneri</i>	Mexico	10s. 6d. and 15s.
<i>C</i>	<i>venusta</i>	Colombia	7s. 6d., 10s. 6d. and 15s.
<i>C</i>	MESOSPIDIUM <i>roseum</i>	Mexico	10s. 6d.
<i>*C</i>	<i>sanguineum</i>	Ecuador	7s. 6d. and 10s. 6d.
<i>C</i>	<i>vulcanicum</i>	Ecuador	15s. and 21s.
<i>C</i>	— <i>grandiflorum</i>	Peru	15s., 21s. and 31s. 6d.
<i>S</i>	MICROSTYLIS <i>calophylla</i>	East Indies	10s. 6d. and 15s.
<i>S</i>	<i>metallica</i>	Borneo	10s. 6d. and 15s.
<i>I</i>	MILTONIA <i>candida</i>	Brazil	15s. and 21s.
<i>I</i>	<i>candida punctata</i>	Brazil	
<i>I</i>	<i>Clowesii</i>	Brazil	7s. 6d., 10s. 6d. and 15s.

<i>I</i>	MILTONIA <i>Clowesii</i> major	Brazil	15s. and 21s.
<i>I</i>	<i>Clowesii</i> pauciguttata	Brazil	42s. and 63s.
<i>I</i>	<i>cuneata</i>	Brazil	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	— <i>platyglossa</i>	Brazil	
<i>I</i>	<i>festiva</i>	Brazil	21s.
<i>I</i>	<i>flavescens</i> (<i>stellata</i>)	Brazil	10s. 6d. and 15s.
<i>I</i>	<i>Moreliana</i>	Brazil	10s. 6d., 15s. and 21s.
<i>I</i>	— <i>atropurpurea</i>	Brazil	
<i>I</i>	— <i>atrorubens</i>	Brazil	
<i>I</i>	<i>Phalænopsis</i> , <i>vide</i> <i>Odontoglossum</i> <i>Phalænopsis</i>		
<i>I</i>	<i>Regnellii</i> (<i>cereola</i>)	Brazil	10s. 6d., 15s. and 21s.
<i>I</i>	— <i>purpurea</i>	Brazil	42s. and 63s.
<i>I</i>	<i>Roezlii</i> , <i>vide</i> <i>Odontoglossum</i> <i>Roezlii</i>		
<i>I</i>	<i>Russelliana</i>	Brazil	
<i>I</i>	<i>spectabilis</i>	Brazil	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	— <i>aspirata</i>	Brazil	
<i>I</i>	— <i>bicolor</i>	Brazil	15s., 21s. and 31s. 6d.
<i>I</i>	— <i>intermedia</i>	Brazil	31s. 6d.
<i>I</i>	— <i>marginata</i>	Brazil	
<i>I</i>	— <i>virginalis</i>	St. Catherino's	21s. and 31s. 6d.
<i>I</i>	<i>vexillaria</i> , <i>vide</i> <i>Odontoglossum</i> <i>vexillarium</i>		
<i>I</i>	MORMODES <i>buccinator</i>	Mexico	15s. and 21s.
<i>I</i>	<i>luxatum</i>	Mexico	21s. and 31s. 6d.
<i>I</i>	— <i>eburneum</i>	Mexico	21s. and 31s. 6d.
<i>I</i>	<i>pardinum</i>	Mexico	15s., 21s. and 31s. 6d.
<i>I</i>	— <i>unicolor</i>	Mexico	21s. and 31s. 6d.
<i>I</i>	NANODES <i>Medusæ</i>	South America	21s. and 31s. 6d.
<i>S</i>	NEPHELEPHYLLUM <i>pulchrum</i>	Java	15s. and 21s.
<i>*C</i>	ODONTOGLOSSUM <i>Alexandræ</i> , <i>vide</i> <i>O. crispum</i>		
<i>C</i>	<i>amabile</i> (<i>hybrid</i>)	Colombia	
<i>C</i>	<i>Andersonianum</i>	Bogota	31s. 6d., 42s. and 63s.
<i>C</i>	— <i>lobatum</i>	Bogota	
<i>C</i>	<i>angustatum</i>	Colombia	42s.
<i>C</i>	<i>Arnoldianum</i>	Colombia	21s., 31s. 6d. and 42s.
<i>*C</i>	<i>aspersum</i> (<i>hybrid</i>)	Mexico	15s., 21s. and 31s. 6d.
<i>C</i>	<i>astranthum</i>	Colombia	
<i>C</i>	<i>baphicanthum</i> (<i>hybrid</i>)	Colombia	21s., 31s. 6d. and 42s.
<i>*C</i>	<i>bellinum</i> (<i>hybrid</i>)	Colombia	
<i>*C</i>	<i>bictonense</i>	Guatemala	7s. 6d., 10s. 6d. and 15s.
<i>*C</i>	— <i>album</i>	Guatemala	10s. 6d., 15s. and 21s.
<i>C</i>	<i>blandum</i>	Colombia	10s. 6d., 15s. and 21s.
<i>C</i>	<i>blepharicanthum</i>	Venezuela	42s. and 63s.
<i>*C</i>	<i>Bluntii</i> , <i>vide</i> <i>O. crispum</i>		
<i>C</i>	<i>cariniferum</i>	South America	7s. 6d., 10s. 6d. and 15s.
<i>*C</i>	<i>Cervantesii</i>	Mexico	5s., 7s. 6d. and 10s. 6d.
<i>*C</i>	— <i>decorum</i>	Mexico	21s. and 31s. 6d.
<i>*C</i>	— <i>roseum</i>	Mexico	
<i>C</i>	<i>Chestertoni</i> (<i>hybrid</i>)	Colombia	42s. and 63s.
<i>C</i>	<i>cirrosum</i>	Ecuador	7s. 6d. and 10s. 6d.
<i>C</i>	— <i>gemmatum</i>	Ecuador	63s.
<i>C</i>	— <i>Hrubyanum</i>	Ecuador	
<i>C</i>	— <i>Klabochorum</i>	Ecuador	10s. 6d., 15s. and 21s.
<i>C</i>	<i>citrosum</i> (<i>pendulum</i>)	Mexico	7s. 6d., 10s. 6d. and 15s.
<i>C</i>	— <i>album</i>	Mexico	
<i>C</i>	— <i>carneum</i>	Mexico	
<i>C</i>	— <i>grandiflorum</i>	Mexico	
<i>C</i>	— <i>punctatum</i>	Mexico	
<i>C</i>	— <i>maximum</i>	Mexico	
<i>C</i>	— <i>roseum</i>	Mexico	7s. 6d., 10s. 6d. and 15s.

<i>C</i>	ODONTOGLOSSUM	<i>citrosimum rubrum</i>	Mexico	
<i>C</i>		<i>citrosimum rubrum grandiflorum</i>	.. Mexico	
<i>C</i>		<i>constrictum</i>	South America	5s., 7s. 6d. and 10s. 6d.
<i>C</i>		<i>Coradinei</i>	Colombia	15s. and 21s.
<i>C</i>		— <i>hemileucum</i>	Colombia	
<i>C</i>		— <i>maculatum</i>	Colombia	
<i>C</i>		— <i>stenoglossum</i>	Colombia	31s. 6d.
* <i>C</i>		<i>cordatum</i>	Mexico	10s. 6d., 15s. and 21s.
* <i>C</i>		— <i>Kienastianum</i>	Mexico	84s. and 105s.
* <i>C</i>		— <i>nigrum</i>	Mexico	84s.
* <i>C</i>		— <i>pictum</i>	Mexico	63s.
* <i>C</i>		— <i>superbum</i>	Mexico	42s. and 63s.
<i>C</i>		<i>coronarium</i>	Colombia	42s. and 63s.
<i>C</i>		— <i>Dayanum</i>	Colombia	
<i>C</i>		— <i>miniatum</i>	Colombia	63s.
* <i>C</i>		<i>crispum (Alexandræ, Bluntii)</i>	Colombia	3s. 6d., 5s., 7s. 6d. and 10s. 6d., and various sizes from 21s. upwards.
* <i>C</i>		— <i>album</i>	Colombia	
* <i>C</i>		— <i>aureo-purpureum</i>	Colombia	
* <i>C</i>		— <i>amœnum</i>	Colombia	42s. and 63s.
* <i>C</i>		— <i>concinnum</i>	Colombia	
* <i>C</i>		— <i>flaveolum</i>	Colombia	
* <i>C</i>		— <i>giganteum</i>	Colombia	
* <i>C</i>		— <i>grandiflorum</i>	Colombia	63s. and 84s.
* <i>C</i>		— <i>grandis</i>	Colombia	
* <i>C</i>		— <i>guttatum</i>	Colombia	63s. and 84s.
* <i>C</i>		— <i>intermedium</i>	Colombia	
* <i>C</i>		— <i>Lehmanni</i>	Colombia	
* <i>C</i>		— <i>nivalis</i>	Colombia	
* <i>C</i>		— <i>pictum</i>	Colombia	
* <i>C</i>		— <i>princeps</i>	Colombia	
* <i>C</i>		— <i>punctatum</i>	Colombia	
* <i>C</i>		— <i>purpureum</i>	Colombia	
* <i>C</i>		— <i>roseum</i>	Colombia	42s., 63s. and 84s.
* <i>C</i>		— <i>signatum</i>	Colombia	
* <i>C</i>		— <i>speciosum</i>	Colombia	63s. and 84s.
* <i>C</i>		— <i>splendens</i>	Colombia	63s., 84s. and 105s.
* <i>C</i>		— <i>stupendum</i>	Colombia	
* <i>C</i>		— <i>superbum</i>	Colombia	63s. and 84s.
* <i>C</i>		— <i>Trianæ</i>	Colombia	63s. and 84s.
<i>C</i>		<i>cristatellum</i>	Colombia	21s., 31s. 6d. and 42s.
<i>C</i>		<i>cristatum</i>	Peru	15s., 21s. and 31s. 6d.
<i>C</i>		<i>crocatum</i>	Colombia	
<i>C</i>		<i>crocidipterum</i>	South America	10s. 6d. and 15s.
<i>C</i>		<i>cuspidatum</i>	Colombia	
<i>C</i>		<i>decorum (hybrid)</i>	Colombia	
<i>C</i>		<i>deltoglossum (hybrid)</i>	Colombia	
<i>C</i>		<i>Diadema (hybrid)</i>	Colombia	
<i>C</i>		<i>Edouardii</i>	Ecuador	15s., 21s. and 31s. 6d.
			Fine strong specimens,	42s. to 105s.
* <i>C</i>		<i>Ehrenbergii</i>	Mexico	
<i>C</i>		<i>eximium (hybrid)</i>	Colombia	
<i>C</i>		<i>facetum</i>	Colombia	15s., 21s. and 31s. 6d.
<i>C</i>		<i>flaveolum (hybrid)</i>	Colombia	
<i>C</i>		<i>gloriosum</i>	Ocaña	5s., 7s. 6d. and 10s. 6d.
<i>C</i>		— <i>album (nævium majus)</i>	Ocaña	10s. 6d., 15s. and 21s.
<i>C</i>		— <i>aureum</i>	Ocaña	
<i>C</i>		— <i>hybridum</i>	Ocaña	

<i>C</i>	ODONTOGLOSSUM gloriosum nigrum	Ocaña	42s. and 63s.
<i>C</i>	gloriosum pictum	Ocaña	42s. and 63s.
<i>C</i>	—superbum	Ocaña	21s. and 31s. 6d.
<i>C</i>	grande	Guatemala	5s., 7s. 6d. to 21s.
<i>C</i>	—ampliatum	Guatemala	
<i>C</i>	—macrolobum	Guatemala	42s.
<i>C</i>	—nigrum	Guatemala	
<i>C</i>	—obtusum	Guatemala	
<i>C</i>	—pictum	Guatemala	
<i>C</i>	—superbum	Guatemala	21s., 31s. 6d. and 42s.
<i>C</i>	Hallii	Ecuador	10s. 6d., 15s. and 21s.
<i>C</i>	—leucoglossum	Ecuador	21s., 31s. 6d. and 42s.
<i>C</i>	—marginatum	Ecuador	
<i>C</i>	—nigrum	Ecuador	
<i>C</i>	—xanthoglossum	Ecuador	10s. 6d., 15s. and 21s.
<i>I</i>	Harryanum	South America	5s., 7s. 6d. to 21s.
<i>I</i>	—superbum	South America	
<i>I</i>	—tigrinum	South America	
<i>I</i>	hastilabium	Colombia	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	—superbum	Colombia	
<i>C</i>	hebraicum (<i>hybrid</i>)	Colombia	21s., 31s. 6d. and 42s.
<i>C</i>	—albens (<i>hybrid</i>)	Colombia	
<i>C</i>	hieroglyphicum (<i>hybrid</i>)	Colombia	
<i>C</i>	Holfordianum	Colombia	
<i>C</i>	Hunnewellianum	Colombia	10s. 6d., 15s. and 21s.
<i>C</i>	hystrix (radiatum)	Colombia	10s. 6d., 15s. and 21s.
<i>C</i>	illustris (<i>hybrid</i>)	Colombia	
<i>C</i>	ioplocon	Colombia	
* <i>C</i>	insigne (<i>hybrid</i>)	Colombia	
<i>I</i>	Insleayi leopardinum	Mexico	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	—splendens	Mexico	42s., 63s. and 84s.
<i>I</i>	Karwinskii	South America	15s. and 21s.
<i>I</i>	Krameri	Costa Rica	42s. and 63s.
<i>C</i>	lanceans (<i>hybrid</i>)	South America	
<i>C</i>	lacteum (<i>hybrid</i>)	South America	
<i>C</i>	lepidum (<i>hybrid</i>)	South America	
<i>C</i>	ligulare	South America	
<i>C</i>	Lindenii	Colombia	10s. 6d.
<i>C</i>	Lindleyanum	Colombia	3s. 6d. and 5s.
<i>C</i>	—speciosum	Colombia	15s. and 21s.
* <i>C</i>	Londesboroughianum	Mexico	
<i>C</i>	luteo-purpureum	Colombia	10s. 6d., 15s. and 21s.
<i>C</i>	—conspicuum	Colombia	
<i>C</i>	—dentatum	Colombia	
<i>C</i>	—nobilis	Colombia	
* <i>C</i>	maculatum	Mexico	5s., 7s. 6d. and 10s. 6d.
* <i>C</i>	—anceps	Mexico	63s. and 84s.
* <i>C</i>	—aureum	Mexico	84s. and 105s.
* <i>C</i>	—erosum	Mexico	84s. and 105s.
* <i>C</i>	—stenanthum	Mexico	21s. and 31s. 6d.
* <i>C</i>	—superbum	Mexico	21s. and 31s. 6d.
* <i>C</i>	—triumphans	Mexico	
<i>C</i>	madrense (maxillare)	Mexico	10s. 6d., 15s. and 21s.
<i>C</i>	—majus	Mexico	42s. and 63s.
<i>C</i>	membranaceum	Mexico	10s. 6d. and 15s.
<i>C</i>	mirabile (<i>hybrid</i>)	Colombia	

<i>C</i>	<i>ODONTOGLOSSUM mirandum</i>	Colombia	7s. 6d. and 10s. 6d.
<i>C</i>	<i>mulus</i>	Colombia	
<i>C</i>	— <i>crocatum</i>	Colombia	
<i>C</i>	— <i>cuspidatum</i>	Colombia	
<i>C</i>	<i>nævium</i>	Ocaña	31s. 6d., 42s. and 63s.
<i>C</i>	— <i>majus</i> , <i>vide</i> <i>O. gloriosum album</i>		
<i>C</i>	<i>nebulosum</i>	Mexico	7s. 6d, 10s. 6d. and 15s.
<i>C</i>	— <i>candidum</i>	Mexico	15s. and 21s.
<i>C</i>	— <i>grandiflorum</i>	Mexico	
<i>C</i>	— <i>pardinum</i>	Mexico	21s., 31s. 6d. and 42s.
<i>C</i>	— <i>punctatum</i>	Mexico	31s. 6d. and 42s.
<i>C</i>	<i>nevadense</i>	Colombia	
<i>C</i>	<i>Noezlianum</i>	Peru	10s. 6d., 15s. to 31s. 6d.
<i>C</i>	<i>odoratum</i>	Colombia	5s., 7s. 6d. and 10s. 6d.
<i>C</i>	— <i>giganteum</i>	Colombia	
<i>C</i>	<i>Ørstedii</i>	Costa Rica	5s. and 7s. 6d.
<i>C</i>	— <i>majus</i>	Costa Rica	10s. 6d., 15s. and 21s.
<i>C</i>	<i>pendulum vide</i> <i>O. citrosum</i>		
<i>C</i>	<i>Pescatorei</i>	Colombia	3s. 6d., 5s. to 21s.
<i>C</i>	— <i>aurantiacum</i>	Colombia	
<i>C</i>	— <i>formosum</i>	Colombia	
<i>C</i>	— <i>grandiflorum</i>	Colombia	42s. and 63s.
<i>C</i>	— <i>insigne</i>	Colombia	
<i>C</i>	— <i>limbosum</i>	Colombia	
<i>C</i>	— <i>nivale</i>	Colombia	42s. and 63s.
<i>C</i>	— <i>oculatum</i>	Colombia	63s. and 84s.
<i>C</i>	— <i>speciosum</i>	Colombia	
<i>C</i>	— <i>splendens</i>	Colombia	42s. and 63s.
<i>C</i>	— <i>stupendum</i>	Colombia	
<i>C</i>	— <i>tinctum</i>	Colombia	
<i>I</i>	<i>Phalænopsis (Miltonia Phalænopsis)</i>	Ocaña	7s. 6d., 10s. 6d. to 21s.
<i>I</i>	— <i>splendens</i>	Ocaña	
<i>C</i>	<i>picturatum (hybrid)</i>	Colombia	
<i>C</i>	<i>polyxanthum</i>	Ecuador	10s. 6d., 15s. & 21s.
<i>C</i>	<i>pretiosum, vide</i> <i>O. Schleiperianum</i>		
<i>C</i>	<i>princeps (hybrid)</i>	Colombia	
* <i>C</i>	<i>pulchellum</i>	Mexico	5s., 7s. 6d. and 10s. 6d.
<i>C</i>	— <i>Egertoni (tenue)</i>	Mexico	3s. 6d. and 5s.
* <i>C</i>	— <i>majus</i>	Mexico	7s. 6d., 10s. 6d. and 15s.
<i>C</i>	<i>radiatum, vide</i> <i>O. hystrix</i>		
<i>C</i>	<i>ramosissimum</i>	Colombia	31s. 6d. and 42s.
<i>C</i>	— <i>album</i>	Colombia	42s. and 63s.
<i>C</i>	<i>ramulosum</i>	Ocaña	15s. and 21s.
<i>C</i>	<i>Reichenheimii</i>	Mexico	21s. and 31s. 6d.
<i>S</i>	<i>Roezlii (Miltonia Roezlii)</i>	Colombia	10s. 6d., 15s. & 21s.
<i>S</i>	— <i>album</i>	Colombia	10s. 6d., 15s. & 21s.
<i>S</i>	— <i>delicatum</i>	Colombia	10s. 6d. and 15s.
<i>S</i>	— <i>roseum</i>	Colombia	21s. and 31s. 6d.
<i>S</i>	— <i>splendens</i>	Colombia	63s. and 84s.
<i>C</i>	<i>roseum vide</i> <i>Mesospinidium roseum</i>		
* <i>C</i>	<i>Rossii majus</i>	Mexico	3s. 6d., 5s. and 7s. 6d.
* <i>C</i>	— <i>musaicum</i>	Mexico	
* <i>C</i>	— <i>nivosum</i>	Mexico	
* <i>C</i>	— <i>pictum</i>	Mexico	
* <i>C</i>	— <i>splendens</i>	Mexico	21s. and 31s. 6d.
* <i>C</i>	— <i>virginale</i>	Mexico	
<i>C</i>	<i>Ruckerianum (hybrid)</i>	Colombia	31s. 6d., 42s. and 63s.
<i>C</i>	— <i>giganteum (hybrid)</i>	Colombia	84s. and 105s.

<i>C</i>	ODONTOGLOSSUM Sanderianum	Colombia	10s. 6d., 15s. and 21s.
<i>C</i>	sceptrum	Colombia	21s., 31s. 6d. and 42s.
<i>C</i>	— crenatum	Colombia	
<i>C</i>	Schillerianum	Venezuela	63s.
<i>C</i>	Schleiperianum (pretiosum)	Colombia	7s. 6d., 10s. 6d. and 15s.
<i>C</i>	— flavidum	Costa Rica	84s. and 105s.
<i>C</i>	spectabile (hybrid)	South America	
* <i>C</i>	tripudians	Peru	5s., 7s. 6d. and 10s. 6d.
* <i>C</i>	— grandiflorum	Peru	15s. and 21s.
<i>C</i>	triumphans	Ocaña	7s. 6d., 10s. 6d. and 15s.
<i>C</i>	Uroskinneri	Guatemala	10s. 6d., 15s. and 21s.
<i>C</i>	venustum (hybrid)	Colombia	
<i>I</i>	vexillarium (Miltonia vexillaria) ..	Colombia	5s., 7s. 6d., 10s. 6d., 15s. and various sizes from 21s. upwards.
<i>I</i>	— albescens	Colombia	
<i>I</i>	— amabile	Colombia	
<i>I</i>	— amœnum	Colombia	
<i>I</i>	— bicolor	Colombia	42s. and 63s.
<i>I</i>	— chelsoniense	Colombia	
<i>I</i>	— Cobbianum	Colombia	84s. and 105s.
<i>I</i>	— conspicuum	Colombia	
<i>I</i>	— erubescens	Colombia	
<i>I</i>	— giganteum	Colombia	84s. and 105s.
<i>I</i>	— illustris	Colombia	
<i>I</i>	— insigne	Colombia	84s. and 105s.
<i>I</i>	— maculatum	Colombia	
<i>I</i>	— marginatum	Colombia	
<i>I</i>	— marmoratum	Colombia	
<i>I</i>	— pictum	Colombia	
<i>I</i>	— picturatum	Colombia	
<i>I</i>	— pulcherrimum	Colombia	42s. and 63s.
<i>I</i>	— purpurascens	Colombia	
<i>I</i>	— radiatum	Colombia	
<i>I</i>	— roseum	Colombia	42s., 63s. and 84s.
<i>I</i>	— rubellum (Autumn-flowering) ..	Colombia	10s. 6d., 15s. and 21s.
<i>I</i>	— rubrum	Colombia	
<i>I</i>	— splendens	Colombia	
<i>I</i>	— superbum	Colombia	
<i>I</i>	— venosum	Colombia	
<i>C</i>	Victor (hybrid)	Colombia	
<i>C</i>	Wallisii	Colombia	7s. 6d., 10s. 6d. and 15s.
<i>C</i>	Wilckeanum (hybrid)	Colombia	42s., 63s. and 84s.
<i>C</i>	— albens (hybrid)	Colombia	
<i>C</i>	— pallens (hybrid)	Colombia	
<i>C</i>	Williamsianum	Costa Rica	
<i>C</i>	ONCIDIUM æmulum, vide O. superbiens		
<i>S</i>	altissimum	West Indies	7s. 6d. and 10s. 6d.
<i>S</i>	ampliatus	Panama	7s. 6d. and 10s. 6d.
<i>S</i>	— majus	Panama	10s. 6d. and 15s.
<i>I</i>	anciferum	South America	15s. and 21s.
<i>I</i>	auriferum	South America	
<i>C</i>	aurosom (excavatum)	Ecuador	7s. 6d., 10s. 6d. and 15s.
<i>C</i>	Balderramæ	Colombia	
<i>I</i>	barbatum	Brazil	10s. 6d. and 15s.
* <i>C</i>	Barkeri, vide O. tigrinum		
<i>I</i>	bicallosum	Guatemala	7s. 6d., 10s. 6d. to 21s.
<i>C</i>	bicolor	Brazil	10s. 6d. and 15s.
<i>I</i>	bifolium	Brazil	10s. 6d., 15s. and 21s.

<i>S</i>	<i>ONCIDIUM bifrons</i>	Trinidad	
<i>C</i>	<i>cæsius</i>	Mexico	7s. 6d., 10s. 6d. to 21s.
<i>I</i>	<i>carthaginense</i>	Mexico	10s. 6d., 15s. & 21s.
<i>I</i>	<i>Cavendishianum</i>	Guatemala	7s. 6d., 10s. 6d. & 15s.
<i>*I</i>	<i>cheirophorum</i>	Ecuador	7s. 6d., 10s. 6d. & 15s.
<i>I</i>	<i>chrysomorphum</i>	South America	21s. and 31s. 6d.
<i>C</i>	<i>concolor</i>	Brazil	7s. 6d., 10s. 6d. & 15s.
<i>I</i>	<i>cornigerum</i>	Brazil	15s. and 21s.
<i>I</i>	— <i>longiracemosum</i>	Brazil	42s.
<i>C</i>	<i>crispum</i>	Brazil	7s. 6d., 10s. 6d. and 15s.
<i>C</i>	— <i>grandiflorum</i>	Brazil	15s. and 21s.
<i>C</i>	— <i>nigrum</i>	Brazil	42s.
<i>C</i>	— <i>punctatissimum</i>	Brazil	63s.
<i>I</i>	<i>cristatum</i>	South America	
<i>I</i>	<i>cruciatum</i>	Brazil	
<i>I</i>	— <i>marginatum</i>	Brazil	
<i>C</i>	<i>cucullatum</i>	South America	5s., 7s. 6d. and 10s. 6d.
<i>C</i>	— <i>grandiflorum</i>	South America	21s. and 31s. 6d.
<i>C</i>	— <i>maculosum</i>	South America	21s. and 31s. 6d.
<i>C</i>	— <i>panduratum</i>	South America	31s. 6d. and 42s.
<i>C</i>	— <i>purpureum</i>	South America	42s. and 63s.
<i>C</i>	<i>curtum</i>	Brazil	21s. and 31s. 6d.
<i>C</i>	<i>dasytyle</i>	Brazil	7s. 6d., 10s. 6d. and 15s.
<i>C</i>	<i>Diadema, vide serratum</i>		
<i>I</i>	<i>divaricatum</i>	Brazil	7s. 6d., 10s. 6d. and 15s.
<i>C</i>	<i>Enoi</i>	Colombia	
<i>C</i>	<i>excavatum, vide aurosum</i>		
<i>C</i>	<i>falcipetalum</i>	Venezuela	
<i>C</i>	<i>flexuosum</i>	Brazil	5s., 7s. 6d. and 10s. 6d.
<i>C</i>	<i>Forbesii</i>	Brazil	5s., 7s. 6d. to 21s.
<i>C</i>	— <i>grandiflorum</i>	Brazil	31s. 6d. and 42s.
<i>I</i>	<i>Forstermannii</i>	South America	21s. and 31s. 6d.
<i>I</i>	<i>fuscatum</i>	Colombia	7s. 6d. to 21s.
<i>C</i>	<i>Gardnerianum</i>	Brazil	15s., 21s. and 31s. 6d.
<i>C</i>	<i>grandiflorum</i>	Colombia	
<i>C</i>	<i>Harrisonianum</i>	Mexico	15s. and 21s.
<i>C</i>	<i>hastatum, vide stelligerum</i>		
<i>C</i>	<i>incurvum</i>	Oaxaca	5s., 7s. 6d. and 10s. 6d.
<i>C</i>	<i>insculptum</i>	South America	63s.
<i>I</i>	<i>janeirensis, vide longipes</i>		
<i>S</i>	<i>Kramerianum</i>	Colombia	7s. 6d., 10s. 6d. to 21s.
<i>C</i>	<i>lamelligerum</i>	Ecuador	15s., 21s. and 31s. 6d.
<i>S</i>	<i>Lanceanum</i>	Surinam	10s. 6d., 15s. and 21s.
<i>S</i>	— <i>superbum</i>	Surinam	21s. and 31s. 6d.
<i>I</i>	<i>leucochilum</i>	Mexico	21s. and 31s. 6d.
<i>C</i>	— <i>splendens</i>	Mexico	63s. and 84s.
<i>C</i>	<i>Limminghii</i>	Venezuela	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	<i>longipes (janeirensis)</i>	Brazil	5s., 7s. 6d. and 10s. 6d.
<i>S</i>	<i>luridum (guttatum)</i>	West Indies	10s. 6d., 15s. and 21s.
<i>C</i>	<i>macranthum</i>	Ecuador	10s. 6d., 15s. and 21s.
			Fine large plants 31s. 6d. to 10 guineas each
<i>C</i>	— <i>aurosum</i>	Ecuador	
<i>C</i>	— <i>grandiflorum</i>	Ecuador	
<i>C</i>	— <i>hastiferum</i>	Ecuador	42s., 63s. and 84s.
<i>C</i>	<i>Marshallianum</i>	Brazil	10s. 6d., 15s. and 21s.
<i>S</i>	<i>microchilum</i>	Brazil	21s. and 31s. 6d.
<i>I</i>	<i>micropogon</i>	Brazil	7s. 6d. and 10s. 6d.
<i>C</i>	<i>monachicum</i>	South America	21s. and 31s. 6d.

<i>I</i>	ONCIDIUM <i>nigratum</i>	British Guiana	10s. 6d., 15s. and 21s.
<i>C</i>	<i>nubigenum</i>	Ecuador	10s. 6d., 15s. and 21s.
<i>C</i>	— <i>splendens</i>	Ecuador	21s. and 31s. 6d.
<i>I</i>	<i>oblongatum</i>	Brazil	42s.
<i>I</i>	<i>obryzatum</i>	Brazil	21s. and 31s. 6d.
* <i>C</i>	<i>ornithorrhynchum</i>	Guatemala	3s. 6d., 5s. and 7s. 6d.
<i>S</i>	<i>Papilio</i>	Panama	5s., 7s. 6d. and 10s. 6d.
<i>S</i>	— <i>majus</i>	Panama	10s. 6d., 15s. and 21s.
<i>C</i>	<i>Phalænopsis</i>	Ecuador	10s. 6d., 15s. and 21s.
<i>C</i>	<i>phylloglossum</i>	Colombia	
<i>I</i>	<i>phymatochilum</i>	Brazil	10s. 6d., 15s. and 21s.
<i>C</i>	<i>pictum</i>	South America	
<i>C</i>	<i>plagianthum</i>	Colombia	
<i>C</i>	<i>prætextum</i>	Brazil	5s., 7s. 6d. and 10s. 6d.
<i>C</i>	— <i>aureum</i>	Brazil	
<i>C</i>	— <i>superbum</i>	Brazil	15s. and 21s.
<i>I</i>	<i>pubes</i>	Brazil	7s. 6d. and 10s. 6d.
<i>I</i>	— <i>elatum</i>	Brazil	21s.
<i>C</i>	<i>pulchellum</i>	Colombia	
<i>I</i>	<i>pulvinatum</i>	Brazil	10s. 6d. and 15s.
<i>I</i>	<i>pumilum</i>	Brazil	21s. and 31s. 6d.
<i>I</i>	<i>pyramense</i>	South America	15s. and 21s.
<i>I</i>	<i>reflexum</i>	Mexico	10s. 6d. and 15s.
<i>I</i>	<i>roseum, vide carthaginense</i>		
<i>I</i>	<i>rotundatum</i>	South America	
<i>I</i>	<i>sarcodes</i>	Brazil	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	— <i>decorum</i>	Brazil	42s.
<i>I</i>	— <i>splendens</i>	Brazil	21s., 31s. 6d. and 42s.
<i>I</i>	— <i>superbum</i>	Brazil	31s. 6d. and 42s.
<i>I</i>	<i>Schillerianum</i>	South America	15s. and 21s.
<i>I</i>	<i>Schlimii</i>	South America	10s. 6d. and 15s.
<i>C</i>	<i>serratum</i> (<i>Diadema</i>)	Peru	15s., 21s. and 31s. 6d.
<i>I</i>	<i>sessile</i>	Santa Martha	15s., 21s. and 31s. 6d.
<i>I</i>	<i>sphacelatum</i>	Mexico	5s., 7s. 6d. and 10s. 6d.
<i>I</i>	<i>sphegiferum</i>	South America	15s. and 21s.
<i>I</i>	<i>splendidum</i>	Guatemala	10s. 6d., 15s. and 21s.
<i>I</i>	<i>stelligerum</i> (<i>hastatum</i>)	Mexico	15s. and 21s.
<i>I</i>	— <i>amœnum</i>	Mexico	42s. and 63s.
<i>I</i>	— <i>Ernstii</i>	Mexico	63s.
<i>I</i>	— <i>ornatum</i>	Mexico	42s. and 63s.
<i>I</i>	— <i>pictum</i>	Mexico	42s. and 63s.
<i>C</i>	<i>superbiens</i> (<i>æmulum</i>)	Colombia	42s. and 63s.
<i>C</i>	<i>tetracopis</i>	Colombia	
* <i>C</i>	<i>tigrinum</i> (<i>Barkeri</i>)	Mexico	5s., 7s. 6d. and 10s. 6d.
<i>C</i>	<i>undulatum</i>	Colombia	15s., 21s. and 31s. 6d.
* <i>I</i>	<i>unguiculatum</i>	Mexico	7s. 6d., 10s. 6d. to 21s.
<i>C</i>	<i>unicornæ</i>	Brazil	5s. and 7s. 6d.
<i>C</i>	<i>varicosum</i>	Brazil	7s. 6d., 10s. 6d. to 21s.
<i>C</i>	— <i>pictum</i>	Brazil	31s. 6d. and 42s.
<i>C</i>	— <i>Rogersii</i>	Brazil	
<i>C</i>	<i>Wallisii</i>	Colombia	
<i>I</i>	<i>Weltoni</i>	Colombia	10s. 6d., 15s. and 21s.
<i>C</i>	<i>Wentworthianum</i>	Guatemala	7s. 6d., 10s. 6d. and 15s.
<i>C</i>	<i>zebrinum</i>	Colombia	10s. 6d., 15s. and 21s.
<i>I</i>	ORNITHOCEPHALUS <i>grandiflorus</i>	Brazil	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	ORNITHIDIUM <i>coccineum</i>	Brazil	15s. and 21s.
<i>I</i>	PALUMBINA <i>candida</i>	Mexico	10s. 6d. and 15s.

- S* **PAPHINIA** *cristata* West Indies..... 10s. 6d., 15s. and 21s.
S *cristata grandis* Brazil 10s. 6d., 15s. and 21s.
S **PERISTERIA** *elata* (The Dove Flower) Panama 10s. 6d., 15s. and 21s.
El Espiritu Santo (Holy Ghost Flower) of the Spaniards. The centre of each blossom bears a striking resemblance to a waxen dove, hence its name.
- S* **Lindeni** South America
I **PESCATORIA** (Huntleya) *cerina*..... South America 15s. and 21s.
I **PHAIUS** *albus*, *vide* *Thunia alba*
S *Bensoniæ*, *vide* *Thunia Bensoniæ*
S *bicolor* Ceylon 42s., 63s. and 84s.
I *Blumei* Assam
**I* *grandifolius* (Bletia Tankervilleæ) .. Hong Kong 7s. 6d. and 10s. 6d.
S *Henryii* Madagascar..... 31s. 6d. and 42s.
S *Humboldtii* Madagascar..... 21s., 31s. 6d. and 42s.
S *luridus* Ceylon 21s. and 31s. 6d.
S *Marshallianus*, *vide* *Thunia Marshalliana*
C *Sieboldii* Japan 10s. 6d. and 15s.
C *— maculatus* Japan 10s. 6d., 15s. and 21s.
S *tuberculosus* Madagascar..... 31s. 6d. and 42s.
I *Wallichii* Sylhet..... 21s. and 31s. 6d.
I *Woodfordii* East Indies 10s. 6d. and 15s.
I *— maculatus* East Indies 15s. and 21s.
S **PHALÆNOPSIS** *amabilis* (Aphrodite) Sunda Islands 10s. 6d. and 15s.
S *Esmeralda* Cochin China 10s. 6d. and 15s.
S *— Regnieri* Cochin China 10s. 6d., 15s. and 21s.
S *grandiflora* Borneo 10s. 6d. and 15s.
S *Lowii* East Indies 21s.
S *Lüddemanniana* Philippine Islands ... 10s. 6d. and 15s.
S *rosea* East Indies 15s. and 21s.
S *Sanderiana* East Indies 15s. and 21s.
**S* *Schilleriana* Manilla..... 15s. and 21s.
S *speciosa* Andaman Islands ...
S *Stuartiana* East Indies
S *— nobilis* East Indies.....
S *tetraspis* East Indies 21s., 31s. 6d. and 42s.
S *violacea* East Indies 21s. and 31s. 6d.
S **PHOLIDOTA** *imbricata* East Indies 5s. and 7s. 6d.
C* **PILUMNA (Trichopilia) *fragrans* Merida 5s., 7s. 6d. and 10s. 6d.
I *laxa*, *vide* *Trichopilia laxa*
**I* *nobilis* South America 10s. 6d., 15s. and 21s.
I **PLATYCLINIS** (Dendrochilum)
arachnites East Indies 7s. 6d., 10s. 6d. and 15s.
I *Cobbiana* East Indies 10s. 6d. and 15s.
I *— gigantea* East Indies 63s. and 84s.
I *cucumerina* East Indies 15s. and 21s.
S *filiformis*..... Manilla 21s. and 31s. 6d.
**S* *glumacea* Philippine Islands ... 10s. 6d., 15s. and 21s.
S *uncata* East Indies 10s. 6d. and 15s.
C* **PLEIONE *Hookeri*..... East Indies 21s.
**C* *humilis* East Indies 10s. 6d.
**C* *— tricolor* Assam 21s.
**C* *lagenaria* Khasya 5s. and 7s. 6d.
**C* *maculata*..... Assam, Khasya 5s., 7s. 6d. and 10s. 6d.
**C* *Reichenbachiana* East Indies 7s. 6d. and 10s. 6d.
**C* *Wallichiana* Arracan Mountains .. 5s., 7s. 6d. and 10s. 6d.
I **PLEUROTHALLIS** *Barberiana* South America 21s.
I *plumosa* South America
I *scapha* South America 105s.

<i>I</i>	PLEUROTHALLIS tridentata	South America	10s. 6d.
<i>I</i>	<i>velatocaulis</i>	South America	
<i>S</i>	PROMENÆA citrina	Brazil	10s. 6d. and 15s.
<i>S</i>	<i>Rollissonii</i>	Brazil	31s. 6d. and 42s.
<i>S</i>	<i>stapelioides</i>	Brazil	10s. 6d. and 15s.
<i>S</i>	RENANTHERA coccinea	Cochin China	21s. and 31s. 6d.
<i>S</i>	<i>Storiei</i>	Philippine Islands	
<i>C</i>	RESTREPIA antennifera	Colombia	10s. 6d., 15s. and 21s.
<i>C</i>	<i>antennifera major</i>	Colombia	
<i>C</i>	<i>elegans</i>	Colombia	10s. 6d., 15s. and 21s.
<i>C</i>	<i>leopardina</i>	Colombia	10s. 6d. and 15s.
<i>I</i>	<i>ophiocephala</i>	Mexico	21s.
<i>S</i>	RHYNOSTYLIS (Saccolabium)		
	<i>cælestis</i>	Cochin China	15s., 21s. and 31s. 6d.
<i>S</i>	RODRIGUEZIA planifolia	South America	7s. 6d. and 10s. 6d.
<i>S</i>	<i>secunda</i>	West Indies	7s. 6d. and 10s. 6d.
<i>S</i>	SACCOLABIUM ampullaceum	Rangoon	7s. 6d. and 10s. 6d.
<i>S</i>	<i>ampullaceum moulmeinense</i>	Moulmein	63s. and 84s.
<i>S</i>	<i>bellinum</i>	Burmah	31s. 6d., 42s. and 63s.
<i>S</i>	<i>Blumei</i>	East Indies	7s. 6d., 10s. 6d. and 15s.
<i>S</i>	— <i>Dayanum</i>	East Indies	10s. 6d., 15s. and 21s.
<i>S</i>	— <i>javanense</i>	Java	21s. and 31s. 6d.
<i>S</i>	— <i>lilacinum</i>	East Indies	21s. and 31s. 6d.
<i>S</i>	— <i>longiracemosum</i>	East Indies	21s. and 31s. 6d.
<i>S</i>	— <i>majus</i>	East Indies	7s. 6d., 10s. 6d. and 15s.
<i>S</i>	— <i>pulchrum</i>	East Indies	15s., 21s. and 31s. 6d.
<i>S</i>	— <i>rubrum</i>	East Indies	31s. 6d. and 42s.
<i>S</i>	— <i>splendens</i>	East Indies	42s. and 63s.
<i>S</i>	<i>calceolare</i>	Khasi Hills	42s. and 63s.
<i>S</i>	<i>cæleste</i> , <i>vide Rhyncostylis cælestis</i>		
<i>S</i>	<i>curvifolium</i>	Nepal, Ceylon	10s. 6d., 15s. & 21s.
<i>*S</i>	<i>giganteum (Vanda densiflora)</i>	East Indies	7s. 6d., 10s. 6d. and 15s.
<i>*S</i>	— <i>illustre</i>	East Indies	15s., 21s. and 31s. 6d.
<i>S</i>	<i>guttatum</i>	East Indies	21s., 31s. 6d. and 42s.
<i>S</i>	— <i>giganteum</i>	East Indies	
<i>S</i>	— <i>Holfordianum</i>	East Indies	63s.
<i>S</i>	— <i>superbum</i>	Ceylon	63s. and 84s.
<i>S</i>	<i>Harrisonianum</i>	Pulo, Copang	21s., 31s. 6d. and 42s.
<i>S</i>	<i>miniatum citrinum</i>	Cochin China	
<i>S</i>	<i>præmorsum</i>	Java	42s. and 63s.
<i>S</i>	<i>retusum</i>	Java	42s. and 63s.
<i>S</i>	<i>violaceum</i>	Manilla	7s. 6d., 10s. 6d. and 15s.
<i>S</i>	SARCOCHILUS Hartmanni	North Australia	
<i>S</i>	SARCOPODIUM Lobbii	East Indies	10s. 6d., 15s. & 21s.
<i>I</i>	SCHOMBURGKIA tibicinis	Mexico	15s., 21s. and 31s. 6d.
<i>I</i>	SCUTICARIA Dodgsonii	West Indies	42s. and 63s.
<i>I</i>	<i>Hadwenii</i>	Brazil	15s., 21s. and 31s. 6d.
	SELENIPEDIUM, vide Cypripedium		
<i>I</i>	SOBRALIA macrantha	Guatemala	21s. and 31s. 6d.
<i>I</i>	<i>macrantha nana</i>	Guatemala	21s., 31s. 6d. and 42s.
<i>I</i>	— <i>splendens</i>	Guatemala	42s. and 63s.
<i>C</i>	SOPHRONITIS cernua	Brazil	7s. 6d. and 10s. 6d.
<i>*C</i>	<i>grandiflora</i>	Brazil	5s., 7s. 6d. to 21s.
<i>*C</i>	— <i>coccinea</i>	Brazil	
<i>*C</i>	— <i>marginata</i>	Brazil	
<i>*C</i>	— <i>militaris</i>	Brazil	
<i>*S</i>	— <i>rosea</i>	Brazil	31s. 6d. and 42s.
<i>*C</i>	— <i>superba</i>	Brazil	

<i>C</i>	<i>SOPHRONITIS violacea</i>	Brazil	7s. 6d., 10s. 6d. and 15s.
<i>S</i>	<i>SPATHOGLOTTIS Fortunei</i>	Hong Kong	21s. and 31s. 6d.
<i>S</i>	<i>pacifica</i>	Pacific Islands	
<i>S</i>	<i>Regnierii</i>	Cochin China	10s. 6d., 15s. & 21s.
<i>I</i>	<i>STANHOPEA Bucephalus</i>	South America	10s. 6d. and 15s.
<i>I</i>	<i>chrysops</i>	South America	
<i>I</i>	<i>decora</i>	South America	
<i>I</i>	<i>ecornuta</i>	South America	42s.
<i>I</i>	<i>grandiflora (eburnea)</i>	South America	10s. 6d.
<i>I</i>	<i>graveolens</i>	South America	10s. 6d.
<i>I</i>	<i>guttulata</i>	South America	10s. 6d. and 15s.
<i>I</i>	<i>insignis</i>	Brazil	10s. 6d. and 15s.
<i>I</i>	<i>maculata</i>	South America	15s.
<i>C</i>	<i>oculata</i>	Xalapa	10s. 6d. and 15s.
<i>I</i>	<i>Ruckeriana</i>	South America	15s.
<i>I</i>	<i>saccata</i>	Guatemala	15s. and 21s.
<i>C</i>	<i>tigrina</i>	Xalapa	10s. 6d. and 15s.
<i>C</i>	<i>— superba</i>	Xalapa	10s. 6d. and 15s.
<i>I</i>	<i>Wardiana</i>	La Guayra	10s. 6d. and 15s.
<i>S</i>	<i>TAINIA latifolia (Ania)</i>	Assam	
<i>S</i>	<i>THRIXSPERMUM Berkeleyi</i>	Andaman Islands	42s.
<i>I</i>	<i>THUNIA (Phaius) alba</i>	India	7s. 6d. and 10s. 6d.
<i>I</i>	<i>alba striata</i>	India	5s. and 7s. 6d.
<i>S</i>	<i>Bensoniæ</i>	Moulmein	15s. and 21s.
<i>S</i>	<i>— acuminata</i>	Moulmein	
<i>S</i>	<i>— splendens</i>	Moulmein	21s. and 31s. 6d.
<i>S</i>	<i>— variegata</i>	Moulmein	63s.
<i>S</i>	<i>— Winniana</i>	Moulmein	31s. 6d. and 42s.
<i>S</i>	<i>intermedia</i>	India	
<i>S</i>	<i>Marshalliana</i>	India	10s. 6d., 15s. and 21s.
<i>S</i>	<i>— ionophlebia</i>	India	42s. and 63s.
<i>S</i>	<i>— sulphurea</i>	India	
<i>S</i>	<i>— tricolor</i>	India	63s. and 84s.
<i>S</i>	<i>pulchra</i>	East Indies	10s. 6d., 15s. and 21s.
<i>S</i>	<i>Veitchiana</i>	Hybrid	21s., 31s. 6d. and 42s.
<i>C</i>	<i>TRICHOPILIA coccinea</i>	Costa Rica	7s. 6d., 10s. 6d. and 15s.
<i>C</i>	<i>coccinea marginata (very rare)</i>	Costa Rica	
<i>I</i>	<i>crispa (gloxiniæflora)</i>	Costa Rica	31s. 6d., 42s. and 63s.
<i>I</i>	<i>— marginata</i>	Costa Rica	
<i>C</i>	<i>fragrans, vide Pileumna fragrans</i>		
<i>I</i>	<i>Galeottiana (picta)</i>	Costa Rica	21s., 31s. 6d. and 42s.
<i>I</i>	<i>— luteola</i>	Costa Rica	
<i>I</i>	<i>(Pileumna) laxa</i>	South America	5s. and 7s. 6d.
<i>I</i>	<i>lepida</i>	South America	
<i>I</i>	<i>suavis</i>	Costa Rica	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	<i>— superba</i>	Costa Rica	15s., 21s. and 31s. 6d.
<i>C</i>	<i>tortilis</i>	Mexico	10s. 6d. and 15s.
<i>*C</i>	<i>TRICHOSMA suavis</i>	Assam	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	<i>TRIGONIDIUM ringens</i>	Assam	15s. and 21s.
<i>I</i>	<i>UROPEDIUM Lindeni</i>	Colombia	31s. 6d. and 42s.
<i>S</i>	<i>VANDA Amesiana</i>	Eastern Archipelago	10s. 6d., 15s. to 31s. 6d.
<i>S</i>	<i>Batemanii</i>	Moluccas	15s. and 21s.
<i>S</i>	<i>Bensonii</i>	Burmah	10s. 6d., 15s. and 21s.
<i>S</i>	<i>Boxallii</i>	East Indies	10s. 6d., 15s. and 21s.
<i>S</i>	<i>Cathcartii</i>	Sikkim	42s. and 63s.
<i>I</i>	<i>cærulea</i>	Khasya	15s., 21s. and 31s. 6d.
<i>I</i>	<i>cærulescens</i>	Burmah	21s. and 31s. 6d.

<i>S</i>	VANDA concolor	East Indies	31s. 6d., 42s. and 63s.
<i>S</i>	Denisoniana	India	15s., 21s. and 31s. 6d.
<i>*S</i>	densiflora, <i>vide</i> <i>Saccolabium giganteum</i>		
<i>S</i>	gigantea	Moulmein & Rangoon	15s. and 21s.
<i>S</i>	Hookeriana	Borneo	21s., 31s. 6d. and 42s.
<i>S</i>	insignis	Timor	21s. and 31s. 6d.
<i>S</i>	Kimballiana	Eastern Archipelago ..	10s. 6d., 15s. to 31s. 6d.
<i>S</i>	Massaiana	East Indies	42s. and 63s.
<i>S</i>	Parishii	Burmah	15s., 21s. and 31s. 6d.
<i>S</i>	— Marriottiana	Burmah	21s., 31s. 6d. and 42s.
<i>S</i>	Roxburghii	Bengal	21s. and 31s. 6d.
<i>S</i>	— tessellata	Bengal	21s. and 31s. 6d.
<i>S</i>	Sanderiana	Eastern Archipelago ..	
<i>S</i>	suavis	Java	21s., 31s. 6d. and 42s.
<i>S</i>	— (Chatsworth variety)	Java	31s. 6d. and 42s.
<i>S</i>	— maxima	Java	
<i>S</i>	teres	Sylhet	7s. 6d., 10s. 6d. and 15s.
<i>S</i>	— Andersoni	Sylhet	10s. 6d., 15s. and 21s.
<i>I</i>	tricolor	Java	15s., 21s. and 31s. 6d.
<i>I</i>	— aurea	Java	
<i>I</i>	— chelsoniensis	Java	
<i>I</i>	— formosa	Java	31s. 6d. and 42s.
<i>I</i>	— insignis	Java	15s., 21s. and 31s. 6d.
<i>I</i>	— limbata	Java	
<i>I</i>	— meleagris	Java	
<i>I</i>	— multiflora	Java	31s. 6d. and 42s.
<i>I</i>	— nebulosa	Java	42s. and 63s.
<i>I</i>	— ochracea	Java	
<i>I</i>	— splendens	Java	
<i>I</i>	— superba	Java	31s. 6d. and 42s.
<i>I</i>	undulata	Assam	42s. and 63s.
<i>S</i>	VANILLA aromatica	Brazil	3s. 6d. and 5s.
<i>S</i>	planifolia	South America	5s. and 7s. 6d.
<i>I</i>	WARREA tricolor	Brazil	10s. 6d. and 15s.
<i>I</i>	WARSCIEWICZELLA discolor	Colombia	15s. and 21s.
<i>I</i>	XYLOBIUM (<i>Maxillaria</i>) leontoglossum	South America	7s. 6d. and 10s. 6d.
<i>I</i>	ZYGOPETALUM Clayii	Hybrid	63s.
<i>*I</i>	— crinitum cœruleum	Brazil	15s., 21s. and 31s. 6d.
<i>*I</i>	— roseum	Brazil	15s., 21s. and 31s. 6d.
<i>*I</i>	— superbum	Brazil	21s. and 31s. 6d.
<i>I</i>	Gautieri	Brazil	15s. and 21s.
<i>I</i>	intermedium	Brazil	10s. 6d., 15s. and 21s.
<i>*C</i>	Mackayi	Brazil	10s. 6d. and 15s.
<i>*C</i>	— majus	Brazil	10s. 6d., 15s. and 21s.
<i>I</i>	maxillare	Brazil	10s. 6d. and 15s.
<i>I</i>	rostratum	South America	21s. and 31s. 6d.
<i>I</i>	Sedenii	Hybrid	63s. and 84s.
<i>I</i>	Wendlandi	Costa Rica	

CHOICE ORCHIDS.

EAST INDIAN | MEXICAN | WEST INDIAN | PERUVIAN | COLOMBIAN | BRAZILIAN
Collections made at 3, 4, 6, 9, and 12 guineas per dozen.

ORCHIDS FOR COOL HOUSES.

It being well known that many Orchids can be easily and successfully cultivated in a cool temperature, with scarcely any artificial heat during a great part of the year, Mr. W. B. has devoted several houses to this beautiful and desirable class, and will be pleased to make good selections of them at 3, 4, 6, 9 and 12 guineas per dozen.

SPHAGNUM MOSS FOR ORCHIDS, 3s. 6d. per bushel, 12s. per sack.
BEST FIBROUS PEAT FOR ORCHIDS, 3s. 6d. per bushel, 12s. per sack.

NEW AND CHOICE ACHIMENES.

BRILLIANT, flowers reddish-scarlet, throat punctulated orange. 3s. 6d.

COQUETTE, flowers violet-purple, a fiery purple ring at mouth of throat. 3s. 6d.

VIOLETTA, rich violet-purple, the lobes and throat darkly veined. 2s. 6d.

Good selections made at 6s., 9s. and 12s. per dozen, according to sorts.

New and choice sorts, 18s. and 30s. per dozen, according to sorts.

ADMIRATION
ALEXANDRA
AMBROISE VERSCHAFFELT
ARGUS
AUREORA
AUTUMNALIS
CARL WOLFARTH
CHAARM
CHERUB
CHIRITA
DAZZLE
DENTONIANA
DIADEM
ECLIPSE
EDWARD BOISSIER
EVELINE
EXOELSIOB
FIREFLY
FRANCOIS CARDINAUX
FRAU BRUNOW
GEORGIANA
GIBSONII
HARRY WILLIAMS
HENDERSONI
JAREQUIA MAXIMA
LABYRINTHICUM
LADY LITTLETON
LEOPARD
LONGIFLORA



LONGIFLORA MACRANTHA
— MAJOR
— ROSEA

LOUIS VAN HOUTTE
LOVELINESS
MADAME JEHENNE
MAONET
MARGARITE
MARVEL
MAUVE PERFECTION
— QUEEN
MASTERPIECE
METEOR
MINIATA
NESIDA
OBERON
ONDINE
PARSONSII
PURPUREA MULTIFLORA
RIVAL
ROSEA ELEGANS
— MAGNIFICA
ROSE QUEEN
SIR TREHERNE THOMAS
SKINNERI
SPARKLER
STELLA
UNIQUE
VENUSTA
VIVICANS
WILLIAMSII

EUCODONIAS.

A free-flowering and dwarf-growing section of Gesneraceous plants, with attractive flowers intermediate between Tydæas and Gloxinias. 1s. and 1s. 6d. each.

EHRENBERGII
NÆGELIOIDES

NÆGELIOIDES DIAMANTINA
— LILACINELLA

NÆGELIOIDES NANA MULTIFLORA
VAN HOUTTEI.

GESNERAS (NÆGELIAS).

The value of Gesneras as decorative plants can scarcely be over-estimated. Most of them have rich velvet-like foliage, which, in the respective kinds, varies from green to crimson. If only grown for the foliage they are very attractive, but they produce splendid pyramidal spikes of blossom, which are extremely handsome. Originally the principal colour was orange-scarlet; now, as the result of fertilisation, there are various colours and shades, added to which the spotting on the flowers of some of the varieties is extremely pretty.

Selections of good varieties at 30s. and 42s. per dozen, according to sorts.

HYBRID GESNERAS.

PYRAMIDAL, a vigorous growing variety, freely developing numerous lateral branches, which become covered with rose-coloured flowers, shaded with purple; the throat is golden-yellow with small crimson spots. 3s. 6d.

SOUVNIER DE MADAME JOIGNOT; this variety has handsome bronze-green leaves, the Archimene-like flowers, which are abundantly produced, being of a rich carmine-purple colour. 3s. 6d.

NEW AND CHOICE GLOXINIAS.

WITH ERECT FLOWERS.

ALPHA	MELAS
AMETHYST	MENTOR
BARON DE ROTH-	MODIOLA
CHILD	MOGUL
CALYPSO	NEPTUNE
CASILDA	ODIN
CASINO	OSCAR
CHAUCER	PARTHENIA
CYGNET	PHASIS
DRYDEN	PRINCE DE GALLES
ETHEL	RUBIS
FANTOME	TAMPICO
FLORE	TEMPLAR
HECLA	TENNYSON
HYDRA	TERANO
LA FRANCE	VELINDRA
LYDIA	VIRGINALIS
MALABAR	



GLOXINIA.

Choice selections made by Mr. W. B. at 18s. 30s and 42s. per dozen, according to sorts.

Good blooming tubers, unnamed, of various colours, raised from handsome varieties, 6s. 9s. and 12s. per dozen: 40s., 50s., and 75s. per 100.

TYDÆAS.

These can be cultivated so as to produce an abundance of bloom throughout the winter, their flowering season principally depending on the time of year their tubers are started into growth. With a little management a succession of blooming plants can be had nearly throughout the year. 18s., 30s. and 42s. per dozen, according to sorts.

AILSA	LORENZO
ALARM	MANCINUS
AMARANTE ET	MARQUIS DE GUIADIARO
CANNELLE	MINERVE
AMAZON	M. RICHARD LARIOS
APOLLON	OPHYR
CECILIA	PAREPA
CLOVIS	PLUTON
COQUETTE	PORTIA
DAPHNE	ROBERT LE DIABLE
ELAINE	THALIE
GIGANTEA	UKARA
HOTSPUR	



TYDÆA.

NEW AND CHOICE REGAL PELARGONIUMS.

- ALBERT VICTOR**, flowers very attractive, rich rosy-carmine, margined with white, light centre. 1s. 6d.
- BEAUTY OF OXTON**, upper petals rich maroon, darkly blotched; under petals dark crimson, shaded with maroon; light centre, tinted with rose; petals margined white. 1s.
- CAPTAIN RAIKES**, a fine large full flower; upper petals deep fiery crimson, flaked with purplish-black, and bordered with carmine; lower petals clear bright fiery crimson. 1s.
- CHAMPION**, fine trusses of beautifully crimped flowers, blush rose, lower petals spotted crimson lake; upper petals blotched maroon, surrounded fiery crimson. 1s.
- DR. MASTERS**, the upper petals have large black blotches in the centre, with a narrow margin of rich crimson. 1s.
- DOROTHY**, fine large flower, full and round, of a soft shade of carmine-rose, white centre surrounded with a lilac shade, all the petals margined white and elegantly fringed; upper petals blotched maroon. 1s. 6d.
- DUCHESS OF BEDFORD**, a very useful and charming variety; its blossoms are of the purest white, prettily fringed, with feathered spot of delicate rose on upper petals. 1s.
- DUCHESS OF FIFE**, well-filled flowers of a clear lake shade, pure white margins and centre. 2s. 6d.
- EMPEROR OF RUSSIA**, petals dark maroon, surrounded with crimson-purple, margined with blush white. 1s.
- EMPRESS FREDERICK**, a most chaste variety, with pure snow-white, semi-double flowers, the petals being elegantly crisped. The individual blossoms are round and full, having much the appearance of the flowers of the well-known *Azulea*, *Deutsche Perle*. As a cut-flower variety it cannot be excelled, the blooms being so full and regular. 3s. 6d.
- EMPRESS OF INDIA**, a magnificent variety, producing splendid trusses of very large flowers, of a brilliant shade of salmon-scarlet, the two upper petals blotched with dark crimson, light centre. It is of excellent habit, and most desirable. 2s. 6d.
- FIMBRIATUM ALBUM**, pure white flowers, beautifully crimped, free-flowering and of good habit. 2s. 6d.
- H. M. STANLEY**, bright rosy-crimson, upper petals shaded scarlet, and beautifully blotched. Very free flowering. 2s. 6d.
- JUBILEE**, fine full flowers, petals blush pink; upper petals blotched with maroon, surrounded with fiery crimson. 1s.
- MADAME THIBAUT**, white blotched and marbled with rose; upper petals marked with crimson-maroon; large white centre. 1s.
- MAID OF KENT**, pure white, with bright rose-coloured spots on all the petals, which are beautifully undulated and fringed. 1s.
- PRINCE GEORGE**, large trusses of finely fringed white flowers, faintly suffused with blush, all the petals spotted with purplish lake, the two upper petals more heavily marked than the others. 2s. 6d.
- PRINCE OF PELARGONIUMS**, large flowers with elegantly fringed margins; vermilion-scarlet relieved by a blush-white centre, upper petals flushed crimson. 2s. 6d.
- PRINCE OF TECK**, rich deep crimson, shaded with violet; upper petals blotched and feathered with dark blackish maroon; centre shaded with violet. 1s. 6d.
- PRINCE OF WALES**, bright vermilion with light centre and edge to the petals, the superior ones marked with light crimson and darkly blotched. 1s.
- PRINCESS ALEXANDRA**, the beautiful snow-white flowers of this desirable variety differ from the variety *Empress Frederick* in the shape and build of the flowers, which are of irregular form, the petals being prettily crisped and undulated. It is of dwarf robust habit, throwing its spotless white flowers just above the foliage. 3s. 6d.
- PRINCESS OF WALES**, flowers of a rosy-lake colour, marbled and reticulated with white; large, clear, and distinct white centre; all the petals margined with white, and the upper ones blotched with maroon. 1s. 6d.
- PRINCESS MAUD**, full orange carmine flowers, margined with white, white centre surrounded with violet; upper petals blotched and feathered with maroon. 1s. 6d.
- PRINCESS MAY**, flowers delicate salmon-rose, upper petals blotched maroon. A beautiful variety. 5s.
- PRINCESS VICTORIA**, one of the most charming varieties of the Regal Section, bearing in the utmost profusion large trusses of semi-double crispy flowers, of a delicate shade of blush pink. The plant is very floriferous, and distinct in colour. 3s. 6d.
- QUEEN VICTORIA**, crispy petals of a rich vermilion colour, broadly margined with pure white, the upper ones blotched with maroon. 1s. 6d.
- STARLIGHT**, a charming smooth-petalled flower of a pretty shade of rosy pink, the lower petals spotted with fiery crimson veined with maroon; upper petals blotched with maroon surrounded with fiery crimson. 3s. 6d.
- VOLONTE NATIONALE ALBUM**, a sport from the well-known favourite *Volonté Nationale*, with large and beautifully fringed flowers of the purest white. 1s. 6d.

NEW AND CHOICE SHOW PELARGONIUMS.

ACHIEVEMENT, bright orange-scarlet lower petals, dark top, narrow scarlet edge, pure white centre; good shape. 1s. 6d.

AMPHION, upper petals blackish-maroon, surrounded crimson and margined magenta-rose; lower petals rose; light centre. An attractive variety. 2s. 6d.

ATALANTA, upper petals maroon, edged bright rose; under petals deep rose. 1s. 6d.

BANQUET, upper petals crimson-maroon, edged with rose; under petals bright rose. 1s. 6d.

BLUE BEARD, very large light purple flowers with white eye; upper petals dark. 1s. 6d.

CARMINE, lower petals crimson-scarlet, upper petals darker; good habit. 2s. 6d.

CECILIA, upper petals dark velvety maroon, surrounded with bright crimson and edged rose; under petals rosy-pink. 1s. 6d.

CHARTER, rich maroon upper petals margined with violet-rose; under petals violet-rose; shaded crimson; large white centre. 1s. 6d.

CLAUDIA, upper petals dark maroon, surrounded with crimson and edged bright pink; lower petals bright pink; light centre. 3s. 6d.

CONSPIRATOR, upper petals dark maroon, lower petals rosy salmon; light edges and centre; free and fine. 1s. 6d.

COSSACK, upper petals very dark maroon, surrounded with bright crimson; under petals bright rose; large white centre. 1s. 6d.

CREUSA, light rose; the upper petals blotched with dark crimson; light centre. 1s. 6d.

CRUSADER, lower petals bright crimson; dark upper petals, light eye; very dwarf. 2s. 6d.

DIANA, upper petals deep blackish-maroon, surrounded with bright crimson and edged with rose; lower petals bright rose. 3s. 6d.

DUKE OF CLARENCE, scarlet with white eye; upper petals maroon; flowers very round and smooth. 2s. 6d.

EDIE, upper petals blackish-maroon, surrounded with crimson, edged with rose; lower petals pale pink, light centre. 2s. 6d.

EMBASSY, pure white, the two upper petals blotched with deep violet-maroon. 1s. 6d.

ENTERPRISE, deep rose, dark blotch, purple edge, light eye. 2s. 6d.

EXPRESS, lower petals purplish-rose, upper petals black, with wire edge of rose. 2s. 6d.

EXQUISITE, deep orange scarlet, dark top, white eye, fine shape and quality. 2s. 6d.

FIREBALL, rich crimson flowers, very dark upper petals; light centre. 5s.

FRANCES, rosy-purple, white eye, large dark blotch on top petals; a fine flower. 2s. 6d.

HUMPHREY, upper petals dark maroon, bordered with rose; under petals bright rose, shaded with crimson; light centre. 1s. 6d.

INDIAN YELLOW, light orange-salmon, darker top petals; light centre. 2s. 6d.

JOSEPHINE, warm rose, shaded orange; dark-top petals, light centre. 2s. 6d.

LEANDER, upper petals dark maroon, surrounded with rosy-purple, margined with pale rose; under petals pale blush. 2s. 6d.

LORA, upper petals maroon, margined with scarlet and edged with rose, under petals rosy-pink, white eye. 1s. 6d.

MADELINA, upper petals blotched with maroon, surrounded with fiery crimson; under petals rosy-lake; white centre. 1s. 6d.

MATHON, upper petals blackish-maroon, surrounded with rosy-crimson; under petals white, feathered with soft purple. 1s. 6d.

MIRANA, upper petals dark maroon, surrounded with crimson, margined with rose; lower petals rose, suffused with pink. 2s. 6d.

MURILLO, maroon upper petals, surrounded with crimson and margined with rose; under petals bright rose; pure white centre. 1s. 6d.

ORIENT, rose shaded orange, dark top petals, light edges and white centres; large bold flower; good habit. 2s. 6d.

PAREPA, upper petals bright crimson shading off to a margin of rose, blotched with maroon; lower petals blush-pink. 2s. 6d.

PAULINE, upper petals dark crimson, blotched with maroon and margined with white; under petals white, suffused with rose. 1s. 6d.

PELICAN, lower petals deep, lilac rose, very dark upper petals, rose edges large, white centre; a distinct variety. 1s. 6d.

PERIM, upper petals blackish-maroon, margined with lavender-rose; under petals deep rose, shaded with crimson. 1s. 6d.

PLATO, soft rose, white eye, dark blotch on upper petals. 2s. 6d.

RUSTIC, a fine flower; upper petals rich crimson, blotched and shaded maroon; under petals rich crimson; light centre, shaded with violet. 1s. 6d.

RUTULIA, upper petals crimson-maroon, bordered with rosy-crimson; under petals scarlet-crimson; light centre, shaded violet. 1s. 6d.

SYMMETRY, lilac rose lower petals; upper petals maroon; pale edges, light centre. 2s. 6d.

TEMPLAR, upper petals white blotched with maroon and feathered with crimson-lake; lower petals blush-white. 2s. 6d.

TRIUMPH, deep rich scarlet, dark top, a bright shining flower of good quality. 1s. 6d.

Selections of other good varieties can be made from Mr. W. B.'s
general collection, at 18s., 24s. and 30s. per dozen.

NEW AND CHOICE ATTRACTIVE COLOURED AND SPOTTED PELARGONIUMS.

- ALFONSO**, pure white free-blooming variety, upper petals marked with rich rosy-crimson, under petals faintly feathered with rose; a large finely formed flower. 2s. 6d.
- ANGUS**, delicate rose; upper petals blotched dark crimson and shaded rose; under petals spotted with dark crimson. 1s.
- ARDENS**, upper petals fiery crimson, heavily blotched maroon; lower petals soft crimson; spotted maroon; light centre. 2s. 6d.
- ARGUS**, blush ground suffused with pink, a maroon blotch on all the petals, surrounded by fiery crimson, feathered base. 2s. 6d.
- ARVON**, upper petals bright crimson, blotched with blackish-maroon and edged with rose; under petals soft rose, spotted crimson. 1s.
- CHARGER**, upper petals dark maroon, surrounded with crimson and edged rose; under petals deep rose, blotched with maroon. 1s. 6d.
- CYPRIA**, a fine flower of a rich rosy-crimson colour; upper petals blotched with maroon; under petals spotted dark crimson. 1s. 6d.
- DACIA**, upper petals dark maroon shaded with bright crimson, margined rose; under petals rosy-pink, spotted with crimson. 1s. 6d.
- DAMON**, upper petals bright crimson, blotched with maroon; under petals rosy-crimson, white centre; petals edged white. 1s. 6d.
- DAURUS**, flower rich crimson, shaded with maroon; light centre, shaded rosy-purple. 1s. 6d.
- DOLPHIN**, flower salmon-pink, upper petals blotched with maroon, surrounded with fiery crimson; under petals spotted crimson. 2s. 6d.
- EBOR**, upper petals maroon margined with white; lower petals white veined violet-purple, spotted crimson; light centre. 2s. 6d.
- ELLA**, upper petals fiery crimson margined with white, blotched with maroon; lower petals veined crimson-lake, white margin. 2s. 6d.
- ELVINA**, upper petals rich bright crimson, blotched maroon and margined white; under petals blush, spotted crimson. 1s. 6d.
- FORWARD**, upper petals maroon edged with soft rose; under petals rosy-crimson, heavily spotted with maroon. 1s. 6d.
- HECLA**, light rosy-purple, veined with deep purple, upper petals blotched with maroon, surrounded with crimson and rose. 1s. 6d.
- IO**, upper petals rich purplish-crimson, blotched with maroon and margined with blush-white; lower petals white, suffused and veined with rosy-purple. 2s. 6d.
- JESSICA**, upper petals dark maroon, surrounded with crimson, and margined with rose; under petals rosy-pink, spotted dark crimson. 1s. 6d.
- KENNETH**, upper petals purplish-crimson, margined and feathered crimson; under petals violet-crimson, edged with rosy-lavender; white centre. 1s. 6d.
- LEONIS**, soft rosy-purple with pale rose, the upper petals blotched maroon. 1s. 6d.
- MAGPIE**, white, with distinct dark purple spots on each petal. 1s.
- MALCOLM**, upper petals rosy pink, blotched with maroon; under petals soft rosy-pink, spotted with deep crimson. 1s. 6d.
- MARSUS**, upper petals white, blotched with rosy-crimson; under petals blush-white, spotted with crimson. 1s. 6d.
- MINARET**, upper petals crimson, with maroon blotch; under petals rosy-crimson marked and spotted with maroon. 1s. 6d.
- Mrs. STANLEY**, an attractive variety, with heliotrope-coloured flowers, upper petals blotched rich purple. 2s. 6d.
- MYRA**, upper petals dark maroon surrounded with bright crimson and edged with rose; lower petals soft pink, spotted with crimson; light centre. 2s. 6d.
- PERA**, upper petals bright crimson edged with white and spotted maroon; lower petals white, spotted with crimson. 2s. 6d.
- PHENIX**, deep rosy-purple, upper petals blotched and feathered with dark crimson; under petals edged with white, light centre. 1s. 6d.
- PINNACE**, light scarlet-crimson; upper petals blotched with maroon and edged with rose; under petals carmine, spotted crimson. 1s. 6d.
- PIONEER**, fiery crimson, upper petals blotched with maroon; under petals slightly spotted with crimson; light centre. 1s. 6d.
- PLATEAU**, upper petals rich bright crimson, blotched maroon; under petals bright crimson, shaded dark crimson; light centre. 1s. 6d.
- ROSY MOON**, very bright rosy pink, large trusses and dwarf habit. 3s. 6d.
- RUMOUR**, upper petals carmine-crimson, blotched with maroon and margined with rose; under petals rose-pink, spotted dark crimson. 1s. 6d.
- SCOTS GUARD**, deep orange-scarlet, dark spots, white eye; very bright. 1s.
- SPORTSMAN**, a deep rosy-purple flower, light centre, the upper petals marked and feathered with maroon edged with rose. 2s. 6d.
- SPOTTED BEAUTY**, soft rose, bottom petals with small rosy-crimson spots. 1s.
- TREASURE**, upper petals violet-purple, blotched maroon and edged lavender; under petals light rosy-purple, spotted maroon. 2s. 6d.
- TYRANT**, upper petals dark crimson-maroon, edged with rose; under petals salmon-rose, spotted with dark crimson. 1s. 6d.
- VINCENT**, upper petals maroon, edged with rosy-crimson; under petals rich rosy-crimson; the centre shaded with violet. 1s. 6d.
- ZENOBIA**, upper petals bluish-maroon, surrounded with fiery crimson and edged with rose; under petals rosy-crimson spotted with maroon, rose centre. 2s. 6d.

Selections of other good varieties can be made from Mr. W. B.'s
general collection at 18s., 24s. and 30s. per dozen,
according to sorts.

NEW AND CHOICE FANCY PELARGONIUMS.

Selections made by Mr. W. B. from general collection at 18s., 24s., and 30s. per dozen, according to sorts.

CAPE SPECIES, HYBRID, SELF-COLOURED, STRIPED AND PERPETUAL-FLOWERING PELARGONIUMS.

Selections made by Mr. W. B. at 18s. and 30s. per dozen.

NEW AND CHOICE DOUBLE-FLOWERED IVY-LEAVED PELARGONIUMS.

- ALICE CROUSSE, petals of great size, violet-purple and amaranth, very floriferous; extra. 1s.
 ALMA, bright salmon-scarlet, the centre lit up with vermilion in a most pleasing manner. 1s. 6d.
 ALPHONSE FAILLE, dark cerise, shaded with carmine and amaranth. 1s.
 ANDRÉ THEURIET, reddish-violet flowers, of fine shape; good habit. 1s.
 AUGUSTE VITU, large double rose flowers; a great improvement on *Galilée*. 2s. 6d.
 BASTIEN-LEPAGE, very large semi-double flowers, rosy-mauve, top petals marked with purple. 1s.
 BERTHELOT, large full violet-magenta flowers, of good form, very floriferous. 1s.
 CALYPSO, large trusses of carmine, salmon flowers. 5s.
 CENTENAIRE, enormous dark rosy violet flowers; good habit. 5s.
 CHATRIAN, very large bright carmine-scarlet flowers. 1s. 6d.
 CHIMÈNE, large double flowers, of a clear amaranth colour, shaded with crimson. 2s. 6d.
 COMUS, soft rosy-purple flower, upper petals feathered with dark maroon. 1s.
 CRAMOISI, large trusses of rose amaranth flowers; very floriferous. 1s. 6d.
 CRÉPUSCULE, bright rosy-salmon flowers, very large and double. 1s.
 CUVIER, large and full dark violet flowers; a vigorous grower. 9d.
 DE BRAZZA, large double flowers of a reddish-crimson colour, maculated scarlet. 2s. 6d.
 DE MIRIBEL, very large double flowers of good form, clear violet, very floriferous. 2s. 6d.
 DE QUATREFAGES, very floriferous, large violet purple flowers; extra. 9d.
 DIAMANT, large lilac-mauve double flowers; dwarf habit. 1s. 6d.
 EDOUARD CHARTON, porcelain-lilac flowers, very double and of fine form; dwarf habit. 1s. 6d.
 EMILE LEMOINE, fine trusses of bright scarlet flowers. 1s.
 ERNEST BERGMAN, fine trusses of extra large flowers, large regular crimson-lake petals, extra. 1s.
 ERNEST COUTANT, brilliant orange-red double flowers; large imbricated petals. 1s. 6d.
 FLOURENS, large irregular flowers, salmon shaded with rose; large petals. 1s. 6d.
 FORMOSISSIMA, bright purplish-rose flowers, of perfect form. 2s. 6d.
 FÜRSTIN JOSEPHINE VON HOHENZOLLERN, finely shaped reddish-magenta flowers. 9d.
 GALILÉE, deep rose feathered in the top petals with crimson. 9d.
 GAY-LUSSAC, clear crimson-lake, flowers very double and of good shape; dwarf vigorous habit. 1s. 6d.
 GENERAL CHAMPIONNET, very large Camellia-shaped flowers, of an orange-red colour. 5s.
 GIROFLÉE, flowers compact and very double, of fine rosette shape; purple amaranth. 1s.
 GLADIATEUR, flowers full and round, of a violet purple colour. 2s. 6d.
 GLOIRE DE LORRAINE, bright cerise, brightened with scarlet, large and double; extra. 1s. 6d.
 HENRI LITOLFF, enormous double satiny-rose flowers, with undulated petals. 2s. 6d.
 INCOMPARABLE, large trusses of rosy red flowers; very striking. 5s.
 KELUNG, bright rosy-purple flowers maculated with crimson. 2s. 6d.

NEW & CHOICE DOUBLE-FLOWERED IVY-LEAVED PELARGONIUMS.—continued.

- LA FOUDRE**, fine trusses of bright orange scarlet flowers. 5s.
LA MAUVE, flowers bluish mauve, long petals, veined with violet. 1s. 6d.
LAPLACE, flowers eup-shaped crimson-lake; of vigorous habit and extremely floriferous. 1s.
LAVOISIER, very large full flowers of perfect form; fine trusses of orange-salmon flowers. 9d.
MADAME AGAR, large trusses of rosy-lilac flowers, full and double, very floriferous. 2s. 6d.
MADAME BOUCHARLAT, large full flower of a bright rosy-cerise shade; very floriferous. 1s.
MARINER, rich rosy-magenta, upper petals feathered with dark crimson; fine flower. 1s.
META, bright cerise flowers, upper petals faintly feathered with maroon. 1s. 6d.
MICHELET, cerise-scarlet, suffused with magenta, a pleasing colour. 1s.
RAPHAËL, large flowers of perfect shape, rosy-salmon, bright centres; very floriferous. 1s.
SABINE, bright rosy-carmine, a large well-formed round flower of a most pleasing colour. 1s.
SATELLITE, rosy-pink, upper petals feathered with purplish-crimson. 1s.
SIR RICHARD WALLACE, very double Ranunculus-shaped flowers of a vinous rose-carmine; very floriferous and of great beauty. 2s. 6d.
TROPHEE, trusses of bright reddish vermilion flowers. 5s.
WRANGLER, soft pink, faintly marked in upper petals with crimson. 1s.

CHOICE SINGLE FLOWERING IVY-LEAVED PELARGONIUMS.

Ivy-leaved Pelargoniums, on account of their graceful drooping growth, are extremely useful for vases, and rustic or suspended baskets; the rich wax-like foliage alone is ornamental, but added to that, they have pretty flowers, and the different varieties present a contrast and charm obtained by few other plants.

Selections, 12s. and 18s. per dozen.

NEW AND CHOICE NOSEGAY PELARGONIUMS.

This section is admirably adapted for bedding, as the flowers are borne in the greatest profusion and in immense trusses, and hence produce great effect.

Selections made by Mr. W. B. at 9s., 12s., 24s. and 30s. per dozen, according to sorts.

NEW AND CHOICE ZONAL PELARGONIUMS.

- A. DE LA DEVANSAYE**, flowers brilliant salmon-orange, margined with white, white eye. 1s.
ADMIRATION, large trusses of clear salmon-rose flowers; centre salmon. 1s.
ALEXANDRE DUMAS, good round flowers, reddish-scarlet, brighter upper petals; white centre. 1s. 6d.
ALFRED CAPUS, large trusses of rosy-magenta flowers, upper petals bright orange; light centre. 3s. 6d.
ALFRED MAURY, large trusses of orange-yellow flowers. 3s. 6d.
ANDRÉ THEURIET, brilliant orange-salmon flowers of perfect shape; light centre. 3s. 6d.
ARMAND DE PONTMARTIN, immense trusses of large and round pure white flowers. 2s. 6d.
AURELIEN SCHOLL, roso, centre shaded violet, maculated with white on the upper petals. 1s. 6d.
BARBEY D'AUZEVILLY, enormous trusses of vinous rose flowers, bright centre. 3s. 6d.
BENJAMIN CONSTANT, flowers bright scarlet, of immense size. 2s. 6d.
BRUTUS, large trusses of scarlet amaranth flowers, very floriferous. 1s.
CARBONARO, large trusses of round flowers, of a reddish shade. 1s.
CARMEN SYLVA, enormous trusses of pure white flowers; extra. 3s. 6d.
CH. YIARTE, enormous trusses of orange-red flowers, shading to minium. 5s.
CLEMENT MAROT, compact trusses of fiery scarlet flowers; white centre. 3s. 6d.
COPERNIC, large trusses of orange-rose flowers, shaded carmine, white centre. 1s.
DETAILLE, fiery-scarlet flowers, immense trusses. 5s.
EDMOND BLOUIN, dark salmon, edged red, dwarf habit. 2s. 6d.
EMILE GEBHART, immense trusses of orange-scarlet flowers, violet centre. 2s. 6d.

NEW AND CHOICE ZONAL PELARGONIUMS—continued.

- ETOILE DE LYON**, large round flowers, crimson shaded with purple; base and centre of lower petals white, marbled with violet; upper petals rayed with white; extra. 2s. 6d.
- FOURNAISE**, brilliant orange-scarlet; enormous trusses. 1s. 6d.
- GENERAL DE MARBOT**, bright amaranth, shot with violet; large trusses. 2s. 6d.
- GUSTAVE MOREAUX**, extra large trusses of silvery-lilac rose flowers, lighter in the centre, a new shade. 5s.
- GUY DE MAUPASSANT**, flowers round, of perfect form, orange-salmon, rose centre. 1s. 6d.
- GYP**, large trusses of pure white flowers, of perfect shape. 5s.
- HENNER**, large globular trusses, flowers salmon-red, with orange-scarlet centre. 5s.
- HENRI DE PARVILLE**, large trusses of rosy-purple flowers. 1s. 6d.
- JACQUES BERTILLO**, brilliant orange-red flowers, bordered salmon. 3s. 6d.
- JACQUES CALLOT**, very bright salmon, netted with white; large trusses; extra. 1s.
- JANUS**, dark salmon, striped and spotted with rosy-white. 2s. 6d.
- JEAN RICHEPIN**, soft salmon flowers, bright centre, the upper petals marked rose. 1s. 6d.
- JEANNE D'ARC**, fiery-orange, maculated with white on top petals; white centre. 1s.
- JULES BRETON**, enormous trusses of salmon-rose flowers, centre bright pink. 5s.
- JULES POURBAIX**, very large trusses, rosy-magenta flowers, upper petals maculated orange. 5s.
- LA LORRAINE**, enormous trusses of soft rose flowers; good habit. 1s. 6d.
- LA VESTALE**, large pure white flowers, of perfect shape. 1s. 6d.
- LOUIS CHANTRIER**, large clear rose flowers, of good shape. 2s. 6d.
- MADAME A. PAILLET**, creamy-white, shaded with rosy-violet. 2s. 6d.
- MADAME A. RIVOIRE**, large truss and flowers of grand shape; the petals being round, regular and large, of a brilliant satiny white; the best of all the white-flowered varieties. 5s.
- MDLLE. ANNA KAPFF**, porcelain white, shaded lilac on the margins. 1s. 6d.
- M. EIFFEL**, rosy lake, upper petals maculated with red, a beautiful colour. 1s.
- M. POIRIER**, enormous trusses of round flowers, rich carmine, shaded violet, a new colour. 1s.
- M. V. NOULENS**, orange-salmon flower, shaded rose-vermilion, maculated blush-violet. 1s.
- PAUL CRAMPEL**, enormous flowers of a brilliant minimum red. 2s. 6d.
- PAUL GINISTY**, large clear magenta flowers, upper petals shaded with orange. 2s. 6d.
- PUVIS DE CHAVANNES**, fine trusses of orange-carmine flowers, rose centre. 5s.
- REINE BLANCHE**, immense trusses of pure white flowers. 3s. 6d.
- RENAISSANCE**, rosy red, white centre, upper petals shaded reddish-orange; very free. 1s. 6d.
- SOLEIL COUCHANT**, bright orange-scarlet, flowers large and round; dwarf and floriferous. 1s.
- SOUVENIR DE MIRANDE**, very distinct, whitish-salmon, margined rose-cerise. 1s.
- TROPHEE**, large trusses of rose flowers, shaded lilac in centre. 1s. 6d.
- VULCAIN**, immense trusses of carmine scarlet flowers. 1s. 6d.
- WHITE PERFECTION**, a free-flowering white variety of good habit. 1s. 6d.

Selections made by Mr. W. B. from General Collection of Zonal Pelargoniums at 9s., 12s., 24s. and 30s. per dozen, according to sorts.

NEW AND CHOICE DOUBLE-FLOWED ZONAL PELARGONIUMS.

- AEROLITHE**, irregular orange-scarlet semi-double flowers. 1s.
- ARMAND SILVESTRE**, plant of good habit, large trusses of rosy-lilac flowers, shading to carmine. 5s.
- BELLE NANCEIENNE**, large trusses of soft rose flowers, centre salmon-carmine. 1s.
- BÉRANGER**, globular trusses of magenta-red flowers; dwarf habit. 5s.
- BONNAT**, large spherical trusses of brilliant carmine flowers. 1s. 6d.
- BOUGEREAU**, large trusses of beautiful rose flowers, the upper petals maculated with white. 1s. 6d.
- BOULE DE NEIGE**, enormous trusses of pure white flowers; the finest double white. 5s.
- CATULLE MENDES**, rosy-purple, upper petals marked with white, very floriferous. 1s. 6d.
- CENTAURE**, very large round trusses of bright rose flowers, vigorous habit. 1s. 6d.
- CHARLES JOLY**, of good habit and very floriferous; very bright orange-red. 2s. 6d.
- CHELSEA GEM**, of compact and free growth, a most profuse bloomer, and an excellent bedder; the foliage is bright green, with a broad marginal variegation of pure white; large trusses; full double flowers of a charming rose-pink colour. 1s. 9s. per dozen.

NEW AND CHOICE DOUBLE-FLOWERED ZONAL PELARGONIUMS—continued.

- COMTE D'HAINAULT**, an exceedingly dwarf variety, with rosy-purple flowers. 1s.
DAUBRAY, large semi-double ochreous-red flowers. 5s.
DE LACÉPÈDE, light lilac-rose flowers. 1s. 6d.
DIRECTOR W. SCHÜLE, large reddish-madder flowers. 1s.
ERNEST BAHLSEN, bluish tinted violet. 1s. 6d.
FRANCISQUE SARCEY, fine trusses of rosy-mauve flowers, maculated orange. 2s. 6d.
GENERAL BRIERE DE L'ISLE, well-shaped rosy-salmon flowers. 1s.
GÉNÉRAL DE COURCY, brick-red in centre shading to salmon, marbled with white. 1s.
GEROME, large trusses of double rosy-violet flowers. 1s.
GIL BLAS, fine compact truss of bright cherry-coloured flowers, brightened with fiery crimson. 1s.
GLOIRE DE FRANCE, dark salmon, shading to whitish-rose; extra large trusses. 1s.
GRINGOIRE, fine round trusses of clear salmon flowers, bright centre. 2s. 6d.
HENRI DE BERNIER, large trusses of bluish white flowers; dwarf habit and very floriferous. 2s. 6d.
HENRI MEILHAC, flowers salmon tinted with apricot, centre orange, very floriferous. 1s. 6d.
JEAN BOUCHET, globular trusses of dark rosy-violet flowers. 1s. 6d.
JEAN MOREAS, reddish-salmon, flowers round and full. 3s. 6d.
KHÉDIVE, a fine full flower of a soft rose colour; dwarf and free-blooming. 1s.
L'ANDALOUSE, large trusses of creamy white flowers, very free. 1s.
LA FAVORITE, large trusses of well-made pure white flowers. 1s. 6d.
LA FONTAINE, fine trusses of rosy-red flowers. 2s. 6d.
LE CID, fine trusses of very bright crimson flowers; vigorous habit. 1s. 6d.
LE POITEVIN, fine trusses of brilliant cerise flowers, shaded with magenta. 1s.
LE PROPHÈTE, plant very vigorous; fine trusses of bright madder flowers. 1s. 6d.
LEON ZANROF, large trusses of silver-rose flowers. 1s. 6d.
LOUIS FIGUIER, large compact trusses, dark red bordered with rose. 1s.
LUCIFER, large trusses of a peculiar shade of red, very floriferous. 1s. 6d.
MADAME DUPONT, trusses of rosette-like flowers, fiery scarlet. 1s. 6d.
MADAME DE NAUROIS, rosy-carmine flowers, maculated with white, light centre. 1s.
MADAME MENOREAU, pure white, centre bright rose. 1s.
MADAME ROZAIN, very large pure white double flowers, exterior petals of excellent shape. The best of all the double-flowered white varieties. 5s.
MADEMOISELLE DEA-DIEUDONNÉ, white shaded with rose, fine trusses. 5s.
MAURICE BOUCHOR, large trusses of bluish flowers, of perfect shape. 3s. 6d.
MELCHIOR DE VOGUÉ, large trusses soft rose flowers, shaded lilac. 2s. 6d.
M. DE LEYBARDIE, rosy-violet, the upper petals marked with white. 1s.
M. FABRE, orange-cerise, shaded violet. 1s.
M. J. DELAUX, rosy-purple, shaded with carmine, upper petals marked with white. 1s.
M. JEAN LIABAUD, large trusses of purplish-violet flowers. 1s.
M. JOVIS, centre bright salmon, margins yellowish-white. 1s. 6d.
M. M. MATHIEU, magenta-cerise flower, centre orange. 1s. 6d.
MONTESQUIEU, large flowers of a rose-mauve colour, light centre. 1s. 6d.
PAUL ARENE, very dwarf and floriferous; well-formed milk-white flowers. 1s. 6d.
PETIT JEAN, enormous trusses of Solferino-coloured flowers, the upper petals fiery red. 1s.
PH. GEDULDIG, reddish-carmine, shaded in the centre with violet. 1s.
PIERRE LOTI, very large trusses of silvery rosy-lilac flowers; a new colour. 2s. 6d.
PRESIDENT CARNOT, bright vermilion, shaded cardinal. 1s. 6d.
PRESIDENT DUTAILLY, dark amaranth, bordered maroon. 1s.
PROUVE, very large trusses of bright cerise flowers, darkly blotched on the upper petals. 1s.
RAFFAELLO MERCATELLI, reddish-salmon, semi-double flowers. 1s.
REINE NATHALIE, large trusses of white flowers; plant of good habit. 2s. 6d.
RUBENS, rose madder, shaded orange, white reverse. 1s. 6d.
RUY BLAS, centre bright salmon, the rest of the flower peach-rose. 1s. 6d.
SACHER-MASOCH, immense trusses of dark rose-coloured flowers. 2s. 6d.
SAINT-SAËNS, large trusses of bright red flowers, margined with salmon. 1s. 6d.
SECRETAIRE NICOLAS, orange-madder; fine trusses. 1s.
SERGEANT BOBILLOT, beautiful rosy-purple flowers; fine trusses. 1s.

NEW AND CHOICE DOUBLE-FLOWERED ZONAL PELARGONIUMS —continued.

- SULLY-PRUDHOMME**, large trusses of bright carmine flowers. 2s. 6d.
TOLSTOI, clear rose carmine; good trusses. 5s.
TOURGUENIEFF, large soft rose flowers with salmon centre. 5s.
TUNISIE, erect trusses of double flowers, white shaded with salmon. 1s. 6d.
VIVIAND MOREL, amaranth, centre deep red. 1s.
WILHELM PFITZER, orange-salmon of a new shade, plant dwarf and very floriferous. 1s. 6d.
WILLIAM KELWAY, enormous trusses of fiery scarlet flowers. 1s. 6d.

Selections of other good varieties can be made from Mr. W. B.'s general collection
 at 9s., 12s. and 18s. per dozen

NEW AND CHOICE VARIEGATED, GOLD AND SILVER TRICOLOUR PELARGONIUMS.

Selections made by Mr. W. B. at 12s., 18s. and 30s. per dozen, according to sorts.

- DR. MASTERS**, a handsome variety, with rich gold and crimson coloration. 1s. 6d.
DOLLY VARDEN, a variety with finely-coloured foliage, having a dark zone splashed with bright carmine, and broad white margin. 1s.
EMPRESS OF INDIA, an attractive variety of compact growth; large round leaves with well-defined zone of dark chocolate and rosy carmine, and very pure white margin. 1s.
ENCHANTRESS, a free-growing variety; the leaves have a well-defined dark zone, belted with carmine scarlet, golden margin, and rich green disc. 1s.
GOLDEN QUEEN, a variety with nice smooth foliage; dark zone and clear yellow margin. 1s. 6d.
LADY DOROTHY NEVILLE, a pretty and attractive silver tricolor variety. 1s.
LASS-O'-GOWRIE, leaf margin white, with inner broad zone of brilliant carmine-rose. 1s.
MASTERPIECE, a showy variety; the leaves have a broad blackish zone ornamented with rich crimson-lake and golden margin. 1s.
MR. HENRY COX, leaf of good shape and substance, with extremely bright coloration; the zone being rich crimson, and the margin bright yellow. 1s. 6d.
MISS GORING, a very attractive variety, with richly flamed red zone, dark green disc, and golden leaf margin; very striking and effective. 1s.
MISS POND, a very effective variety, with bright crimson zone and broad white margin. 1s.
MRS. COL. WILKINSON, leaves flat, with narrow zone of bright carmine, and white edge. 1s.
MRS. H. LITTLE, an exceedingly beautiful, rich, and distinct variety; golden margin, with broad well-defined zone of rich flamed scarlet; vigorous and compact habit. 1s. 6d.
MRS. T. A. DICKSON, a richly-coloured silver tricolor variety. 1s. 6d.
PETER GRIEVE, a variety with rich gold-margined leaves, zoned with flamed scarlet. 1s.
SALAMANDER, a golden tricolor variety, of very free growth, with bright red zone. 1s.
WILLIAM SANDY, an excellent golden tricolor variety, with brightly coloured foliage. 1s.

NEW AND CHOICE BRONZE, GOLD, AND SHADED YELLOW PELARGONIUMS.

Selections made by Mr. W. B. at 12s. and 18s. per dozen, according to sorts.

SWEET-SCENTED LEAVED PELARGONIUMS

Selections made by Mr. W. B. at 18s. and 30s. per dozen, according to sorts.

TREE FERNS.

Of these majestic plants the stock is very large. They have stems varying in height from one foot to twelve feet, and having been imported from Australia and New Zealand, they are such as will succeed well in any ordinary greenhouse. Their fine graceful habit and singularly distinct appearance render them peculiarly adapted for the decoration of conservatories. They range in price according to sorts, sizes, and strength of the specimens. It may, however, be as well to remark that they are not merely newly imported trunks, but well-established plants, many of them having been grown in this country several years. The measurements of a few of the plants are given below :—

Prices on application, or an inspection invited.

DICKSONIA ANTARCTICA.		DICKSONIA ANTARCTICA.		CYATHEA BURKEI.	
No.	Height of Stem.	No.	Height of Stem.	No.	Height of Stem.
1	4 ft. 3 in.	17	6 ft. 6 in.	27	6 ft. 4 in.
2	3 ft. 4 in.	18	7 ft.	28	9 ft. 2 in.
3	2 ft. 9 in.	19	2 ft. 3 in.	29	9 ft. 2 in.
4	2 ft. 9 in.	20	1 ft. 11 in.	30	8 ft. 10 in.
5	3 ft. 11 in.	21	3 ft. 1 in.	31	8 ft.
6	4 ft. 6 in.	22	7 ft. 6 in.		
7	3 ft. 7 in.				
8	3 ft. 6 in.	CYATHEA DEALBATA.		CYATHEA DREGEL.	
9	7 ft.				
10	6 ft. 2 in.	No.	Height of Stem.	No.	Height of Stem.
11	6 ft. 4 in.				
12	10 ft. 6 in.				
13	13 ft.				
14	3 ft. 6 in.	23	5 ft. 0 in.	32	6 ft. 9 in.
15	10 ft. 6 in.	24	3 ft. 6 in.	33	6 ft. 9 in.
16	1 ft. 10 in.	25	2 ft. 10 in.	34	6 ft. 1 in.
		26	6 ft.	35	8 ft.
				36	7 ft.
				37	5 ft. 6 in.

CHOICE STOVE FERNS.

MR. WILLIAM BULL'S general collection of these elegant decorative plants is of considerable extent, and comprises kinds that are moderate in price, as well as many that are extremely rare and unique.

Selections for the Stove can be supplied at 24s., 30s. and 42s. per dozen.

ACTINOPTERIS RADIATA, 3s. 6d.

ADIANTOPTERIS RADIATA, 3s. 6d.

ADIANTUM AMABILE, 1s. 6d.

ANEITENSE, 3s. 6d.

ASSIMILE ORISTATUM, *vide* page 106.

BELLUM, 3s. 6d.

CARDIOCHLÆNA, 3s. 6d.

CAUDATUM, 2s. 6d.

CILIATUM, 3s. 6d.

COLLISII, 3s. 6d. and 5s.

CONCINNUM, 1s. 6d. and 2s. 6d.

— **LATUM**, 2s. 6d. and 3s. 6d.

CURVATUM, 3s. 6d.

DOLABRIFORME, 2s. 6d. and 3s. 6d.

FARLEYENSE, 2s. 6d., 3s. 6d. & 5s.

FERGUSONII, 2s. 6d.

FRAGRANTISSIMUM, 2s. 6d. and 3s. 6d.

FULVUM, 2s. 6d. and 3s. 6d.

GHIESBREGHTII (SCUTUM), 2s. 6d. and 3s. 6d.

— **ROSEUM**, 3s. 6d.

KAULFUSSI, 3s. 6d.

LATHOMII, 3s. 6d.

LEGRANDII, 2s. 6d. and 3s. 6d.

LUDDERMANNIANUM, 3s. 6d.

ADIANTUM MACROPHYLLUM, 3s. 6d.

MACROPHYLLUM BIPINNATUM, 5s.

PENTADACTYLON, 3s. 6d.

PERUVIANUM, 3s. 6d.

REGINÆ, 3s. 6d.

RHODOPHYLLUM, 3s. 6d. and 5s.

RHOMBOIDEUM, 3s. 6d.

RUBELLUM, 2s. 6d. and 3s. 6d.

SANCTÆ CATHERINÆ, 2s. 6d. and 3s. 6d.

SCUTUM, *vide* GHIESBREGHTII.

TENERUM, 2s. 6d.

TETRAPHYLLUM ACUMINATUM, 3s. 6d.

— **GRACILE**, 3s. 6d. and 5s.

TINCTUM, 3s. 6d.

TRAPEZIFORME, 3s. 6d.

VEITCHII, 3s. 6d.

VERSAILLENSE, 3s. 6d.

VICTORIE, 2s. 6d. and 3s. 6d.

WALTONII DIFFUSUM, 3s. 6d.

WEIGANDII, 2s. 6d. and 3s. 6d.

ALSOPHILA REBECCÆ, 3s. 6d. and 5s.

ANEMEDICTYON PHYLLOIDIS, 1s. 6d. and 2s. 6d.

ANEMIA COLLINA, 2s. 6d.

ANGIOPTERIS EVECTA.



GYMNOGRAMMA ELEGANTISSIMUM.

GYMNOGRAMMA ELEGANTISSIMUM.

A very elegant new Stove Fern, with beautifully arching finely cut fronds of a pleasing green colour and firm texture. The rachides are of a dark reddish brown colour, the pinnae being divided and subdivided into numberless minute emarginate segments, the whole plant presenting a most attractive appearance.

From its graceful habit of growth, and its long, elegantly recurving fronds, this variety is admirably adapted for cultivation in suspended baskets, as well as for other decorative and ornamental purposes. 7s. 6d. and 10s. 6d.

ANTIGRAMMA BRASILIENSIS, 7s. 6d. and 10s. 6d.

ASPIDIUM MACROPHYLLUM, 3s. 6d.

TRIFOLIATUM, 2s. 6d. and 3s. 6d.

ASPLENIUM ALATUM, 3s. 6d.

BAPTISTII, 5s.

BELANGERI, 2s. 6d.

BIFIDUM, 3s. 6d.

CICUTARIUM, 2s. 6d.

ERECTUM, 3s. 6d.

FERNANDEZIANUM, 2s. 6d.

FRAGRANS, 2s. 6d.

ASPLENIUM FENICULACEUM, 2s. 6d.

HOOKEIANUM, 3s. 6d.

INEQUALIFOLIUM, 2s. 6d.

LONGISSIMUM, 3s. 6d.

NIDUS, 2s. 6d.

NOBILIS, 2s. 6d.

PROLONGATUM, 3s. 6d. and 5s.

SHEPHERDII, 2s. 6d. and 3s. 6d.

VIVIPARUM, 3s. 6d.

BLECHNUM BRASILIENSE, 2s. 6d. & 3s. 6d.

POLYPODIODES, 2s. 6d. and 3s. 6d.

OCCIDENTALE, 2s. 6d.

CHEILANTHES CHLOROPHYLLA.

A free-growing cool Stove Fern, imported from Brazil. The fronds are ovate lanceolate tripinnatifid, the pinnæ distant lanceolate, the pinnules lanceolate, and the lobes entire linear oblong. The stipes are dark chestnut-brown and polished. 5s. and 7s. 6d.

CHEILANTHES ECKLINIANA, 3s. 6d. and 5s.

ELEGANS, 2s. 6d. and 3s. 6d.

HIRTA ELLISIANA, 2s. 6d. & 3s. 6d.

TOMENTOSA, 2s. 6d.

CIBOTIUM SCHIEDEI, 5s. and 7s. 6d.

CYATHEA (CIBOTIUM) PRINCEPS, *vide* page 107.

DAVALLIA BULLATA, 2s. 6d.

CHLOROPHYLLA, 3s. 6d.

CONCINNA, *vide* page 9.

EPIPHYLLA, *vide* page 9.

DECORA, 3s. 6d.

ELEGANS, 2s. 6d.

— POLYDACTYLA, 3s. 6d. and 5s.

— RUFA, 3s. 6d.

FENICULACEA, 3s. 6d.

FIIJENSIS, 3s. 6d. and 5s.

— MAJOR, 3s. 6d. and 5s.

— PLUMOSA, 3s. 6d. and 5s.

HIRSUTA, 3s. 6d. and 5s.

HEMIPTERA, 3s. 6d.

KUNZII, 3s. 6d. and 5s.

LAWSONIANA, 3s. 6d.

LUCIDA, *vide* page 10.

MOOREANA, 2s. 6d. and 3s. 6d.

NOVA ZEALANDIÆ, 2s. 6d.

ORNATA, 3s. 6d. and 5s.

PENTAPHYLLA, 3s. 6d.

POLYANTHA, 3s. 6d.

PYXIDATA, 3s. 6d.

SOLIDA, 3s. 6d.

TYERMANNI (HUMATA), 3s. 6d.

DIPLAZIUM ARNOTTII, 7s. 6d.

DORYOPTERIS GERANIFOLIA, 2s. 6d. and 3s. 6d.

HASTATA, 2s. 6d. and 3s. 6d.

PALMATA, 1s. 6d. & 2s. 6d.

DORYOPTERIS SAOGITTIFOLIA, 3s. 6d.

ELAPHOGLOSSUM OLABRATUM, 7s. 6d.

L'HERMINIERI, 7s. 6d., 10s. 6d. and 15s.

GLEICHENIAS, DICARPA, 3s. 6d. and 5s.

DICARPA LONGIPINNATA, *vide* illustration, page 104, 7s. 6d. and 10s. 6d.

DICHOTOMA, 7s. 6d.

FLABELLATA, 5s. and 7s. 6d.

MENDELII, 10s. 6d. and 15s.

MICROPHYLLA, 5s. and 7s. 6d.

RUPESTRIS GLAUDESCENS, 10s. 6d.

SEMIVESTITA, 5s. and 7s. 6d.

SPELUNCÆ, 7s. 6d.

GONIOPHLEBIUM APPENDICULATUM, 3s. 6d.

FRAXINIFOLIUM, 5s.

OLAU'COPHYLLUM, 3s. 6d. and 5s.

SUBAURICULATUM, 2s. 6d.

GYMNOGRAMMA ALSTONII, one of the best golden

Ferns, 3s. 6d. and 5s.

CHRYSOPHYLLUM, 3s. 6d.

DECOMPOSITUM, 3s. 6d.

ELEGANTISSIMUM, *vide* page 102.

LAUCHEANUM, 3s. 6d.

MERTENSII, 2s. 6d. and 3s. 6d.

PARSONII, 3s. 6d.

PERUVIANUM AROPHYPHYLLUM, 2s. 6d. & 3s. 6d.

SCHIZOPHYLLUM, 1s. 6d. and 2s. 6d.

— OLORIOSUM, 3s. 6d.

TARTAREUM, 2s. 6d.

TOMENTOSUM, 2s. 6d.

WETENHALLIANUM, 2s. 6d. and 3s. 6d.

GYMNOPTERIS QUERCIFOLIA, 3s. 6d.

GYMNOTHECA RADDIANA, 2 and 3 guineas

HEMIONITIS CORDATA, 2s. 6d.

PALMATA, 2s. 6d. and 3s. 6d.

LASTREA JENMANI.

This Fern has been introduced from Jamaica. The frond is about two feet long and nine or twelve inches wide, covered with dense minute pellucid dots; the pinnæ are numerous, the lower ones much reduced, the larger ones six inches long and an inch wide, cut down nearly to the rachis. 5s.

LASTREA QUINQUANGULARIS, 3s. 6d.

RICHARDII MULTIFIDA, 3s. 6d.

see also page 107.

LOMARIA GIBBA, 1s. 6d. and 2s. 6d.

LYGODIUM SCANDENS, 2s. 6d.

DICHOTOMUM, 5s.

MENISCIMUM RETICULATUM, 3s. 6d.

MICROLEPIA HIRTA CRISTATA, 3s. 6d.

NEPHRODIUM TRUNCATUM, 7s. 6d.

NEPHROLEPIS ACUTA, 3s. 6d.

BAUSEI, 3s. 6d.

CORDATA COMPACTA, 3s. 6d.

DAVALLIOIDES, 3s. 6d.

— FURCANS, 3s. 6d.


— MULTICEPS, new, 7s. 6d.

DUFFII, 2s. 6d. and 3s. 6d.

ENSIFOLIA, 3s. 6d.

EXALTATA, 1s. 6d. and 2s. 6d.

— PLUMOSA, 5s.

GLEICHENIA DICARPA LONGIPINNATA, *vide* page 103.

**PTERIS VICTORIÆ.**

This very remarkable and beautiful variegated Pteris has been imported from the Eastern Archipelago, and is undoubtedly one of the most striking and desirable Ferns of recent introduction. The plant is of graceful habit, throwing up a tuft of fertile pinnate fronds, each composed of a long linear end segment, and three or four distant pairs of sessile pinne, many of them being forked at the base. These segments are entire, about one-sixth of an inch broad, and beautifully variegated throughout, with close lanceolate white teeth, extending from the midrib nearly to the edge, forming a striking contrast to the dark green ground colour; the sterile fronds have broader and shorter segments. Extremely elegant in growth, this pretty New Fern cannot fail to become a great favourite. 2s. 6d., 3s. 6d. and 5s. A coloured illustration post free, price 1s.

NEPHROLEPIS PECTINATA, 3s. 6d.
 TUBEROSA, 1s. 6d. and 2s. 6d.
 RUFESCENS TRIPINNATIFIDA, 3s. 6d.
 PHILIPPINENSIS, 2s. 6d.
NOTHOCHLÆNA CHRYSOPHYLLA, 3s. 6d.
 NIVEA, 3s. 6d.
 SINUATA, 3s. 6d.
ONYCHIUM AURATUM, 3s. 6d.
PHLEBODIUM OLAUCUM, 3s. 6d. and 5s.
 SPORODOCARPUM, 3s. 6d.
PLATYCERIUM ORANDE
 STEMARIA, 15s.
PLATYLOMA FLEKUSUM, 3s. 6d.
PLEOPELTIS PICTA, 5s.
 PUSTULATA, 2s. 6d. and 3s. 6d.

POLYSTICHUM LENTUM, 5s.
 TRIANGULARE, 2s. 6d.
 — LAXUM, 2s. 6d. and 3s. 6d.
 VIVIPARUM, 3s. 6d. and 5s.
see also page 107.
POLYPODIUM PECTINATUM, 3s. 6d.
 VENOSUM, 3s. 6d.
PTERIS ASPERICAULIS, 3s. 6d.
 BAUSEI, 2s. 6d., 3s. 6d. and 5s.
 TREMULA VARIEGATA, *vide page 11.*
 TRICOLOR, 3s. 6d.
 of sorts, 2s. 6d. and 3s. 6d.
 VICTORIE, *vide page 105.*
see also page 107.
STENOCHLÆNA SCANDENS, 3s. 6d.

CHOICE GREENHOUSE FERNS.

Selections of good kinds can be supplied from Mr. W. B.'s general collection at
 24s., 30s. and 42s. per dozen.

ADIANTUM ASSIMILE CRISTATUM.

A very elegant and handsomely crested form of the well-known greenhouse Fern *A. assimile*. It is of light and graceful appearance, and strikingly different from the typical species, the fronds being much more elongate, and terminated with dense tassellate growths. 3s. 6d.

ADIANTUM CAPILLUS-VENERIS IMBRICATUM.

This splendid new Maiden-hair Fern is a decided acquisition, having the decorative appearance of *Adiantum Farleyense* with the hardness of *Adiantum Capillus-Veneris*, added to a grace quite its own. The fronds are rich in colour, delicate in form and arrangement, whilst the character and habit of the plant is refined and graceful. In recognition of its merit, it was awarded a First-class Certificate by the Royal Horticultural Society. 5s. and 7s. 6d.

ADIANTUM CAPILLUS-VENERIS, 1s. 6d.
 CAPILLUS-VENERIS GRANDE, 2s. 6d.
 — MAONIFICUM, 2s. 6d.
 — MARIESII, 2s. 6d. and 3s. 6d.
 — PACOTTI, 1s. 6d. and 2s. 6d.
 CUNEATUM, 1s. 6d. and 2s. 6d.
 — ELEGANS, 2s. 6d.
 — GRANDICEPS, 2s. 6d. and 3s. 6d.
 DECORUM, 2s. 6d. and 3s. 6d.
 FORMOSUM, 1s. 6d.
 OLAUCOPHYLLUM, 2s. 6d.
 GRACILLIMUM, 2s. 6d. and 3s. 6d.
 HISPIDULUM, 1s. 6d.
 MUNDULUM, 2s. 6d. and 3s. 6d.
 PUBESCENS, 2s. 6d.
 SETULOSUM, 2s. 6d.

ADIANTUM WILLIAMSII, 2s. 6d. and 3s. 6d.
see also page 101.
ALSOPHILA AUSTRALIS, 2s. 6d. and 3s. 6d.
ASPLENIUM BULBIFERUM, 1s. 6d. and 2s. 6d.
 COLENSOI, 2s. 6d.
 DIMORPHUM (*biforme*), 1s. 6d. and 2s. 6d.
 DIVARICATUM, 2s. 6d. and 3s. 6d.
 FLACCIDUM, 2s. 6d.
 FALCATUM, 7s. 6d.
 HEMIIONITIS, 3s. 6d.
 LAXUM PUMILUM, 2s. 6d. and 3s. 6d.
 LUCIDUM, 2s. 6d. and 3s. 6d.
 NEO-CALEDONICUM, 5s.
CHEILANTHES, *vide page 103.*
CIBOTIUM REOALE, 2s. 6d., 3s. 6d. and 5s.
 SCHIEDEI, *vide page 103.*

CYATHEA DEALBATA.

The Silver Fern of New Zealand, 3s. 6d., 5s. and 7s. 6d. For large plants, *vide page 101.*

CYATHEA DREGEL.

A very fine South African greenhouse Fern, with bipinnate fronds of stoutish texture, and having the pinnules lanceolate, with oblong-ovate falcate segments, bluntish at the point, and the sori in the lower half immersed in rufous wool. 3s. 6d. and 5s. For large plants, *vide page 101.*

CYATHEA SPINULOSA.

A fine Tree Fern, found throughout India and in Japan. The stipes are dark brown, strongly aculeated, the rachis being mucicated. The fronds are large, glabrous, and bipinnate, the lobes of the pinnules oblong acute and serrulate. An ornamental and desirable species. 10s. 6d.

CYATHEA MEDULLARIS, 2s. 6d. and 3s. 6d.

(CIBOTIUM) PRINCEPS, 3s. 6d. and 5s.

CYRTOMIUM CARYOTIDEUM, 2s. 6d. and 3s. 6d.

FALCATUM, 2s. 6d.

— FENSOMII, this handsome new Fern is a great improvement on the old variety.

Awarded First-class Certificate. 3s. 6d.

FORTUNEI, 2s. 6d.

DAVALLIA CANARIENSIS, 2s. 6d.

DISSECTA, 2s. 6d. and 3s. 6d.

GRIFFITHIANA, 3s. 6d.

MARIESII, 2s. 6d. and 3s. 6d.

— CRISTATA, 3s. 6d. and 5s.

DAVALLIA TENUIFOLIA, 2s. 6d.

TENUIFOLIA STRICTA, 2s. 6d.

of sorts, 3s. 6d. and 5s.

DICKSONIA ANTARCTICA, 1s. 6d., 2s. 6d. and 3s. 6d.

For large plants, *vide* page 101.

SQUARROSA, 3s. 6d., 5s. and 7s. 6d.

DICTYOGRAMMA JAPONICUM VARIEGATUM, 2s. 6d.

DIDYMOCHLENA TRUNCATULA, 3s. 6d.

DIPLAZIUM, *vide* page 103.

DORYOPTERIS PALMATA, *vide* page 103.

DOODIA ASPERA, 2s. 6d.

CAUDATA, 2s. 6d.

DOODIA ASPERA MULTIFIDA.

A handsome crested Fern, of neat dwarf evergreen habit, with prettily arched fronds rendered drooping by the dense tassel at the apex; the young fronds are prettily tinted with pink. This was one of the twelve New Plants with which Mr. W. B. gained the First Prize at the Provincial Show of the Royal Horticultural Society, held at Preston. 3s. 6d.

HYMENOPHYLLUM MULTIFIDUM, 21s.

HYMENOPHYLLUM DEMISSUM, 5s. and 7s. 6d.

LASTREA CORUSCA.

An interesting greenhouse fern, introduced from Japan, with dark shining green bipinnate fronds, acutely triangular in outline, having the lower pinnae deflexed, and the points of all the pinnae gracefully recurved. The pinnules are narrow, elliptical or oblong, rounded at the tips and with serrated edges, the underside assuming with age a silvery-grey appearance. 5s.

LASTREA ARISTATA VARIEGATA, 1s. 6d. and 2s. 6d.

ATREATA, 2s. 6d.

ERYTHROSORA, 2s. 6d.

GLABELLA, 2s. 6d. and 3s. 6d.

LEPIDA, 2s. 6d. and 3s. 6d.

MEMBRANIFOLIA, 2s. 6d. and 3s. 6d.

PATENS, 2s. 6d.

PROLIFICA, 2s. 6d., 3s. 6d. and 5s.

SIEBOLDII, 2s. 6d.

LEUCOSTEGIA IMMERSA, 2s. 6d.

LOMARIA CYCADEFOLIA, 2s. 6d., 3s. 6d. & 5s.

GIBBA, *vide* page 103.

DALGAIRNSII, 1½ and 2 guineas.

DISCOLOR BIPINNATIFIDA.

PATTERSONII, 1s. 6d., 2s. 6d. and 3s. 6d.

ZAMIEFOLIA, 2s. 6d. and 3s. 6d.

NEPHRODIUM MOLLE CORYMBIFERUM, 2s. 6d.

MOLLE CRISTATUM, 3s. 6d.

— RAMOSUM, 3s. 6d.

NIPHOLOLUS HETERACHTIS, 3s. 6d. and 5s.

LINGUA CORYMBIFERA, 3s. 6d. and 5s.

ONYCHIUM JAPONICUM, 1s. 6d.

OSMUNDA JAPONICA CORYMBIFERA, 2s. 6d. & 3s. 6d.

PALUSTRIS, 2s. 6d. and 3s. 6d.

PELLÆA TERNIFOLIA, 3s. 6d. and 5s.

PHLEBODIUM AUREUM, 2s. 6d.

PLATYCERIUM ALCICORNE, 3s. 6d.

ALCICORNE MAJUS, 7s. 6d.

FALCATUM, 3s. 6d.

POLYPODIUM TRICHODES (LASTREA TENERICAULIS), 3s. 6d., 5s. and 7s. 6d.

POLYSTICHUM CAPENSE, 1s. 6d. and 2s. 6d.

POLYBLEPHARUM, 2s. 6d., 3s. 6d. and 5s.

SETOSUM, 2s. 6d. and 3s. 6d.

VENUSTUM, 5s.

PTERIS ADIANTIFOLIA, 1s. 6d. and 2s. 6d.

ARGUTA, 2s. 6d.

ARGYREIA, 1s. 6d. and 2s. 6d.

CRETICA ALBO-LINEATA, 1s. 6d.

— CRISTATA, 2s. 6d. and 3s. 6d.

— MAYII, 2s. 6d. and 3s. 6d.

— NOBILIS, 2s. 6d. and 3s. 6d.

HASTATA, 1s. 6d. and 2s. 6d.

INTERNATA, 2s. 6d.

LEPTOPHYLLA, 2s. 6d. and 3s. 6d.

LONCIFOLIA, 1s. 6d. and 2s. 6d.

NEMORALIS VARIEGATA, 2s. 6d.

OUVRARDII, 1s. 6d.

REX, 3s. 6d. and 5s.

SERRULATA, 1s.

— CRISTATA, 1s. 6d.

— COMPACTA, 2s. 6d. and 3s. 6d.

— DENSE, 2s. 6d. and 3s. 6d.

— MAJOR, Chiswick variety, 5s.

— VARIEGATA, 2s. 6d. and 3s. 6d.

— GRACILIS, new, 5s.

STRAMINEA, 3s. 6d.

TREMULA, 1s. 6d. and 2s. 6d.

— ELEGANS, 3s. 6d.

— FLACCIDA, 3s. 6d.

— FOLIOSA, 2s. 6d.

— VARIEGATA, *vide* page 11.

PTERIS TREMULA GRANDICEPS.

This handsome greenhouse Fern, which is well adapted to become a very useful one for decorative purposes, is a hybrid between *Pteris tremula* and *P. serrulata cristata*. The plant forms a dense tuft of evergreen fronds of an elegant semi-dependent character, an appearance which is chiefly induced by the graceful manner in which the ends of the pinnules are crested and tasselled. 7s. 6d.

PTERIS TREMULA SMITHIANA, 3s. 6d. and 5s.

STRUTHIOPTERIS GERMANICA, 2s. 6d.

TODEA AFRICANA, 2s. 6d. and 3s. 6d.

TODEA (LEPTOPTERIS) HYMENOPHYLLOIDES.

This pretty New Zealand Filmy Fern, commonly called *Todea pellucida*, can be supplied in nice plants at 2s. 6d., 3s. 6d. and 5s.

**TODEA (LEPTOPTERIS) SUPERBA.**

Any attempt at description must fall far short of conveying an adequate notion of the exquisite beauty of this lovely Fern, which should be seen to be justly appreciated. The fronds, which are fifteen to eighteen inches in length, are of a bright green, spreading, beautifully arching and feathered down to the very base; the pinnae are crowded and cut into narrow segments, which are turned upwards, giving the fronds a frilled surface, and producing an effect distinct from that of any Fern in cultivation. This is probably the most beautiful of all the dwarf-growing New Zealand Ferns. 2s. 6d. and 3s. 6d. Fine strong plants, 10s. 6d., 15s. and 21s.

TRICHOMANES RADICANS.**(THE KILLARNEY OR IRISH BRISTLE FERN).**

This is a British species, but it must, as far as culture is concerned, be included among the greenhouse kinds, as it is almost impossible to succeed with it if treated as an ordinary hardy Fern. 5s., 7s. 6d. and 10s. 6d.

WOODWARDIA ORIENTALIS, 2s. 6d. and 3s. 6d.

| **WOODWARDIA RADICANS**, 2s. 6d. and 3s. 6d.

CHOICE HARDY FERNS.

Selections of good kinds can be supplied at 18s., 30s. and 42s. per dozen.

SELAGINELLAS (LYCOPODIUMS.)

G, greenhouse; H, hardy; S, stove.

	s. d.		s. d.
<i>S AFRICANA</i>	2 6	<i>G KRAUSSIANA VARIEGATA</i>	1 6
<i>S ALBO-SPICA</i>	3 6	<i>S LÆVIGATA</i> (OÆSIA ARBOREA)	3 6
<i>S AMENA</i>	2s. 6d. & 3 6	<i>S LOBBII</i>	2 6
<i>S APUS</i> (APODA)	1 6	<i>S LYALLII</i>	2 6
<i>S ATROVIRIDIS</i>	2 6	<i>S MARTENSII</i>	1 6
<i>S CANALICULATA</i>	5 0	<i>S — ALBO-VARIEGATA</i>	1 6
<i>S CAULESCENS</i>	2 6	<i>S POULTERI</i>	2 6
<i>S COGNATA</i>	3 6	<i>S RUBRICAULIS</i>	2 6
<i>S CUSPIDATA</i>	2 6	<i>S SERPENS</i> (MUTABILIS and VARIABILIS) ..	1 6
<i>S EMILIANA</i>	3 6	<i>S SETOSA</i>	2 6
<i>S FILICINA</i> (DICHECUS)	2 6	<i>S STOLONIFERA</i>	1 6
<i>S FLAGELLIFERA</i>	3 6	<i>S TASSELLATA</i>	5 0
<i>S GALEOTTII</i> (SCHOTTII)	2 6	<i>S UNCINATA</i> (OÆSIA)	1 6
<i>S GRANDIS</i>	3s. 6d. & 5 0	<i>S USTA</i> , vide page 11.	
<i>S INEQUALIFOLIA</i>	1s. 6d. & 2 6	<i>S VOGELLII VARIEGATA</i>	5 0
<i>G INVOLVENS</i>	2s. 6d. & 3 6	<i>S VICTORIÆ</i>	3 6
<i>G KRAUSSIANA</i> (DENTICULATA)	0 9	<i>S WALLICHII</i>	3 6
<i>G — AUREA</i>	1s. 6d. & 2 6	<i>G WILDENOVII</i> (PUBESCOENS)	2 6

Selection of good kinds can be supplied at 18s. per dozen.

PALMS, CYCLANTHS & CYCADS,

Including **ENCEPHALARTOS**, **MACROZAMIA**, &c.

The Palms constitute the most noble family in the vegetable kingdom, and afford sufficient diversity of aspect to allow of selections being made from them for the greenhouse, stove, or conservatory, to either of which Palms impart a richer tropical character than any other plants. Some of the miniature dwarf-growing kinds are, from their light and graceful forms, admirably adapted for table decoration, for vases, and for almost every purpose in which ornamentation is desired. The more hardy and larger kinds can be used for sub-tropical gardening, to which they impart a most luxuriant grandeur, evidence of which has been given in Battersea Park, and in other places where Palms have been thus used.

Selections of Stove Palms, 6, 9 and 12 guineas per dozen.

Selections for the Greenhouse, at 6, 9 and 12 guineas per dozen.

Larger specimens, from 2, 3, 4 and 5 to 10 guineas each.

*Those marked with an asterisk * are kinds that will succeed in a greenhouse.*

- ACANTHOPHŒNIX CRINITA** (ARECA CRINITA), fine plants..... 1 and 1½ guineas.
- ACANTHORRHIZA ACULEATA** (CHAMÆROPS STAURACANTHA) 10s. 6d. and 15s.
- ***ARCHONTOPHŒNIX ALEXANDRE** (PTYCHOSPERMA ALEXANDRE) 2s. 6d., 3s. 6d. and 5s.
- * **CUNNINGHAMIANA** (SEAFORTHIA ELEGANS, PTYCHOSPERMA CUNNINGHAMIANA) a most useful conservatory or cool greenhouse plant, possessing a highly decorative character; scarcely anything can equal the effect of a large plant of this noble Palm.
In all sizes..... 2s. 6d., 3s. 6d., 5s. and 7s. 6d.
to 1, 1½ and 2 guineas.
- ARECA ALBA**, *vide* DICTYOSPERMA ALBUM.
- AUREA**, *vide* DICTYOSPERMA AUREUM.
- * **BAUERI** *vide* RHOPALOSTYLIS BAUERI.
- CRINITA**, *vide* ACANTHOPHŒNIX CRINITA.
- LUTESCENS**, *vide* CHRYSALIDOCARPUS LUTEOENS
- MADAGASCARIENSIS** 2s. 6d., 3s. 6d. and 5s.
- SAPIDA**, *vide* RHOPALOSTYLIS SAPIDA
- TRIANDRA** 10s. 6d. and 15s.
- VERSCHAFFELTII**, *vide* HYOPHORBE VERSCHAFFELTII
- ***ARENCA WIGHTII** 1 guinea
- ASTROCARYUM MALYBO** (A. ARGENTEUM)..... 1½ and 2 guineas
- BOWENIA** **SPECTABILIS** **SERRULATA**, a distinct and remarkable Australian Plant, Bowenia being the only known Cycad with bipinnate fronds. It has a short thick caudex, from which are developed its large and handsome leaves, which differ from the typical and only other known Bowenia in having the margins distinctly toothed or serrated 5s. and 7s. 6d.
- CALAMUS AUSTRALIS** 7s. 6d. and 10s. 6d.
- MICRANTHUS** 10s. 6d., 15s. and 21s.
- (**DÆMONOROPS**) **PALEMBAHIENSIS** 10s. 6d., 15s. and 21s.
- (**—**) **PERIAACANTHUS** 10s. 6d.
- ROXBURGHII** 10s. 6d.
- CALYPTROGYNE SWARTZII** "Mountain Thatch Palm" (**CALYPTRONOMA SWARTZII**)
7s. 6d., 10s. 6d. to 21s.
- CALYPTRONOMA SWARTZII**, *vide* CALYPTROGYNE SWARTZII
- CARLUDOVICA DRUDEI** 10s. 6d. and 15s.
- PALMATA** 10s. 6d. and 15s.
- PLUMIERI** 10s. 6d.
- WALLISII** 7s. 6d. and 10s. 6d.
- CARYOTA URENS** "Wine Palm" 10s. 6d., 15s. and 21s.
- CATAKIDOZAMIA HOPEI** 10s. 6d., 15s. and 21s.
- DENISONI**, *vide* LEPIDOZAMIA

CERATOPHYLLUM FUSCO-VIRIDIS, a noble species, introduced from Mexico, and belonging to the Cycads. The leaves are broadly pinnate, and of arching habit, the pinnae deep green, sessile, lanceolate, and tapering to a longish point. The young leaves are of a rich bronzy-chocolate colour, gradually changing to olive-green, and ultimately developing into deep green. 3 and 4 guineas.

CEROXYLON NIVEUM, *vide* **DIPTHEMIUM CAUDESCENS**

CHAMEDOREA ELEGANTISSIMA 7s. 6d. and 10s. 6d.

GRAMINIFOLIA 10s. 6d. and 15s.

* **POLITA** 10s. 6d.



COCOS WEDDELLIANA.

* **CHAMEROPS EXCELSA**, *vide* **TRACHYCARPUS EXCELSUS**

* **FORTUNEI**, *vide* **TRACHYCARPUS FORTUNEI**

* **HUMILIS**, this useful decorative Palm can be supplied in all sizes, from 5s., 7s. 6d., 10s. 6d., 15s. and 21s. to 2, 3 and 4 guineas each.

* — **ORACILIS** 15s. and 21s.

* — **ROBUSTA** 15s. and 21s.

* — **TOMENTOSA** 15s. and 21s.

STAUROCANTHA, *vide* **ACANTHOPHYZA ACULEATA**

CHRYSALEDOCARPUS LUTESCENS (**ARECA LUTESCENS**,

HYOPHORBE INDICA, **H. COMMERSONIANA**), in all sizes 1s. 6d., 2s. 6d., 3s. 6d. and 5s. to 21s.

* **COCOS AUSTRALIS** (**DIPTHEMIUM CAMPESTRE**), 3s. 6d. & 5s.

* **FLEXUOSA** 3s. 6d. and 5s.

INSIONIS (**GLAZIOVA INSIONIS**), 7s. 6d. and 10s. 6d.

PLUMOSA 2s. 6d., 3s. 6d. and 5s.

PROCOPEANA 5s. and 7s. 6d.

* **COCOS WEDDELLIANA** (**GLAZIOVA ELEGANTISSIMA**, **LEOPOLDINA PULCHRA**), perhaps the most elegant of all the smaller Palms, of which so many charming species are now to be found in cultivation. Its slender erect stem is not of rapid growth, but is freely furnished with its gracefully arching leaves, made up of innumerable long narrow pinnae or segmets, of a rich green colour. In all sizes, 1s. 6d., 2s. 6d., 3s. 6d., 5s. to 21s.

* **CORYPHA AUSTRALIS**, *vide* **LIVISTONA AUSTRALIS**

CYCAS ARMSTRONGII 1½ and 2 guineas.

CIRCINALIS

MEDIA, a noble Cycad. Trunks in various sizes. Prices on application.

* **REVOLUTA**, in all sizes, 7s. 6d., 10s. 6d., 15s. and 21s.; fine specimens, 3, 4 and 5 guineas each.

RUMPHII

SIAMENSIS

CYCLANTHUS DISCOLOR 1 guinea

CYPHOKENTIA ORACILIS, *vide* **KENTIOPSIS OLIVEFORMIS**

DEMONOROPS, *vide* **CALAMUS**

DICTYOSPERMA ALBUM (**ARECA ALBA**) 3s. 6d. and 5s.

AUREUM (**ARECA AUREA**) a fine and graceful Palm, with yellowish stems 10s. 6d. and 15s.

DIOON EDULE 1½, 2 and 3 guineas.

DIPTHEMIUM CAMPESTRE, *vide* **COCOS AUSTRALIS**

CAUDESCENS (**CEROXYLON NIVEUM**) 5s. and 7s. 6d.

* **ENCEPHALARTOS CAFFRA**

* **HILDEBRANDII**, this fine Cycadaceous plant has been introduced from Eastern Africa.

* **HOREIDUS**

* — **MULTIFLEXUS**

* (**ZAMIA**) **LEHMANNI**

* — **GLAUCUS**

* — **SPINOSUS**

* — **REGALIS**. This handsome species forms a most desirable ornamental plant for the decoration of conservatories, imparting a grandeur that few other plants are capable of producing. Price on application.

* — **VILLOSUS**

* — **AMPLIATUS**

* — **DENTICULATUS**

* — **ORACILIS**

* — **VROOMII** 1 and 5 guineas.

EUTERPE EDULIS "ASSAI PALM" (**OREODOXA SANCANA**) 1s. 6d., 2s. 6d., 3s. 6d. and 5s.

GEONOMA ACAULIS, *vide* page 10.

ORACILIS 1s. 6d., 2s. 6d., 3s. 6d. to 10s. 6d.

INTERMEDIA 2s. 6d., 3s. 6d. and 5s.

SCHOTTIANA 3s. 6d. and 5s.

- GLAZIOVA** ELEOANTISSIMA, *vide* Cocos WEDDELLIANA
 INSIONIS, *vide* Cocos INSIONIS
GRISEBACHIA BELMOREANA, *vide* HOWEA BELMOREANA
 FORSTERIANA, *vide* HOWEA FORSTERIANA
 ***HEDYSCEPE** CANTERBURYANA "Umbrella Palm"
 (KENTIA CANTERBURYANA), 3s. 6d., 5s. and 7s. 6d.
 ***HOWEA** BELMOREANA, "Curley Palm," (KENTIA
 BELMOREANA, GRISEBACHIA BELMOREANA), in
 all sizes, 2s. 6d., 3s. 6d., 5s. to 21s.
 * FORSTERIANA, "Flat or Thatch-Lcaf Palm,"
 (KENTIA FORSTERIANA, GRISEBACHIA FOR-
 STERIANA), 2s. 6d., 3s. 6d. and 5s.
HYDRIASTELE WENDLANDIANA (KENTIA WEND-
 LANDIANA)
HYOPHORBE COMMERSONIANA, *vide* CHRYSALIDOCARPUS
 LUTESCENS
 INDICA, *vide* CHRYSALIDOCARPUS LUTESCENS
 (ARECA) VERSCHAFFELTII, 10s. 6d., 15s. and 21s.
 ***KENTIA** AUSTRALIS
 * BELMOREANA, *vide* HOWEA BELMOREANA
 * CANTERBURYANA, *vide* HEDYSCEPE CANTERBURYANA
 ELEOANTISSIMA
 * FORSTERIANA, *vide* HOWEA FORSTERIANA
 ORACILIS, *vide* KENTOPSIS OLIVÆFORMIS
 MACARTHURII, *vide* PTYCHOSPERMA MACARTHURII
 * RUPICOLA, a graceful Palm destitute of spines, with
 arching pinnate leaves and narrow sharply pointed
 pinne. The young fronds have a lustrous pinkish
 bronze colour, which adds greatly to the
 beauty of the plant.
 SAPIDA, *vide* RHOPALOSTYLIS SAPIDA
 WENDLANDIANA, *vide* HYDRIASTELE WEND-
 LANDIANA
 ***KENTOPSIS** OLIVÆFORMIS (KENTIA GRACILIS,
 CYPHOKENTIA ORACILIS)
 ***LATANIA** BORBONICA, *vide* LIVISTONA CHINENSIS
 * COMMERSONI (L. RUBRA). 1 & 1½ guinea.
LEOPOLDINA PULCHRA, *vide* Cocos WEDDELLIANA
LEPIDOZAMIA PEROFFSKYANA (MACROZAMIA
 DENISONI)
LIVISTONA ALTISSIMA. 10s. 6d. 15s. & 21s.
 * AUSTRALIS (CORYPIA AUSTRALIS). 1s. 6d.,
 2s. 6d., 3s. 6d. to 10s. 6d.
 * CHINENSIS (LATANIA BORBONICA, L. SINENSIS,
 L. MAURITIANA) in all sizes, from 2s. 6d.,
 3s. 6d., 5s., 7s. 6d., 10s. 6d., 15s. and
 21s., to 2, 3, 4 and 5 guineas each.
 HOOGEENDORFFII, a fine Stovo Palm, of
 spreading habit; the leaves, which are
 nearly three feet broad, are palmately
 divided, the segments being broad,
 giving the leaves a bold and distinctive
 character. 5s., 7s. 6d. and 10s. 6d.
 INERMIS, an elegant and ornamental species
 introduced from Queensland. It early
 develops characterized leaves, which are
 fan-shaped in outline and divided almost
 to the petiole into linear lanceolate
 segments, each about half-an-inch in
 breadth. 10s. 6d., 15s. & 21s.
 * MAURITIANA, *vide* L. CHINENSIS
 ROTUNDIFOLIA (SUBLOBOSA) 3s. 6d. & 5s.
 * SINENSIS, *vide* L. CHINENSIS
 ***MACROZAMIA** OYLINDRICA
 * DENISONI, *vide* LEPIDOZAMIA PEROFFSKYANA
 * PLUMOSA 2, 3 and 4 guineas.
MAXIMILIANA REGIA 7s. 6d. and 10s. 6d.
ONCOSPERMA FASCICULATUM, *vide* page 11.
OREODOXA SANCONA, *vide* EUTERPE EDULIS
PHŒNICOPHORUM SECHELLARUM, *vide* STEVENSONIA GRANDIFOLIA
 ***PHŒNIX** COMPACTA, a dwarf-growing hybrid, the result of a cross between *P. æquinoctialis*
 and *P. leonensis*; its dense compact habit of growth will render it extremely useful for
 decorative purposes 5s., 7s. 6d. and 10s. 6d.



GEONOMA GRACILIS.



HOWEA (KENTIA) BELMOREANA.



RHOPALBLASTE HEXANDRA.

For description, *vide* page 113.

- ***PHENIX DACTYLIFERA** (THE DATE PALM) 10s. 6d., 15s. and 21s.
 HYBRIDA, this elegant Palm is a hybrid between *P. dactylifera* and *P. farinifera*. It has a short stout stem, somewhat similar to *P. dactylifera*, but with the more slender and less rigid fronds of *P. farinifera*. The fruits are not much larger than the last named, and are of a glaucous red colour when mature 1 and 1½ guineas.
- INTERMEDIA, an interesting hybrid between *P. sylvestris* and *P. æquinoctialis*. It is of dwarf compact habit, and will be found a useful and effective Palm for the decoration of the greenhouse and conservatory
 5s., 7s. 6d. and 10s. 6d.
- * **RECLINATA** 3s. 6d., 5s., 7s. 6d. & 10s. 6d.
- * **RUPICOLA**, this is one of the most exquisitely graceful among the smaller Palms, and in elegance takes a similar place among Phœnices to that of *Cocos Weddelliana* among Cocoses. It is of acaulescent habit, with wide-spreading arching pinnate leaves, broadly lance-shaped in outline, with long narrow pinnæ, the lower of which become gradually reduced to spines. It comes from India, and is a most valuable acquisition. 3s. 6d.
 fine plants, 21s., 31s. 6d. and 42s.
- * **SYLVESTRIIS**, a Sugar-yielding Palm
 1s. 6d., 2s. 6d., 3s. 6d. & 5s.
- PINANGA KUHLEI** 7s. 6d. and 10s. 6d.
- LEPIDA** 21s.
- MACULATA** 10s. 6d. to 21s.
- SPECTABILIS** 21s.
- PRITCHARDIA AUREA** 1½, 2 and 3 guineas
- PACIFICA** 1 and 1½ guinea
- * **PTYCHOSPERMA ALEXANDRE**, vide **ARCHONTOPHENIX ALEXANDRE**
- * **CUNNINGHAMIANA**, vide **ARCHONTOPHENIX CUNNINGHAMIANA**
- * **MACARTHURII** (KENTIA MACARTHURII) 3s. 6d., 5s. and 7s. 6d.
- * **RHAPIS FLABELLIFORMIS** 5s., 7s. 6d. to 21s.
- HUMILIS** 21s. and 31s. 6d.
- RHOPALOBASTE HEXANDRA**, a very handsome and remarkably graceful palm, with dark olive-green pinnate leaves, broadly ovate in outline, composed of numerous narrow elongated segments, in which the midrib is most prominent on the upper surface. The leaf stalks, which are broad and sheathing at the base, are sparsely covered with a ferruginous rufescence. Being a spineless palm, of good habit and exceedingly elegant appearance, it is admirably adapted for table and other decorative purposes. *vide* illustration page 101. Price on application.
- * **RHOPALOSTYLIS BAUERI** (ARECA BAUERI, SEAFORTHIA ROBUSTA) 5s., 7s. 6d. and 10s. 6d.
- SAPIDA**, "NIKAU PALM" (ARECA SAPIDA, KENTIA SAPIDA) 3s. 6d., 5s. and 7s. 6d.
- SABAL ADANSONI** "DWARF PALMETTO" 3s. 6d. and 5s.
- GLAUDESCENS** 7s. 6d. and 10s. 6d.
- UMBRACULIFERA** (BLACKBURNIANA), noble and very distinct 3s. 6d. and 5s.
- * **SEAFORTHIA ELEGANS**, vide **ARCHONTOPHENIX CUNNINGHAMIANA**
- * **ROBUSTA**, vide **RHOPALOSTYLIS BAUERI**
- * **STANGERIA PARADOXA** 10s. 6d.
- STEVENSONIA GRANDIFOLIA** (PHENICOPHORUM SEHELLARUM) 1, 1½, 2 to 5 guineas.
- THRINAX CHUCO** 5s. and 7s. 6d.
- ELEGANS**, very handsome for exhibition purposes 5s., 7s. 6d. and 10s. 6d.
- ELEGANTISSIMA**, an exceedingly elegant and graceful Palm 15s. and 21s.
- * **PARVIFLORA** 3s. 6d., 5s. and 7s. 6d.
- * **TRACHYCARPUS EXCELSUS** (CHAMEROPS EXCELSA), in all sizes, from 3s. 6d., 5s., 7s. 6d., 10s. 6d. and 15s. to 2, 3, 4 and 5 guineas each.
- FORTUNEI** (CHAMEROPS FORTUNEI), in all sizes, from 3s. 6d., 5s., 7s. 6d., 10s. 6d. and 15s. to 2, 3, 4 and 5 guineas each.
- WALLICHIA DENSIFLORA** 21s. and 31s. 6d.
- NANA** 1½ and 2 guineas
- * **ZAMIA BREVIFRONS** 2 and 3 guineas
- * **FURFURACEA** 2 and 3 guineas
- * **INTEGRIFOLIA** 2 and 3 guineas
- * **LEHMANNI**, vide **ENCEPHALARTOS LEHMANNI**
- LINDENI** 1½ guinea
- PRASINA** 1½ guinea
- * **ROEZLII** 1½ guinea
- SKINNERI** 1½ guinea
- * **VILLOSA**, vide **ENCEPHALARTOS VILLOSA**
- * **VROOMII**, vide **ENCEPHALARTOS VROOMII**



PHENIX RUPICOLA.



NEW AND CHOICE CALADIUMS.

Mr. WILLIAM BULL'S Selection of Twelve Varieties, 24s., 30s. and 42s.

New and Choice Varieties, 5s., 7s. 6d., 10s. 6d., 15s., 21s. and 31s. 6d. each.

ADOLPHE ADAMS, green, densely speckled with white; rose-coloured mid-ribs. 2s. 6d. and 3s. 6d.

AGRIPPINE DIMITRY, white ground, green margin and veins, pink centre. 3s. 6d.

AIDA, transparent ruddy rose tissue with green ribs. 5s.

ALCIBIADE, crimson-rayed centre, surrounded with pale green and blotched with pure white; green margin. 3s. 6d.

ALFRED BLEU, green, with white spots and flesh-coloured centre. 2s. 6d.

ALFRED MAME, carmine-red, bordered with white and spotted with rose. 7s. 6d.

ALICE VAN GEERT, creamy-white, veined rose. 5s.

ALPHAND, green, spotted red; crimson centre. 2s. 6d. & 3s. 6d.

ALPHONSE KARR, carmine centre and red spots. 3s. 6d.

ALZIRE, 7s. 6d.

AMENUM, transparent rose, with red ribs, violet-rose veins green margin. 3s. 6d.

ANDROMAQUE, 10s. 6d.

ANNA DE CONDEIXA, rose centre, with clear green margin, and white, yellow and dark green zone. 3s. 6d.

ANNIBAL, 3s. 6d.

ARETHUSE, 3s. 6d.

ARGYRITES, pale green with white spots. 1s. 6d. & 2s. 6d.

ARISTIDE, light green; crimson centre. 3s. 6d.

ARSINOË, 3s. 6d. and 5s.

ARTEMISE, silvery-white with rosy-crimson ribs. 3s. 6d.

ASSUNGUY, transparent leaves, with black green veins, entire leaf suffused with deep rose-pink. 10s. 6d.

AUGUSTE CARPENTIER, carmine-red centre, surrounded with reddish-maroon and margined golden-green. 5s.

AUGUSTE LEMOINIER, soft green centre and rosy-crimson rib and veins. 3s. 6d.

AUGUSTE RIVIÈRE, white centre and rays, and crimson spots. 3s. 6d.

AURORE BOREALE, dark red, spotted with bronzy-green, reddish carmine ribs. 7s. 6d.

AZULAO, centre transparent, light violet with bluish tint, bright green border. 10s. 6d.

BACURY, large leaf, greenish yellow ground, centre rosy-red; ribs and veins bright rosy-crimson. 10s. 6d.

BARAO DE MAMORE, white ground reticulated with green; centre and ribs marked with dark brown red; narrow green border. 10s. 6d.

BARAQUINII, crimson centre, dark green margin. 2s. 6d. and 3s. 6d.

BARAQUINII SUPERBUM, 3s. 6d. & 5s.

BARILLET, green, bright rosy crimson centre and ribs. 3s. 6d. and 5s.

BARONEZA DE OLIVEIRA CASTRO, 10s. 6d.

BARON DE ROTHSCHILD, mottled green, with red centre and spots. 3s. 6d.

- BARON ADOLPHE de ROTHSCCHILD**, reddish crimson with lighter centre, ornamented with large bright rose spots. 42s.
- BARONNE CLARA de HIRSCH**, long creamy-white leaves, ornamented with groups of rose-coloured dots, rich brownish-red nerves. 21s.
- BARRAL**, bright green, with a fine red centre, and large spots of rose. 3s. 6d. and 5s.
- BEETHOVEN**, white, veined with green, rib delicate rose. 2s. 6d.
- BEIJA-FLOR**, dark rose centre, margin bright green, bright red veins. 10s. 6d.
- BELLEYMEI**, white variegated leaves. 2s. 6d.
- BICOLOR**. 1s. 6d.
- BICOLOR SPLENDENS**. 2s. 6d.
- BOSPHORE**. 5s.
- BOTAFOGO**, a splendid variety, centre bright red, intensified in the veins, distinct margin of greenish primrose. 10s. 6d.
- BRONGNIARTII**, 2s. 6d. & 3s. 6d.
- BUREL**, dark bluish-green veined bright rose, marked with rosy-violet. 3s. 6d.
- CANDIDUM**, white ground with strongly marked ribs. 5s.
- CANNERTII**, leaves flushed with salmon-red, and spotted white. 2s. 6d.
- CARDINALE**, brilliant red, dotted with golden-yellow and greenish-yellow. 7s. 6d.
- CERES**, rich green with rosy-salmon centre. 5s.
- CHANTINII**, reddish ground, spotted with white. 2s. 6d.
- CHANTINII FULGENS**, 3s. 6d. and 5s.
- CHARLEMAGNE**, large rosy-red leaves, nerves dark red. 5s.
- CHARLES VERDIER**, fine green, with bluish-pink centre and spots. 2s. 6d. & 3s. 6d.
- CHELSONI**, bright glossy green, suffused with brilliant red, and blotched crimson. 2s. 6d.
- CLIO**, ground colour deep rose shaded white; green ribs, and narrow green margin. 5s.
- COIMBRA**, yellowish ground, lilac-rose ribs and veins; bordered rich green. 10s. 6d.
- COMTE DE GERMINY**, dull-red leaves with brighter veins, maculated white. 10s. 6d.
- COMTESSE DE BROSE**, leaves deep rose, veins carmine-red, 7s. 6d.
- COMTESSE DE CONDEIXA**, white ground shaded rose; earmine-red veins; narrow green margin. 5s.
- COMTESSE DE MAILLE**, white ground, veined with bright rosy-red and green. 3s. 6d.
- COMTESSE DU BERTHIER**. 3/6
- COMTESSE FERD. de LESSEPS**, large bright rosy-red leaves, veins rich carmine. 7s. 6d.
- COYPEL**. 3s. 6d.
- CYPRIS**. 3s. 6d.
- DE HUMBOLDT**, glossy green, spotted with scarlet. 3s. 6d.
- DEVINCK**, leaves heart-shaped; delicate pink centre ribs, with white spots. 3s. 6d.
- DONA CARMEN MACEDO**. 10/6
- DONIZETTI**, rich red centre, green border, rose spots. 3s. 6d.
- DON PEDRO D'ALCANTARA**. 10s. 6d.
- DR. BOISDUVAL**, centre rayed crimson; snow-white blotches on a green ground. 3s. 6d.
- DR. LINDLEY**, crimson centre, the green ground marked with rose blotches. 3s. 6d.
- DR. L. WITTMACK**. 10s. 6d.
- DUC DE CLEVELAND**, red centre, surrounded with pea-green; red spots. 3s. 6d.
- DUC DE MORNAY**, deep green leaf borders with large crimson-rayed centre. 3s. 6d.
- DUC DE NASSAU**, brilliant red centre and ribs, white spots. 2s. 6d. and 3s. 6d.
- DUC DE RATIBOR**, green with red mid-ribs and white spots. 2s. 6d. and 3s. 6d.
- DUCHARTE**, leaf ground white, flushed rose, green veins and red spots. 3s. 6d.
- E. G. HENDERSON**, green, with transparent rose spots and mottled crimson rays and centre. 2s. 6d.
- ELSA**, silvery rose, with red spots; fine. 5s.
- ELVINA**, bright green, blotched with red; grey centre and veins. 3s. 6d.
- EMILIE VERDIER**, leaves of a light transparent rose colour, spotted with red. 3s. 6d.
- ERNEST CAILLE**. 7s. 6d.
- EUCCHARIS**, rose centre with violet reflections margined with bright green. 5s.
- EURYDICE**. 15s.
- EUTERPE**. 3s. 6d.
- FAUST**. 5s.
- FELICIEN DAVID**, earmine centre, surrounded white, and veined with red on green ground. 3s. 6d. and 5s.
- FERDINAND DE LESSEPS**, dark earmine-red ground with violet-rose ribs, and deep green spots. 5s.
- GABRIELLE LEMOINIER**, silver white translucent leaves, centre veined green. 5s.
- GASPARD CRAYER**, intense deep red leaves, bordered with dark greenish violet. 7s. 6d.
- GASTON CHANDON**. 5s.
- GAZE DE PARIS**, translucent leaves, green ribs. 3s. 6d. & 5s.
- GEORGES BERGER**, dwarf variety, with long leaves, centre brilliant scarlet, margined with golden-green mixed with red. 31s. 6d.
- GERARD DOW**, pale yellow ground, earmine mid-rib, deep red veins, narrow green margin. 5s. and 7s. 6d.
- GLUCK**. 5s.
- GOLDEN QUEEN**, pale golden yellow. 5s.
- GRATIOSUM**. 3s. 6d.
- GRETRY**, carmine centre, with white spots. 3s. 6d. and 5s.
- GUARAREMA**, green with white spots, crimson veins. 10s. 6d.
- HALEVY**, white mid-ribs and crimson blotches. 3s. 6d.
- HENRIETTE BASSET**. 10s. 6d.
- HEROLD**, dark earmine veins, surrounded by light green, blotched pure white. 3s. 6d.
- HOMERE**. 10s. 6d.
- HORACE**. 5s. & 7s. 6d.
- HOULLETTI**, green with white spots. 2s. 6d. and 3s. 6d.
- HRUBANYUM**. 3s. 6d. and 5s.
- IBIS ROSE**, a magnificent variety, with beautiful rich rose-coloured foliage. 10s. 6d.
- IBIS ROUGE**. 21s.
- IDA**. 10s. 6d.
- IMPERATRIZ THEREZA**, chalk-white heavily suffused with rose, black veins. 10s. 6d.
- INDEPENDENCIA**, transparent leaf, ground colour creamy white, suffused and mottled with reddish rose; emerald green veins. 10s. 6d.
- ISADORE LEROY**, rich metallic green, with crimson-red centre rays. 3s. 6d.
- ISIS**, bright rose, veins violet-earmine. 5s.
- JAMES LAING**. 10s. 6d.
- JOHN LAING**, centre bright rosy-red, bordered with creamy-white. 10s. 6d.
- JOHN R. BOX**, red and greenish-maroon ground; earmine-red veins; violet-rose centre. 3/6.
- JOINVILLE**, fine leaves with dark red centre. 10s. 6d.
- JULES PUTZEYS**, rich green with crimson mid-rib and veins, and red spots; centre mottled grey. 3s. 6d.
- JUPITER**. 3s. 6d.
- LAINGII**, reddish-carmine centre; the whole of the leaf sprinkled with white. 3s. 6d.

- LA LORRAINE**, rosy-carmine, narrow green margin; a brilliant variety. 10s. 6d. & 15s.
- LAMARTINE**, crimson centre, white and red spots. 3s. 6d.
- LA NACRE**, a beautiful variety with flesh coloured transparent leaves, reflected like mother-of-pearl, veins dark carmine. 3s. 6d. and 5s.
- LA PERLE DU BRESIL**, white, delicately tinted with rose, mid-rib dark green. 3s. 6d.
- L'ALBANE**. 3s. 6d.
- L'AUREOLE**, orange-red, carmine veins, creamy-white margin. 7s. 6d.
- L'AUTOMNE**, creamy-white, with bluish maculations. 7s. 6d.
- L'INSOLITE**, dark yellowish-green, margined with apple-green, spotted with bright red. 21s.
- LE GRAND SUCCÈS**, large opaline white leaves. 5s. and 7s. 6d.
- LE NAIN ROUGE**, dwarf variety with copper-red leaves. 7s. 6d. and 10s. 6d.
- LEOPOLD ROBERT**, rosy-white ground; carmine-red veins shaded with reddish-brown; green margin. 3s. 6d.
- LEPESCHKINEI**, leaves marked with rich rose spots; bright red centre. 3s. 6d.
- LEPLAY**, leaves marked with white, and beautifully veined with rosy-violet. 3s. 6d.
- LILLIE BURKE**, leaves greenish-white, suffused rose in centre, nerves and veins bright rose. 15s.
- LOUISE DUPLESSIS**, red rays and veins on a white ground; green margin. 3s. 6d.
- LOUIS VAN HOUTTE**, large copper-red leaves, veins dark violet. 10s. 6d.
- LUCIDUM**, transparent leaves, silvery-white with network of green veins. 21s.
- LUDEMANNI**, deep crimson ribs; the leaf blotched with magenta and white. 3s. 6d.
- LULLI**. 3s. 6d. and 5s.
- LUTEUM AURATUM**, glittering yellow, shaded with green, dark centre. 15s.
- LYMINGTON**, centre ivory-white, surrounded with dark green prettily spotted. 5s.
- MADAME ALFRED BLEU**, deep green, with large white blotches, and broad crimson-scarlet veins. 3s. 6d. and 5s.
- MADAME ALFRED BLEU MAJOR**, large round white leaves, shaded rose, nerves rosy-red and green. 10s. 6d.
- MADAME ALFRED MAGNE**, transparent leaves, dark carmine red, with yellowish white margin, centre vein violet red. 10s. 6d.
- MADAME ALFRED MAME**, light green, covered with large white spots; rosy-carmine centre. 3s. 6d. & 5s.
- MADAME DE LA DEVAN-SAYE**, leaves white, shaded rose, and veined with red and green. 3s. 6d. and 5s.
- MADAME D'HALLOY**, silver white, suffused with rose, veined carmine. 5s. and 7s. 6d.
- MADAME DOMBRAIN**, centre and ribs pale yellowish-green, shaded rose, and spotted with white and rose. 3s. 6d.
- MADAME EDOUARD PYNAERT**, a splendid variety, with reddish-carmine leaves. 21s.
- MADAME FRITZ KECHELIN**, white ground, violet-rose ribs, green veins. 3s. 6d.
- MADAME GROULT**, rosy-red leaves, bordered with dark green, spotted with white. 10s. 6d.
- MADAME HEINE**, silvery-white, stained and edged with pale green; distinct. 3s. 6d.
- MADAME HOULLET**, large leaves, with clustering bluish-white blotches. 3s. 6d.
- MADAME IMBERT KECHELIN**, green with large dark red spots. 7s. 6d.
- MADAME JULES MENO-REAU**, white centre, tinted rose, veined rich bright rose, margined green. 3s. 6d. & 5s.
- MADAME JULES PICOT**, translucent rosy-violet. 7s. 6d.
- MADAME LAFORGE**, centre and ribs reddish-crimson, with green margin. 3s. 6d.
- MADAME LEMOINIER**, pale rose with darker ribs; veins and centre encircled with creamy-white. 5s.
- MADAME LEON SAY**, leaves carmine-red margined with creamy-white. 10s. 6d.
- MADAME MARCHAND**, violet-red, margin green. 5/ & 7/6.
- MADAME MARJOLIN SCHEFFER**, white foliage, charmingly veined and netted with rosy-lilko. 3s. 6d.
- MADAME MITJANA**, transparent reddish-crimson, rose centre. 5s. and 7s. 6d.
- MADAME T. DEVIGIER**, rosy-white, carmine nerves. 3s. 6d.
- MADAME WILLAUME**, delicate salmon-rose coloured transparent leaves. 3s. 6d.
- MARIA MITJANA**, very bright rose, translucent leaves. 7s. 6d.
- MARIE FREEMAN**. 10s. 6d. and 15s.
- MARQUIS DE CAUX**, red centre and veins, with rose blotches on margins. 3s. 6d.
- MARQUIS F. D'ALBERTAS**, centre silvery-white, surrounded with bright green, maculated with white and suffused rose. 5s. and 7s. 6d.
- MARGUERITE GELINIER**, bright rose centre, with a broad zone of greyish white, nerves rosy-violet. 10s. 6d.
- MARS**, clouded crimson centre, the whole leaf spotted with crimson. 3s. 6d.
- MARTHA LAFORGE**, rosy-carmine leaves, spotted with light green, and maculated with white. 21s.
- MAXIME DUVAL**, fine broad crimson centre and ribs, green margin. 3s. 6d.
- MAX KOLB**, light green ground with pale centre; distinct. 2s. 6d. and 3s. 6d.
- MERCADANTE**, pale copper-coloured centre and veins, bordered with green. 3s. 6d.
- MERCÈDES DARGENT**, white leaves, marked with a network of rose-coloured nerves, the principal veins bright rose. 21s.
- MEYERBEER**, white leaf ground, green veins and red mid-ribs. 2s. 6d. and 3s. 6d.
- MICHEL BUCHNER**, leaves of a brilliant red colour. 21s.
- MINERVE**, silvery-white mid-rib and rays, surrounded with greyish-white; green margin, with white spots. 3s. 6d.
- MINUS ERUBESCENS**, very dwarf; leaves reddish-crimson, bordered with green. 2s. 6d.
- MIRACEMA**, an exceedingly beautiful variety, large milk-white leaves, veins feathered with soft pink. 10s. 6d.
- MIRITY**, 10s. 6d.
- MONSIEUR A. HARDY**, rich reddish-carmine veins on white ground, tinted with rose and spotted with green. 3s. 6d.
- MONSIEUR BRION WINNE**, a dwarf variety, centre violet blue, the margin marked with large white maculations. 21s.
- MONSIEUR CHABER**, large golden-yellow leaves, maculated with white. 21s.
- MONSIEUR D'HALLOY**, delicate rose, bright rose centre, red and green veins. 3s. 6d.
- MONSIEUR J. LINDEN**, fine large whitish leaf, with rose veins and green border. 3s. 6d.

MONSIEUR LEON SAY, copper-red leaves, maculated with violet-rose. 10s. 6d.

MOZART, rose centre and veins on green ground. 3s. 6d.

MRS. HARRY VEITCH, fine reddish-gold leaves. 10s. 6d.

MRS. LAING, white ground; deep rose centre and veins; green margin. 3s. 6d.

MUCURIPE, centre rose-pink, surrounded with greenish white, margined green. 10s. 6d.

NAPOLEON III, flamed crimson centre, with forked rays, and carmine-red spots. 3s. 6d.

OMBRELLE PARISIENNE, crimson-red, veins red, and green margin. 5s.

ONslow, deep rosy-crimson centre with green margin, spotted rose. 3s. 6d. and 5s.

ORIFLAMME, brilliant red, margined with green. 5s.

ORNATUM, golden-yellow ground; carmine ribs encircled with rosy-lake; red-violet veins. 3s. 6d.

ORPHÉE, leaves rosy-white, veined with bright carmine. 21s.

OURO FINO, white ground carmine-red ribs, green margin, with network of yellow veins. 10s. 6d.

PAUL VERONESE, pinkish-white centre, deep scarlet ribs and green margin. 3s. 6d.

PERIQUITO, large broad green leaf, with white blotches and crimson veins. 10s. 6d.

PETROPOLIS, 3s. 6d.

PHILIPPE SCHULDT, 5s.

PRESIDENT DE LA DEVAN-SAYE, leaves bright rosy-carmine, bordered with golden-green. 42s.

PRINCE ALBERT EDWARD, dark emerald-green, rich crimson radiating mid-rib, white spots. 2s. 6d. and 3s. 6d.

PRINCE OF WALES, large golden-yellow leaves. 5s.

PRINCESS ALEXANDRA, rosy-salmon leaf, green centre rib, bordered with magenta-crimson; green margin with light pink chain. 3s. 6d. and 5s.

PRINCESS OF TECK, bright orange-yellow, veins suffused with deep red. 5s. and 7s. 6d.

PRINCESS OF WALES, golden-yellow, spotted with crimson. 5s.

PRINCESS ROYAL, leaves of a golden ground colour, with crimson centre. 5s.

PROSERPINE, 3s. 6d.

PYRRHUS, centre and ribs deep crimson, green margin. 3s. 6d.

QUADRICOLOR, centre of leaf pale yellowish-green, ribs white, edged rosy-crimson, and margined green. 3s. 6d.

RAMEAU, centre and ribs deep reddish-crimson, surface covered with white blotches, shaded red. 3s. 6d. and 5s.

RAOUL PUGNO, very transparent, pale flesh colour, green margin. 3s. 6d. and 5s.

RAULINII, rich red centre and veins, finely spotted with white. 3s. 6d.

RAYMOND LEMOINIER, centre bright carmine-red, margined with creamy-white. 7s. 6d.

RAYON D'OR, very large golden-yellow leaves, extra fine and of vigorous growth. 21s.

REINE DE DANEMARK, leaves soft rose, with an irregular marking of dark green, veins bright carmine. 7s. 6d.

REINE MARIE DE PORTUGAL, violet-rose centre with red veins, dark maroon, zone-green border. 3s. 6d. and 5s.

REINE VICTORIA, green veins and margins, spotted with white and rich crimson. 2s. 6d. and 3s. 6d.

RIO DE JANEIRO, 10s. 6d.

ROBERT BROWN, 15s.

RONCADOR, glossy dark rose leaves, with green veins. 10s. 6d.

ROSINHA, 10s. 6d.

ROSSINI, pale centre, pink mid-ribs, red blotches. 3s. 6d.

ROUILLARD, green margin, pale green centre, mid-rib and rays violet-plum; leaf spotted crimson. 3s. 6d. and 5s.

RUBENS, golden-green ground, shaded bright red and veined with dark brown. 5s.

RUBRUM AURATUM, 21s.

RUBRUM METALLICUM, violet-red, rose centre, margin copper-red. 10s. 6d.

SALVATOR ROSA, bright red centre tinted with rosy-violet; light green margin. 3s. 6d.

SIRIUS, centre scarlet-red, spotted with rosy-red and golden-green. 5s. and 7s. 6d.

SIR WALTER SCOTT, 3s. 6d.

SOCRATES, 10s. 6d.

SOUVENIR DE LILLE, translucent delicate rose leaves, nerves bright rose. 7s. 6d.

SOUVENIR DE MADAME BERNARD, bright red centre, dotted with golden-yellow, green and white. 5s.

SOUVENIR DE MADAME E. ANDRE, green marbled with white, veined with rosy-crimson. 3s. 6d.

SOUVENIR DES TOUCHES, carmine shaded violet; red veins, rose spots surrounded with white. 7s. 6d.

SOUVENIR DU DOCTEUR BLEU, reddish-scarlet centre; pale green border shaded with rich red. 10s. 6d. & 15s.

SPONTINI, pea-green, with white spots and rosy-pink ribs and veins. 5s.

TRICOLOR, grey-green with red-lake centre and carmine mid-ribs. 5s. and 7s. 6d.

TRIOMPHE DE L'EXPOSITION, crimson centre, red ribs, green border. 2s. 6d.

TYMBIRA, peculiar leaves, clouded with rose. 10s. 6d.

URANUS, 3s. 6d.

VAN DYCK, transparent rosy-lake, pale rose centre, grey-green margin. 3s. 6d.

VESTA, greenish-white veins, surrounded with crimson; leaf spotted rose. 3s. 6d.

VICOMTESSE DE LA ROQUE-ORDAN, red mid-rib and rays bordered white; green margin. 3s. 6d.

VILLE DE HAMBOURG, rosy red, prettily netted with carmine. 5s. & 7s. 6d.

VILLE DE LAON, the outer part of leaf apple green, maculated with rosy red, the principal ribs and veins bright red. 21s.

VILLE DE MULHOUSE, greenish-white, shaded rose; rich green centre. 3s. 6d.

VILLE DE SENS, 21s.

VIRGILE, 3s. 6d.

VIRGINALE, shining white, veined. 3s. 6d.

VIUVA SANT ANNA NERY, creamy-white ground, finely reticulated with pale green, a trace of rose colour along the ribs. 10s. 6d.

WEBER, 5s. & 7s. 6d.

WIGHTII, 2s. 6d.

WILH ZIEGLER, fiery brown red centre, with dark veins. 10s. 6d.

XENOPHON, 5s.

XERES, 5s.



BEGONIAS.

HANDSOME-FLOWERED, TUBEROUS-ROOTED SECTION.

- ALFONSO**, a fine flower; colour cinnamon, shaded with salmon. 1s. 6d.
AURELIA, a very fine large flower of a cinnamon-rose colour; very distinct. 1s. 6d.
BERTHA, a splendid flower with broad petals, of a soft salmon-pink colour. 3s. 6d.
BRILLIANT, rich bright orange, a dazzling colour; flowers large and fine; very showy. 2s. 6d.
CALYPSO, a fine flower with very broad petals of a bright rose colour, shaded with magenta. 2s. 6d.
CARDINAL, a magnificent variety, producing large flowers of a deep rich magenta-rose colour. 2s. 6d.
CAROLINE, deep rosy-pink, a very fine showy flower with broad petals. 1s. 6d.
CHELSEA GIANT, light carmine-scarlet; a huge flower. 3s. 6d.
CLEOPATRA, rosy-lake, shaded with magenta; a very large flower with fine broad petals. 2s. 6d.
CLIMAX, deep rich rosy-carmine; the two outer petals extremely broad; a beautiful variety. 1s. 6d.
CORONET, rich rosy-carmine; a large flower with broad petals. 2s. 6d.
CORSAIR, rosy-salmon; a most profuse blooming variety. 1s. 6d.
DAPHNE, a fine large flower of a pretty pink colour, with purple shade. 3s. 6d.
DAVISII, a very dwarf growing species, freely producing attractive bright scarlet flowers. 1s.
DEFIANCE, a showy variety, producing fine large flowers of a light orange-scarlet colour. 3s. 6d.
DELICATA, a charming variety, with beautiful blush-white flowers. 1s. 6d.
DRAGON, a beautiful flower, with fine long petals; colour rich bright rose; very effective. 2s. 6d.
EMBLEM, a large flower with broad petals, of a deep rose colour, shaded with magenta. 1s. 6d.
ENSIGN, bright pink; a beautiful shade of colour; flowers large; a very elegant variety. 1s. 6d.
ETHEL, a beautiful flower of a light salmon-pink colour. 3s. 6d.
FIREFLY, an exceedingly attractive variety, producing fine flowers of a bright scarlet colour. 3s. 6d.

- FLAMBEAU**, bright crimson, shaded with rose, fine round flower. 3s. 6d.
FLAMMETTA, bright orange-scarlet; a remarkably large and fine flower. 2s. 6d.
FRÉBELL, a splendid species from Ecuador, producing brilliant scarlet flowers. 1s.
GEM, light cream colour, the reverse of petals light pink; extremely distinct and attractive. 2s. 6d.
HERMINE, light orange-cinnamon, a very distinct and attractive shade of colour. 1s. 6d.
ICARUS, a very fine large flower of a bright salmon colour. 2s. 6d.
IMPERIALIS, splendid flower, dark rosy-crimson. 5s.
JUPITER, deep crimson, fine large flower of good shape. 5s.
LUCINDA, a large and fine flower, with remarkably long petals of a deep rose colour. 2s. 6d.
MABEL, delicate salmon-pink; a fine flower of good shape. 3s. 6d.
MAGNET, beautiful light pink the reverse of the petals deep pink; a charming variety. 1s. 6d.
MARATHON, deep crimson; a very fine large flower. 2s. 6d.
MARTHA, soft delicate rose-pink; a beautiful flower. 3s. 6d.
MAZEPPA, very light cream colour, the reverse of the petals tinted with orange-pink. 1s. 6d.
MINIATA, a fine showy variety, producing flowers of bright rosy-carmine colour. 1s. 6d.
MODIOLA, bright rose, shaded with salmon; a very large flower with fine broad petals. 2s. 6d.
OBBERON, bright crimson, shaded with orange-scarlet; a splendid variety. 2s. 6d.
ORESTES, deep rosy-carmine; a magnificent flower with fine large petals. 2s. 6d.
PEARCEI, flowers large, bright yellow, and borne on slender stems well above the foliage. 2s. 6d.
PEARCEI GRANDIFLORA, fine large flowers, of a bright golden-yellow colour. 2s. 6d.
PHYLLIS, a beautiful variety, with blossoms of a delicate sulphur colour, tinted with pink. 1s. 6d.
PINK BEAUTY, fine large bright rosy-pink flowers, beautiful shape. 3s. 6d.
REGALIS, a beautiful salmon-rose flower, of good form and substance. 3s. 6d.
RUBESCENS, a fine variety, giving a profusion of large rich salmon-tinted red blossoms. 2s. 6d.
SERAPH, a fine flower of a soft pink colour; the two outer petals suffused with rose. 1s. 6d.
SPARKLER, a splendid flower with fine broad petals of a bright crimson colour. 2s. 6d.
STARLIGHT, a beautiful variety, with large flowers of a pretty shade of blush-pink. 2s. 6d.
SUNRISE, a magnificent variety, producing large flowers of a bright rosy scarlet colour. 1s. 6d.
SUNSET, rich crimson; a fine large showy flower. 2s. 6d.
SURPRISE, a beautiful variety, producing pretty bright pink flowers in great profusion. 1s. 6d.
TEMPLAR, a fine flower, with broad petals of a rosy-pink colour. 2s. 6d.
TROJAN, an effective variety, freely producing fine flowers of a light rosy-pink colour. 1s. 6d.
VERONA, bright rosy-pink; a very pretty variety. 2s. 6d.
VESTA, pure white; very large flower. 3s. 6d.
VICTORY, a magnificent flower, with broad petals of a dazzling vermilion-scarlet colour. 3s. 6d.
VIVICANS, a very graceful plant, with brilliant orange-scarlet bell-shaped flowers. 1s. 6d.
WHITE QUEEN, a beautiful variety, producing ivory-white flowers tinted with rose. 1s. 6d.

Selections of good single-flowering Varieties can be made by Mr. W. B. at 12s., 18s. and 24s. per dozen. Unnamed Seedlings raised from the best varieties, when dormant, 6s. and 9s. per dozen, 2 and 3 guineas per 100.

DOUBLE-FLOWERING BEGONIAS.

Selections of choice double-flowering varieties made at 30s., 42s. and 60s. per dozen.

Unnamed varieties, when dormant, 12s. and 18s. per dozen.

BEGONIAS.

VARIEGATED-FOLIAGED SECTION.

These are remarkable for their variegated and beautifully coloured ornamental foliage.

ACUMINATA SPLENDIDA , 2/6	DUCHESS , 1s.	JULES ERROT , 2/6.
ANNETTE , 2/6.	DIADEM , 2/6.	LA CANDEUR , 2/6.
ARIADNE , 3/6.	DUCHESS DE BRABANT , 2/6.	LA PERLE DE PARIS , 2/6.
ARTHUR MALET , 5/-.	DR. LE GUILLON , 3/6.	LE POUSSIN , 2/6.
COMTESSE LOUISE	FREDERIC SCHNEIDER , 2/6.	LE SCHAH , 2/6.
D'ERDODY , 2/6.	GAETON O'GORMAN , 2/6.	LEDA , 5/-
CRYSTALLINA , 2/6.		LOUISE CLOSON , 2/6.

MADAME ADR
SCHMITT, 2/6.

— BICHAT, 3/6.

— DE CAUVILLE,
3/6.

— DE GUERLE, 3/6

— EYEN, 3/6.

— GILKINET, 3/6.

— GRISAR, 3/6

— HENRI GACHE.



MALETTA, 2/6.

MAZEPPA, 3/6.

MIRA, 2/6.

MISS MARY
ANDERSON, 2/6.

MONGE, 5/-.

OTTO FORSTER, 2/6.

PRESIDENT DE
BOUREUILLES,
3/6.

PROFESSOR DE-
LAINE, 2/6.

PROGNE, 2/6.

RICHARD, 1/6.

SATIN BLANC, 2/6.

SERICEA, 2/6.

SOPHIE
OLSOUFIEFF, 2/6.

STELLATA, 2/6.

THOMAS CLARA,
3/6.

VIRGINIA, 3/6.

The following are effective decorative kinds, many of them winter-flowering species and varieties. 18s., 30s. and 42s. per dozen, according to the selection.

ALBO PICTA
ARGENTEO GUTTATA
ARGYROSTIGMA ELEGAN-
TISSIMA
BAUMANNII, new scented
variety, 3/6.
BEDDOMEI (Assamica)
BERTHA DE CHATEAUX
CARRIERI
— VILLOSA
DECORA
DREGEI

EGREGIA
FLORIBUNDA ROSEA, 5/-.
HYBRIDA CORBEILLE DE
FEU, 5/-.
— ILLUSTRATION, 5/-.
IMPERIALIS
MADAME ISABELLA BELLON
— RENE CALLEUX
MARGARITE
METALLICA
NELUMBIFOLIA RUBRA

OLBIA
POLYANTHA
RUBELLA
SCEPTRA
SCHARFFII
SCHMIDTII HYBRIDA ROSEA
SEMPERFLORENS ELEGANS
— COMPACTA NANA
— GIGANTEA ROSEA
SIEBERIANA
SMARAGDINA

CHRYSANTHEMUMS.

These popular plants have now become so numerous that to give detailed descriptions of each they would of themselves form a catalogue, and by giving descriptions purchasers could form but little idea of the comparative merit of varieties; it has therefore been thought best to give simply a list of names in their various sections. When the selection is left to Mr. W. B., the utmost care will be taken to send only varieties of the greatest merit.

SELECT NEW CHRYSANTHEMUMS.

JAPANESE.

ALICE SEWARD, 5s.
AMOS PERRY, 2s. 6d.
BEAUTY OF CASTLE HILL, 1s.
BEAUTY OF EXMOUTH, 7s. 6d.
BRYDEN Jr., 5s.

CHAS. BLICK, 5s.
CHAS. DAVIS, 6s.
COL. W. B. SMITH, 3s. 6d.
C. SHRIMPTON, 7s. 6d.
EDWIN BECKETT, 2s. 6d.
ELMER D. SMITH, 2s. 6d.
EMILY LADENBURG, 5s.

EXCELSIOR, 2s. 6d.
F. W. FLIGHT, 2s. 6d.
G. C. SCHWABE, 2s. 6d.
GEORGE W. CHILDS, 6s.
GENERAL HAWKES, 3s. 6d.
GOLDEN WEDDING, 2s.
HOLBORN ROSE, 1s. 6d.

JOHN SHRIMPTON, 7s. 6d.
 J. P. KENDALL, 2s. 6d.
 LADY BROOKE, 3s. 6d.
 LIZZIE CARTELEDGE, 1s. 6d.
 LIZZY SEWARD, 5s.
 LORD BROOKE, 3s. 6d.
 LORD TENNYSON, 5s.
 MIDDLETON CLARKE, 3s. 6d.
 MISS DOROTHY SHEA, 5s.
 MISS WATSON, 2s. 6d.
 MR. CHAS. E. SHEA, 2s. 6d.
 MRS. A. G. HUBBUCK, 6s.
 MRS. BRUCE FINDLAY, 3s.
 MRS. C. MYERS, 3s. 6d.
 MRS. E. BECKETT, 2s. 6d.
 MRS. E. D. ADAMS, 3s. 6d.
 MRS. F. A. SPAULDING, 1s. 6d.
 MRS. F. L. AMES, 6s.
 MRS. BAYARD CUTTING, 3s. 6d.
 MRS. HENSZEY, 3s. 6d.
 MRS. WALTER CUTTING, 5s.
 MRS. J. S. FOGG, 1s. 6d.
 MRS. LIBBIE ALLEN, 1s. 6d.
 MRS. NEVILLE, 3s. 6d.
 MRS. NISBET, 2s. 6d.
 MRS. W. HERBERT FOWLER,
 5s.
 PRIMROSE LEAGUE, 5s.
 PRINCESS MAY, 5s.
 PRINCESS VICTORIA, 6s.

ROBERT OWEN, 10s. 6d.
 R. SMITH, 1s. 6d.
 THOMAS HEWITT, 5s.
 VESUVIUS, 3s. 6d.
 VICTSS. HAMBLEDON, 10s. 6d.
 WABAN, 3s. 6d.
 W. H. ATKINSON, 5s.
 W. H. LINCOLN, 1s. 6d.
 WILLIAM SEWARD, 7s. 6d.
 THE TRIBUNE, 3s. 6d.

ANEMONE.

ADA STRICKLAND, 4s.
 ENTERPRISE, 3s. 6d.
 JUDGE HOITT, 4s.

CHINESE.

ARISTINE ANDERSON, 1s. 6d.
 BARON HIRSCH, 7s. 6d.
 BROOKLEIGH GEM, 3s. 6d.
 C. B. WHITNALL, 3s. 6d.
 GEORGE COCKBURN, 3s. 6d.
 HENRY PERKINS, 5s.
 LUCY KENDALL, 5s.
 M. B. SPAULDING, 5s.
 M. L. PARLI, 3s. 6d.
 MISS BELLA WILSON, 1s. 6d.

MISS M. SIMPKINS, 5s.
 MRS. CLIBRAN, 1s. 6d.
 MRS. LAY, 3s. 6d.
 MRS. C. MADEIRA, 3s. 6d.
 MRS. J. MITCHELL, 5s.
 MRS. ROBINSON KING, 1s. 6d.
 OETA, 3s. 6d.
 UTOPIA, 3s. 6d.

HIRSUTE OR PLUMOSE
VARIETIES.

EDITH WALTON, 3s. 6d.
 GARTEN INSPECTOR UM-
 LAUFT, 3s. 6d.
 H. BALLANTINE, 1s. 6d.
 LOUIS BOEHMER, 1s.
 MISS ANNIE MANDA, 2s.
 MRS. A. HARDY, 1s.
 MRS. WM. TRELEASE, 3s. 6d.
 NACRE, 2s. 6d.
 QUEEN OF THE HIRSUTES, 5s.
 SPARTEL, 2s. 6d.
 W. A. MANDA, 1s. 6d.
 WHITE PLUME (*syn.* L'Enfant
 des deux Mondes), 2s. 6d.
 WILLIAM FALCONER, 2s. 6d.
 ZAMBESI, 3s. 6d.

CHRYSANTHEMUMS—GENERAL COLLECTION.

CHRYSANTHEMUMS—EARLY-FLOWERING.

All 6d. each, with the exception of those priced.

Mr. WILLIAM BULL'S selection, 4s. per dozen, or 28s. per 100.

ALICE BUTCHER
 ANASTASIO
 AUREOLE
 BLANC PRECOCE
 BLUSHING BRIDE
 BOUQUET DE DAME, 1s.
 CASSY
 CLAIRE ALOZIO
 CLARA
 CLARENCE BRYANT
 COMTESSE F. DE CARIEL
 CRIMSON PRECOCITE
 CURIOSITY
 DELPHINE CABOCHÉ
 EARLY FLORA
 E. G. HENDERSON & SON
 FIBERTA
 FLAMBEAU TOULOUSAIN
 FLEUR D'ETE
 FREDERIC MARRONET
 FREDERICK PELÉ
 GOLDEN FLEECE
 GOLDEN SHAH
 G. WERMIG (GOLDEN MADAME
 DESGRANGE)

G. WRIGLEY
 HELOISE MIELLEZ
 HENDERSONI
 HERMINE
 HIPPOLYTE JAMAIN
 INIMITABLE
 JACINTHA, 1s.
 LA BIEN-AIMÉE
 LAVALLEE
 LE LUXEMBOURG
 LEONIE LASSALI
 LUCINDA
 MADAME C. DESGRANGE
 MADAME DUFOY
 MADAME ED. LEFORT, 1s.
 MADAME JOLIVART
 MADAME PICOU
 MADELINE DAVIS
 MANDARIN
 MARTIMAS
 MISS P. BROUGHTON
 M. JULES PAQUET, 1s.
 M. WILLIAM HOLMES
 M. DUFOY
 MR. W. PIERCY

MRS. HAWKINS
 MRS. J. R. PITCHER
 NANUM
 OCTOBER BEAUTY
 O. J. QUINTUS
 ORANGE YELLOW
 PERPETUÉL TOULOUSAIN
 PETIT MIGNON
 PIERRE VERFIEL
 POMPONIUM
 PRECOCITE
 ROI DES PRECOCES
 ROSE D'ETE
 ST. CROUTS
 SALTER'S EARLY BLUSH
 SOUVENIR
 SOUVENIR DE M. FERIE, 1s.
 SURPRISE
 TORREADOR
 VICOMTE CLIQUOT, 1s.
 WHITE LADY
 WHITE ST. CROUTS
 WILLIAM BEALBY
 ZENOBLE

All 6d. each, with the exception of those priced.

Mr. WILLIAM BULL'S selection, 4s. per dozen, or 28s. per 100.

JAPANESE CHRYSANTHEMUMS.

For New Varieties, vide pages 120 and 121.

Excepting those priced, all 6d. each.

Mr. WILLIAM BULL'S selection, 4s. per dozen, or 28s. per 100.

ADA SPAULDING	DUKE OF BERWICK	KATAKANA
ADVANCE	EDWIN MOLYNEUX	KATE MURSELL
ADIRONDACH	ELAINE	KIOTO, 1s.
AGREMENTS DE LA NATURE	E. G. HILL	LADY BRASSEY
AIDA, 1s.	ELSIE	LADY EMILY
ALASKA, 1s.	ENCHANTERESSE	LADY MATHESON
ALBERIC LUNDEN	ESPÉRANCE	LADY SELBORNE
ALBERT DE NURIOS	E. S. RENWICK, 1s.	LADY T. LAWRENCE, <i>see</i>
ALBERT VICTOR	ETHEL	Robert Bottomley
ALFRED CHANTRIER	ETOILE DE LYON	LA FRISURE
ALICE BIRD	ETOILE DU MIDI	LA NYMPHE
AMARANTINA CARMINATA	ETOILE FLEURI	LA TRIOMPHANTE
ANNA M. PAYNE	ETOILE TOULOUSAINÉ	L'ADORABLE
ARTHUR WOOD, 1s.	EUGENE GIAT, 1s.	L'AUBE MATINALE
AVALANCHE	FAIR MAID OF GUERNSEY	LE CYGNE
BEAUTE DE TOULOUSE	FERNAND FERAL	LE NEGRE
BEND OR	FEU DE BENGALÉ	LÉON FRACHE
BERTIER RENDATLER	FIMBRIATUM	L'ÉBOURIFFÉE
BICOLOR	FLEUR DES BOIS	LILIAN S. BIRD
BISMARCK	F. L. HARRIS	L'INCROYABLE
BOULE D'ARGENT	FLOCON DE NEIGE	L'ISLE DES PLAISIRS
BOUQUET FAIT	FLORENCE DAVIS, 1s.	LORD BEACONSFIELD
CAREW UNDERWOOD	FULTON	L'OR DE FRANCE
CESARE COSTA	GEORGES DANIELS	MACAULAY
CHARLIE SHARMAN, <i>see</i> W. M. Singerley	GEORGE WALCOTT	MADAME BERTIER REN-
CHARLOTTE DE MONTCA-	G. F. MOSEMAN, <i>see</i> David Allen	DATLER
BRIER	GLADIATOR, <i>see</i> W. M. Singerly	MADAME CLEMENCE AU-
CHRISTMAS EVE, <i>syn.</i> Mrs. H. Cannell	GLOIRE DU ROCHER	DIGEUR
CŒUR FIDÈLE	GLOIRE DE TOULOUSE	MADAME DE SEVIN
COMTESSE DE BEAUREGARD	GLOIRE RAYONNANTE	MADAME FERAL
CORONET	GOLDEN GEM	MADAME LA MARQUISE DE
COQUETTE DE CASTILLE	GOLDEN PRINCE	MUN
CROWN PRINCE, 1s. 6d.	GOLD THREAD	MADAME LEON COLLIN, 9d.
CULLINGFORDII	GOOD TIDINGS	MADAME MARIE CLOSES
DANÆ, 1s.	GORGEOUS	MADLLE. ANTOINETTE BRU-
DAVID WINDSOR, 1s.	GOVERNOR OF GUERNSEY	NEL
DAVID ALLEN, <i>syn.</i> G. F. Moseman	GRANDIFLORUM	MADLLE. JULIETTE DORDAN
DIAMOND	HAMLET, 1s.	MADLLE. MARIE HOSTE, 1s.
DOMINATION, <i>syn.</i> Mrs. Bullock	HELVETIE	MADLLE. MELANIE FABRE
DON DIÈGUE	HERNANI	MADLLE. PAUL DUTOUR
DON QUICHOTTE	ILE JAPONAISE	MAGGIE MITCHELL, <i>syn.</i> Miss Clara Harris
DORÉE	ISODORE FERAL	MAIDEN'S BLUSH
DR. MASTERS	JAMES SALTER	MARIE OUVRAY
DUCHESS OF ALBANY	J. COLLINS	MARQUIS OF LORNE
(DELAUX)	JESSICA	MARSA
DUCHESS OF CONNAUGHT	JOHN THORPE	MARTHA HARDING
DUCHESS DE GEROLSTEIN	J. R. PEARSON, 1s.	MARY
	KÄMPFER	

CHRYSANTHEMUMS—JAPANESE—continued.

MISS CLARA HARRIS, <i>see</i> Maggie Mitchell	MRS. H. CANNELL, <i>see</i> Christmas Eve	SIR JOSEPH
M. ASTORG	MRS. J. J. HILLIER	SOLEIL LEVANT
M. A. VILMORIN	MRS. J. WRIGHT	SOURCE D'OR
M. BRUNET	MRS. L. CASTLE	SOURCE JAPONAISE
M. CASTEL	MRS. T. H. SPAULDING	SOUVENIR DE HAARLEM
M. CAVALIER	MRS. WM. MENCKE	SOUVENIR DU JAPON
M. CHARLES HUBERT	NEWPORT, 1s.	SOUVENIR DE M. MENIER, 1s.
M. COCHET	NUIT D'HIVER	SNOWSTORM
M. D. D. HILLIER	PAUL & SON	STANSTEAD SURPRISE
M. E. A. CARRUERE	PÈRE DELAUX	STANSTEAD WHITE
M. DELAUX	PETER THE GREAT	STRIATUM PERFECTUM
M. EUGENE POURQUIE	PHŒBUS	SUNFLOWER
M. H. ELLIOTT	PLUIE D'OR	SUNSET
M. J. H. LAING	PRESIDENT ARTHUR	TALFOURD SALTER
M. JULES HUMBERT	— SPAULDING, <i>see</i> W. M. Singerley	TENDRESSE
M. LEMOINE	PRINCE OF ORANGE	THE COSSACK
M. LEON BRUNEL	PRINCE ZILAH	THOMAS STEVENSON
M. MAXIME CORNU	PURITAN	TOKIO
M. RICHARD LARIOS	R. C. KINGSTON, 1s.	V. H. HALLOCK, 1s.
M. THOMAS S. WARE	RED DRAGON	VICE-PRESIDENT DARQUIER
MM. THIBAUT et KETELEER	REINE DES BEAUTÉS	VILLE D'HYÈRES
MR. A. H. NEVE	REX RUBRORUM	VIOLET ROSE
MR. C. ORCHARD	ROBERT BOTTOMLEY, <i>syn.</i> Lady T. Lawrence and Mrs. Beale	VIVIAND MOREL
MR. H. CANNELL	ROBERT CANNELL	VOLUNTEER, 1s.
MR. H. WELLAM	ROBERT CRAIG	W. G. DROVER, <i>see</i> Mrs. Frank Thompson
MRS. A. CARNEGIE	ROBERT CRAWFORD	W. TRICKER, 1s.
MRS. A. MAYES	ROSA BONHEUR	W. WELLS, 1s. 6d.
MRS. BEALE, <i>see</i> Robert Bottomley	ROSE SUPREME	W. W. COLES, 1s.
MRS. BEATRICE CARD, 1s.	ROSEUM SUPERBUM	WILLIAM STEVENS
MRS. BULLOCK, <i>see</i> Domination	R. T. BIGGS	W. L. SCHEFFER
MRS. E. W. CLARKE	RUBRUM STRIATUM	W. M. SINGERLEY, <i>syn.</i> Charlie Sharman, Gladiator, President Spanlding
MRS. F. JAMESON, 1s.	SAMUEL HENSHAW	YELLOW ETHEL, <i>see</i> Mrs. H. J. Jones
MRS. G. C. SCHWABE, 1s.	SARNIA	
MRS. GOLDRING	SHASTA, 1s.	
MRS. H. J. JONES, <i>syn</i> Yellow Ethel		

Excepting those priced, all 6d. each.

Mr. William Bull's Selection, 4s. per dozen, or 28s. per 100.

CHRYSANTHEMUMS—ANEMONE-FLOWERED.

For New Varieties, *see* page 109.

Excepting those priced, all 6d. each.

Mr. William Bull's Selection, 4s. per dozen, or 28s. per 100.

ACQUISITION	CALLIOPE	E. M. BOLAS
AGATHA	DELAWARE, 1s.	FAIR MARGARET
AGNES HAMILTON	DICK TURPIN	FINETTE
ATARGULLE	DUCHESS OF WESTMINSTER, 1s.	FLEURE DE MARIE
BIJOU		GEORGES SAND

GLUCK
GOLDEN CEDO NULLI
GRACE DARLING
JAMES WESTON, 9d.
LADY MARGARET
MADAME MONTELS
MADAME THERESE CLOS
MADEMOISELLE CABROL
MARIE STUART

M. CHATE
MISS ANNIE LOWE
MISS EYRE
MISS NIGHTINGALE
M. PANKAUKE, 9d.
MR. ASTIE
MRS. CHAS. PRATT, 9d.
MRS. M. RUSSELL, 9d.

MRS. WYNESS
PRINCE OF ANEMONES
PRINCESS LOUISE
PRINCESS MARGUERITE
SIDONIE
THORPE, Jun.
VIRGINALE
WYOMING

Excepting those priced, all 6d. each.

Mr. William Bull's Selection, 4s. per dozen, or 28s. per 100.

CHINESE OR LARGE-FLOWERED CHRYSANTHEMUMS

For New Varieties, vide page 121.

All 6d. each.

Mr. William Bull's Selection, 4s. per dozen, or 28s. per 100.

ABBE PASSAGLIA
AIMEE FERRIERE
ALFONSO
ALFRED LYNE
ALFRED SALTER
ARIADNE
AUREUM MULTIFLORUM
BARBARA
BEAUTY
BEVERLEY
BRONZE JARDIN DES
PLANTES
BRONZE QUEEN OF
ENGLAND
CHAS. GIBSON
CHERUB
CHEVALIER DOMAGE
CLEOPATRA
DAPHNE
DIANE
DIDO
DR. LINDLEY
DR. ROZAS
DR. SHARPE
DUKE OF EDINBURGH
EMBLEM
EMILY DALE IMPROVED
EMPRESS OF INDIA
E. SANDERSON
EVE
EXQUISITE
FAUST
FRANK WILCOX
GARIBALDI
GEORGE PEABODY
GEORGE STEVENS

GLOBE WHITE
GLORIA MUNDI
GOLDEN BEVERLEY
GOLDEN CHRISTINE
GOLDEN EMPRESS OF INDIA
GOLDEN GEORGE GLENNY
GOLDEN JOHN SALTER
GOLDEN QUEEN OF ENGLAND
GOLDEN TRILBY
GUERNSEY NUGGET
HERO OF STOKENEWINGTON
H. SHOESMITH
IONA
JARDIN DES PLANTES
JOHN DOUGHTY
JOHN LAMBERT
JOHN SALTER
JULIE LAGRAVERE
KING OF DENMARK
LADY HARDINGE
LEDA
LE GRAND
L'ÉMIR
LORD EVERSLEY
LORD PALMERSTON
LORD STANLEY
LORD WOLSELEY
LUNA
MABEL WARD
MADAME CHATE
MADAME PAGES
MARECHAL DUROC
MISS M. A. HAGGIS
MISS VIOLET TOMLIN
MOUNT EDGCUMBE
MOUNT ETNA

M. R. BAHUANT
MR. BUNN
MR. COBAY
MR. GEORGE GLENNY
MR. JAMES LAING
MR. W. H. MORGAN
MRS. COLEMAN
MRS. G. RUNDLE
MRS. HALIBURTON
MRS. HUFFINGTON
MRS. NORMAN DAVIS
MULBERRY
NIL DESPERANDUM
NOVELTY
ONDINE
ORANGE ANNIE SALTER
OSSIAN
PATRIE
PINK PERFECTION
PRESIDENT HYDE
PRINCE OF WALES
PRINCESS IMPERIAL
PRINCESS OF TECK
PURPUREUM ELEGANS
QUEEN OF ENGLAND
REINE DES BLANCHES
RIVAL LITTLE HARRY
ROTUNDIFLORUM
ROYAL PURPLE
SIR BEAUCHAMP SEYMOUR
VIOLET UNIQUE
WHITE EVE
WHITE GLOBE, vide GLOBE
WHITE
WHITE VENUS
ZEPHYR

All 6d. each.

Mr. William Bull's Selection, 4s. per dozen, or 28s. per 100.

CHRYSANTHEMUMS.—POMPON, &c.

All 6d. each.

Mr. William Bull's Selection, 4s. per dozen, or 28s. per 100.

ADELE PRISSETTE
AIGLE D'OR
AMPHILLA
ANAIIS
ANNETTE
ARIOSTO
AURORE
BERROL
BELLE NAVARRAISE
BOULE DE NEIGE
BRAHMA
BRUNETTE
CARMINATUM ALBUM
CHAMPS ELYSEES
CRIMSON PERFECTION
DANAE
DIAMANT
ELEGANT
ERNEST BENARY
FREMY
GENERAL CANROBERT
GERBE D'OR
GERMAINE CLERMONT
GOLDEN MADLLE. MARTHE
GUILLAUME DELAUX
HECLA
JASON
JERSEY GEM
JULIA ENGLEBACK

LACINIATUM SUPERBUM
LA DESIREE
LA FAVORITE
LA RENONCULE
LA VIERGE
LACINIATUM ROSEUM
LE CID
LILACEE
LUCIEN CABOCHE
MADAME DE VATRY
MADAME EUGENE DOMAGE
MADAME RIEUX
MADLLE. ELISA LAYEILLON
MADLLE. ELISE DORDAN
MADLLE. MARTHE
MADLLE. MATHILDE RAY-
NAUD
MAID OF KENT
MARABOUT
MARION
MARGUERITE VINCENT
M. BONAMY AINE
M. DELEUIL
M. FELIX SEIGNOR
M. HOSTE
M. JOSE MARQUES LOUREIRO
M. LUQUET
M. ULRICH
MUSTAPHA

OLIVAR
ORANGE QUILL
ORNATUM
OSIRIS
PABLO
PERFECTION
POLYCARP
POMPON ROSE
PRESIDENT DECAISNE
PRINCE VICTOR
PRINCESS MATHILDE
PROSERPINE
RAJAH
ROSE D'AMOUR
ROSE TREVENNA
SAINT JUSTIA
SAINT MICHAEL
SALAMON
SANGUINEUM
SANS PAREIL
SNOWDROP
SŒUR MELANIÉ
SOIREE D'ETE
TOUSSAINT MAURISOT
VAMEGATUM
VICTOR HUGO
ZAIRE

All 6d. each.

Mr. William Bull's Selection, 4s. per dozen, or 28s. per 100.

CHRYSANTHEMUMS.—SINGLE-FLOWERING.

All 6d. each.

ATTRACTION
BRUNETTE
CASINO
COACHMAN
CRIMSON AND GOLD
DR. KELLOCK
GUS. HARRIS

LORD MAYOR
MAGENTA KING
MARY ANDERSON
MISS MABEL WILDE
MISS ROSE
MRS. A. LE MOULT
MRS. FRANCIS RICARDO

MRS. KELLOCK
MRS. LANGTRY
PERFECTION
PURE GOLD
TERA COTTA
THE FRIARY BEAUTY

All 6d. each.

Mr. William Bull's Selection, 4s. per dozen, or 28s. per 100.

NEW AND CHOICE FUCHSIAS.

Those marked () are double-flowered varieties.*

- ***ADAIR**, short tube and well-reflexed sepals of a bright crimson colour; double, bluish-purple corolla, often flaked rose. 1s. 6d.
- ***A. DE NEUVILLE**, large open double reddish-violet corolla; bright rose sepals. 1s.
- ***ADMIRAL AUBE**, dark red reflexed sepals, large double rosy-mauve corolla; very floriferous. 1s. 6d.
- ***ADMIRAL COURBET**, tube and sepals dark red, immense double corolla of a very dark violet colour. 1s. 6d.
- ***ADMIRAL RIEUNIER**, tube and sepals bright red; enormous corolla, white, marked at base with rose. 7s. 6d.
- AEROSTAT**, vinous-red recurved sepals; long trumpet-shaped bluish-violet corolla. 1s.
- ***ALBERT DELPIT**, very large scarlet recurved sepals; immense flesh-coloured double corolla. 7s. 6d.
- ***ALPHONSE DAUDET**, bright red recurved sepals and bluish-violet corolla. 1s.
- ***ALPHONSE KARR**, very large rosy-red sepals, enormous metallic-violet corolla; flower of fine form and great merit. 1s. 6d.
- ***ARAB**, short bright crimson tube and well-reflexed sepals; fine large deep bluish-purple double corolla. 2s. 6d.
- ***AUGUSTE HARDY**, large horizontal brilliant red sepals; enormous double violet-rose corolla. 1s. 6d.
- ***AUGUSTIN THIERRY**, enormous semi-double bright rose corolla; sepals bright red, a good market variety. 1s.
- ***AYRSHIRE**, bright coral red tube and sepals, rich blue corolla; stout and fine. 1s. 6d.
- ***AZUREA SUPERBA**, tube and recurved sepals of a bright reddish-coral colour; enormous double azure-violet corolla. 1s.
- ***BEAUTY OF WEST KENT**, large flowers of great substance; corolla soft carmine, broad reddish-purple sepals. 2s. 6d.
- ***BUFFON**, large red reflexed sepals; enormous rosy-white corolla, very double. 1s.
- BULGARIE**, large brilliant red well-shaped sepals; large violet-plum corolla. 1s.
- BULRUSH**, light crimson tube and sepals; tube long, and sepals horizontally reflexed; light rosy-purple corolla. 1s.
- CAMILLE FLAMMARION**, a large flower; with reflexed sepals of a rosy-red colour, and well-formed reddish-violet corolla. 1s.
- ***CELINE MONTALAND**, large slightly reflexed rose-carmine sepals, very large double corolla, expanding horizontally, rosy-white, veined carmine. 1s. 6d.
- CERVANTES**, sepals rose; corolla rosy-mauve, bordered with blue. 1s.
- ***CHARLES SECRETAN**, large bright rose sepals; enormous creamy-white double corolla. 7s. 6d.
- ***CHRISTOPHE COLOMB**, large scarlet sepals; enormous rosy carmine double corolla. This is one of the most beautiful of Fuchsias, the brilliant colouring of the flowers making it exceptionally distinct. 7s. 6d.
- ***CLARINDA**, huge double white corolla, short tube and broad sepals, dark crimson. 1s.
- COLONEL ARCHINARD**, large blue corolla, lighter at the base of petals. 7s. 6d.
- ***COMTE DE MUN**, enormous double violet, striated with rose at base; good habit. 7s. 6d.
- CONSTANCY**, flesh coloured tube and sepals; the latter well-reflexed, rich carmine corolla, stout and extra fine. 1s. 6d.
- ***CORMORANT**, short tube and fine large rosy-crimson sepals; long semi-double bluish-purple corolla. 2s. 6d.
- COUNTESS OF ABERDEEN**, the nearest approach to a totally white *Fuchsia* yet raised, the corolla and sepals being milk white. 1s. 6d.
- C. N. MAY**, scarlet tube and sepals; corolla dark plum colour; excellent habit. 1s.
- ***DE QUATREFAGES**, large clear red reflexed sepals, large double corolla, clear violet marbled with rose. 1s. 6d.
- DIADEM**, bluish tube and sepals, corolla pale magenta, broadly edged with brilliant carmine, a fine showy variety. 1s.
- DORCAS**, short tube and large rosy-carmine sepals, immense soft bluish-purple corolla, veined and shaded with rose. 1s. 6d.
- ***DR. PRILLIEUX**, large bright scarlet recurved sepals; very large dark violet double corolla, with extended petals. 1s.
- DR. TOPINARD**, large cerise-red sepals; corolla white suffused with rose, the petals being very evenly extended. 1s.
- ***DOROTHY FRY**, short crimson tube and recurved sepals; very large semi-double white corolla. 2s. 6d.
- ***DUCHESS OF EDINBURGH**, a fine large bold flower, sepals broad and completely reflexed of a bright carmine colour; full double corolla, petals white, suffused and marked with rose at base. Excellent for market work. 1s. 6d.
- ***EDMOND ABOUT**, large vermilion-carmine reflexed sepals; enormous double white corolla, suffused with rose. 1s.
- ***EMILE BAYARD**, rosy-red sepals, double corolla, petals rosy-white, margined with lilac. 1s. 6d.
- ***EMILE SALLE**, large red sepals; long white corolla, veined violet carmine. 7s. 6d.
- EMILY BRIGHT**, creamy-white tube and sepals; bright carmine corolla, of fine form. 1s.
- ENOCH ARDEN**, corolla indigo blue flaked with red. 1s.
- ERNEST RENAN**, short rosy tube and reflexed sepals; rose corolla; pyramidal habit. 1s.

NEW AND CHOICE FUCHSIAS—continued.

- ***EUGENE DELAPLANCHE**, bright red reflexed sepals, very double corolla of a clear violet colour. 1s. 6d.
- ***EUGENE VERCONSIN**, short red sepals; corolla double, petals shading from rosy-white at base to lavender-blue on the margins. 1s. 6d.
- ***FATMA**, bright crimson tube and reflexed sepals; bluish-purple corolla. 1s. 6d.
- ***FLORA**, very short tube, and large bright rosy crimson sepals fully reflexed, the large double corolla being bright purple, flaked at the base with rosy-carmine. 1s. 6d.
- ***FRAU EMMA TOPFER**, broad well reflexed rosy-magenta sepals; double white corolla suffused and veined with rose. 1s.
- GANNET**, short tube with long bright crimson reflexed sepals; bluish-purple corolla, shaded with rosy-crimson at the base. 1s. 6d.
- ***GAY-LUSSAC**, large spreading double corolla, violet-purple, veined red. 7s. 6d.
- ***GENERAL DODDS**, rosy-red sepals, large bluish-lilac double corolla. 7s. 6d.
- GERALD**, a very fine flower with rich crimson tube and sepals, the latter completely reflexed; large expanded corolla of a rich purplish-crimson colour. 1s. 6d.
- GERTRUDE**, bright rose-carmine tube and sepals, the latter large and completely reflexed; large white corolla, veined carmine from the base. 2s. 6d.
- GLORY**, tube and sepals very brightly coloured and completely reflexed, the very large violet corolla being beautifully formed and widely expanded. 1s. 6d.
- ***GUSTAVE NADAUD**, red sepals completely reflexed, long double corolla, of a violet plum colour. 1s. 6d.
- ***GUSTAVE FLAUBERT**, sepals rose-carmine, double corolla of an unusual shade of lilac-mauve; of free habit and very floriferous. 1s. 6d.
- ***GUY DE MAUPASSANT**, sepals dark cherry colour, enormous double creamy-white corolla. 1s. 6d.
- HARMONIE**, reflexed whitish-rose sepals, corolla soft lilac; of good habit. 1s.
- ***HENRI DE LA POMMERAYE**, plant very floriferous and of pyramidal habit; sepals coral red, double rosy white corolla. 1s. 6d.
- HEROINE**, white tube and sepals, with lines of pink, bright carmine corolla; new in colour, and of excellent habit. 1s. 6d.
- HERON**, short tube, and broad rosy-carmine sepals; corolla rich bluish-purple. 1s.
- IRMA**, bright rosy-carmine tube and sepals, the latter being horizontally reflexed, and of extraordinary length, slightly and elegantly curled; long rosy-purple corolla. 1s. 6d.
- JAMES WELCH**, bright rosy-red tube and sepals, the latter beautifully reflexed; corolla pale maroon shaded with bright purple; very handsome. 1s.
- JASON**, fine corolla about 1½ inch long, and of an intense black-purple colour; sepals long and reflexed, of a deep crimson colour. 1s.
- ***JEANNE SAMARY**, sepals red, completely reflexed, exposing a double salmon-white corolla, centre petals tubular. 1s. 6d.
- ***JUMNA**, short tube and very broad bright crimson sepals; enormous rich purple double corolla, the base marked with rosy-crimson. 2s. 6d.
- ***KLÉBER**, sepals horizontally reflexed, rosy-white tipped with green; double violet-blue corolla. 2s. 6d.
- ***LA FRANCE**, large recurved bright red sepals; the large double corolla being of a beautiful cobalt-blue; very fine. 1s.
- ***LAMARTINE**, large double corolla, round and of perfect form, velvety bluish-violet. 7s. 6d.
- LAMUS**, tube and sepals rich deep scarlet; tube short, and sepals prettily recurved; corolla of a dark satiny-purple colour. 1s.
- LEO DELIBES**, short tube, with long and large recurved rose-coloured sepals, long reddish violet corolla. 1s. 6d.
- LE VERRIER**, large dark red reflexed sepals; plum coloured corolla with bright centre; a remarkable variety suitable for planting in the open. 1s.
- LITRE**, corolla of a dark violet colour, whitish at the base; short tube, and large recurved sepals of a soft rose colour. 1s.
- LORD LYONS**, coral-red reflexed sepals; enormous plum-coloured corolla. 1s.
- ***LOUIS FAUCON**, enormous double corolla, of a rich plum colour, shaded with violet. Of extra merit. 1s. 6d.
- ***MADAME BRUANT**, a magnificent new variety, with enormous double flowers; sepals bright red and well reflexed, corolla lilac-mauve, maculated and veined with rose. 7s. 6d.
- ***MADAME GALLI-MARIE**, a very large full double flower, long recurved brilliant rosy-red sepals, and alabaster white corolla. 1s.
- ***MADAME JULES CHRETIEN**, brilliant crimson tube and sepals; pure snowy white corolla, flaked with carmine. 1s.
- ***MADAME THIBAUT**, carmine tube and recurved sepals, fine large double corolla; carmine bordered with white. 1s. 6d.
- ***MARVELLOUS**, tube and sepal deep rose; full, double, bright blue corolla of pretty rosette-like form. 1s.
- ***MATHIAS DUVAL**, small tube and large scarlet sepals; long double corolla of dark violet serrated petals. 1s.
- MEMPHIS**, tube and sepals of a rich crimson colour, the sepals gracefully reflexed; large and well-expanded rich purple corolla. 1s.
- ***MOLES WORTH**, tube and sepals bright carmine, the latter well reflexed, displaying an unusually large and full pure white double corolla. 1s.
- ***M. ALPHAND**, horizontal scarlet sepals, large double violet-amaranth corolla. 1s. 6d.
- ***M. BROWN SEQUARD**, large well recurved scarlet sepals; perfectly shaped creamy-white double corolla. 1s. 6d.
- M. DUFAYRE**, rosy-salmon corolla and elegantly recurved sepals of a yellowish-salmon colour, with green tips. 1s.

NEW AND CHOICE FUCHSIAS—continued.

- ***M. DYBOWSKI**, reflexed coral-red sepals, double corolla lilac-rose colour. 1s. 6d.
- ***M. E. VAUCHER**, sepals dark red, enormous double corolla, violet-purple, shaded with blue, base of petals carmine. 1s. 6d.
- ***M. HERMITTE**, short reddish-crimson sepals; large violet-blue irregular corolla, very double. 7s. 6d.
- M. JOULE**, well-formed flowers of medium size of a pretty sky-blue colour, marked with white at the base; clear red sepals. 1s.
- ***M. LOMBROSO**, sepals reddish crimson, large bluish-violet double corolla. 1s.
- ***MONUMENT**, full double corolla of a deep purple colour, striped with rosy-carmine; tube and sepals rosy-crimson. 1s.
- MRS. BRIGHT**, waxy white tube and sepals, clear orange-scarlet corolla; a wonderfully free-blooming variety of fine habit. 1s.
- ***NANCY**, enormous flowers, very broad coral-red sepals, corolla very large and double, violet-purple with blue reflections. 2s. 6d.
- ***NOVEAU MASTODONTE**, full double corolla dark violet veined with red; sepals reflexed, covering the brilliant red tube. 1s.
- ***OCTAVE FEUILLET**, irregular semi-double flowers, sepals bright red, corolla rose-mauve; very floriferous. 1s. 6d.
- ***PASTEUR**, large well recurved dark red sepals; long double pure white corolla. 7s. 6d.
- ***PATTERN**, short tube and broad rosy-crimson sepals; enormous bluish-purple double corolla, shaded and flaked with rose. 2s. 6d.
- ***PHENOMENAL**, short tube and reflexed sepals of a rich reddish-crimson colour; enormous corolla, very full and double, of a beautiful azure-violet colour flaked with red. 1s.
- ***PIERRE JOIGNEAUX**, short bright rose sepals, corolla double and of a brilliant dark mauve colour. 7s. 6d.
- ***PIERRE LOTI**, enormous bluish-violet double corolla; large bright red sepals. 1s.
- ***P. RADAELLI**, bright red recurved sepals; enormous double corolla, bluish violet, striated with carmine rose. 7s. 6d.
- ***PRESIDENT CARNOT**, rosy-crimson reflexed sepals, double violet-blue corolla. 1s.
- ***PRESIDENT GREVY**, sepals rosy-lake, of fine form and well reflexed; very large double corolla of a peculiar shade of rose; plant dwarf and free. 1s.
- ***RAOUL TOCHÉ**, long dark red sepals, enormous double pure white corolla. 1s. 6d.
- ***RANGER**, short tube and completely recurved rosy-crimson sepals; fine large double light bluish-purple corolla, shaded with rose at the base. 1s.
- ***REAPER**, short tube and wide sepals, of a bright rosy-carmine colour; short double corolla of a purplish-crimson colour. 1s.
- RHODERICK DHU**, large spreading blue corolla; sepals and tube scarlet. 1s.
- ***SÉNATEUR BERLET**, long brilliant carmine broad sepals well reflexed, enormous double violet corolla of perfect globular shape. 1s.
- ***SYLVANUS**, short tube and long rosy-crimson sepals; bluish-purple corolla. 2s. 6d.
- THOMAS KING**, tube and sepals soft coral-red; corolla rich deep purple, sometimes striped with pale red. 1s. 6d.
- TULIP**, crimson sepals completely reflexed; large and much expanded tulip-shaped rich purple corolla, flaked with rose. 1s.
- ***ULYSSE TRELAT**, large bright red sepals, large double corolla, white suffused with rose. 1s.
- VENUS VICTRIX IMPROVED**, white tube and sepals; dark purple corolla. 1s.
- ***VIOLET DE DUC**, a full double flower, with expanded corolla of a metallic violet colour, and short reddish reflexed sepals. 1s.
- WALTER LONG**, bright coral-red tube and sepals; clear violet corolla. 1s.
- ***WASHINGTON**, large red sepals; large double rose corolla; a new colour. 7s. 6d.
- ***WHITE GIANT**, a splendid variety, producing long racemes of flowers, of immense size; one of the largest double white corollas. 1s.
- ***WYVERN**, short tube and large rosy-crimson sepals well-reflexed, long semi-double purple corolla. 1s. 6d.

Selections made from Mr. W. B.'s General Collection at 9s. and 12s. per dozen.

HYBRID FUCHSIAS AND SPECIES.

- AMPLIATA**, a handsome large scarlet-flowered species, introduced from the Andes. 3s. 6d.
- DEPENDENS**, of free trailing habit and somewhat pendulous growth, dark crimson flowers. 1s. 6d.
- PROCUMBENS**, a distinct and interesting species; the flowers are about three-quarters of an inch long; orange-yellow tube and sepals of a deep violet colour edged with green. 1s.
- SPLENDENS**, rich crimson flowers with the ends of the sepals light green. 1s.
- THYMIFOLIA**, a very pretty neat-growing species; flowers rosy-crimson, the petals or corolla completely recurving on the sepals. 2s. 6d.
- TRIPHYLLA**, flowers at every growth in trusses of orange-scarlet or Indian-red colour; a very distinct and beautiful species. 2s. 6d.

NEW AND CHOICE COLEUS.

AUORE, leaves deep rosy purple, with a white zone, margined emerald green, 3/6.

AVENIR, a distinct variety, with long golden leaves, punctulated with brownish chocolate, 3s. 6d.

FLAMME, large denticulated leaves, bright carmine red, surrounded with dark, 3s. 6d.

LE RÉVE, a handsome variety, with bizarre leaves, variegated yellow and red, 3s. 6d.

LE RÉVEIL, leaves undulated and deeply toothed, parti-coloured, rose, pale yellow, purple, green (sometimes one-half the leaf is rose and purple, the other side pale yellow and green), 3s. 6d.

MADAME LECUYOT, leaves blackish purple, with bright red centro, 3s. 6d.

MADLE. AIMÉE MOTTIER, leaves maculated with carmine, green margins, 3s. 6d.

MADLE. B. DE MAIH, large creamy yellow leaves, striated with red, white and chocolate, 3s. 6d.


MARQUIS DE COURCY, leaves bullate and prettily crisped and toothed, colour rose, red, gold and dark green, 3/6.

M. ACHILLE NOEL, leaves splashed and marmorated with various colours on a light green ground (a beautiful variety), 3s. 6d.

M. MASSON, leaves deeply crenate, irregularly marked dark purple, rose veins, margins yellow and green, 3s. 6d.

M. MAYOR, blackish-green markings on a reddish-violet ground, bordered green and white, 3s. 6d.

M. TRAVANILLON, red and velvety-purple leaves, much toothed, with nerves and zone of dark violet, 3s. 6d.



PIERRE GUERRAUD, magnificent variety, with red leaves, centre white, 3s. 6d.

SOUVENIR DU GENERAL COMTE DE PAJOL, velvety-red, centre white, surrounded with green, 3s. 6d.

CHOICE COLEUS.

AILSA, 2s. 6d.

ALPHONSE BERNOUD, 1s. 6d.

ANACREON, 1s. 6d.

BEAUMARCHAIS, 1s. 6d.

CEDRUS, 1s. 6d.

COUNTRESS OF DUDLEY, 1s.

EDITH, 1s. 6d.

ESPERANCE, 2s. 6d.

JAMES BARNSHAW, 1s.

LA ROQUE, 2s. 6d.

LOUIS CHRETIEN, 1s.

LOUIS PAILLET, 2s. 6d.

MADMOISELLE DE LA

ROCHETTERIE, 1s.

MAGGIE, 1s.

MISS LOVELL, 2s. 6d.

MOSAIQUE, 2s. 6d.

M. THIBAUT, 1s.

MRS. H. M. STANLEY, 2s. 6d.

PLATON, 1s. 6d.

POMPADOUR, 1s.

RECAMIER, 1s. 6d.

TINTORET, 1s. 6d.

UTOPIA, 2s. 6d.

New and Choice Bedding and Soft-Wooded Plants.

ABUTILON, of sorts, *vide* page 49.
AGERATUM, of sorts, 6s. per dozen.

ALTERNANTHERA, of sorts, 6s. per dozen.
BOUVARDIAS, from 1s. 6d. to 3s. 6d.

CALADIUM ESCULENTUM.

An effective plant for sub-tropical gardening. 2s. 6d. and 3s. 6d.

CANNAS.

These striking foliage plants are most effective for sub-tropical gardening and border grouping. They are extremely useful for summer decorative purposes, 9s., 12s. and 18s. per dozen.

ADMIRAL COURBET, citron-yellow, splashed carmine, 1s. 6d.

COMMANDANT RIVIÈRE, 1s. 6d.

CONQUETTE, 1s. 6d.

E. B. ALEGATIERE, 1s.

GLADIOLÆFLORA, golden yellow, 1s.

IRIDIFLORA EHEMANNI, 1s. 6d.

JOSEPHINE HUBER, 1s.

LOUIS CHRETIEN, canary-yellow, margined carmine, 1s.

METALLICA, 1s.

NIGRICANS, 1s.

NIGRICANS MARGINATA, 1s. 6d.

PRESIDENT FAIVRE, foliage chocolate-purple, with red midribs, 1s.

ROSÆFLORA, rose flowers, 1s.

SOUVENIR DE THIERS, 1s. 6d.

SOUVENIR DE VAN HOUTTE, 1s. 6d.

VIOLACEA MACROPHYLLA, 1s.

VIRIDE VARIEGATA, 1s. 6d.



CANNAS.

CARNATIONS, Tree of sorts, 30s. and 42s. per doz.
CHRYSANTHEMUM FRUTESCENS, 1s.
FRUTESCENS ALICE CROUSSE, 1s. 6d.

CHRYSANTHEMUM FRUTESCENS COMTE DE CHAMBORD, 1s. 6d.
FRUTESCENS ÉTOILE D'OR, 1s. 6d.

DAHLIAS.

Bouquet or Pompon Varieties, 9s. & 12s. per doz.
Caotus-Flowered Varieties, 9s., 12s. & 18s. per doz.
Choice Exhibition Varieties, 9s., 12s., 18s. and 24s. per dozen.

Choice Exhibition Varieties, Fancy Flowers, 9s., 12s., 18s. and 24s. per dozen.
Dwarf Bedding Varieties, 9s. & 12s. per dozen.
Single-Flowered Dahlias, 9s., 12s. & 18s. per doz.

ECHEVERIAS.

ECHEVERIA GRANDISEPALA, 2s. 6d.
IMBRICATA, 2s. 6d.
PRUINOSA, 2s. 6d.
RETUSA GLAUOA, 1s. 6d. and 2s. 6d.

ECHEVERIA SCAPHYLLA, 2s. 6d.
SCHULDECKERI, 1s. 6d.
SECUNDA, 9d. each; 6s. per dozen.
GLAUOA, 9d. each; 6s. per dozen.

IBERIS SEMPERVIRENS FLORE-PLENO.

This pretty double variety of the well-known perennial Candytuft will be found a most desirable and welcome addition. Its beautiful white flowers are borne in the greatest profusion, and being most persistent, will be found of the greatest value for cut purposes. 9*d.* each.

LANTANAS, of sorts, 18*s.* per dozen.

LOBELIA, BARNARD'S PERPETUAL, *vide* page 11.

MIMULUS.

The new and improved varieties of this showy flower are very handsome, many of them blotched or freckled and spotted, on white, sulphur and yellow grounds; the lobes margined with crimson and maroon. Selections at 9*s.*, 12*s.* and 18*s.* per dozen.

MIMULUS MOSCHATUS FLORE-PLENO, 1*s.*

PENTSTEMONS.

The modern varieties of Pentstemons are exceedingly attractive as decorative plants, either for flower-beds or borders, their cultivation being of the easiest description, while they are suitable to almost any soil, and their large and showy flowers are given with a remarkable redundancy from June to September. Choice sorts, 12*s.* and 18*s.* per dozen.

PETUNIA SNOWDRIFT.

A very beautiful double variety, producing in the freest possible manner an abundance of pure snow-white flowers of medium size, most elegantly fringed and fimbriated. The blossoms are borne on unusually long stalks, thus making this variety of special value where cut flowers are in request. 3*s.* 6*d.*

PETUNIAS.

For Greenhouse and Conservatory decoration these lovely plants can hardly be surpassed, affording as they do, all through the summer and autumn, a wealth of bloom of the most diversified character, combined with a delicious fragrance. Both double and single varieties can be supplied as under.

NEW DOUBLE PETUNIAS.

CANDEUR, large fimbriated white flowers, centre yellow. 3*s.* 6*d.*

CHÂTIMENT, very large ruby-red flowers, splashed with white. 3*s.* 6*d.*

DAPHNIS, flowers fimbriated, white with green tips, maculated purple. 3*s.* 6*d.*

ECLIPSE, very large fringed flowers, vinous red, bordered white. 3*s.* 6*d.*

EURYDICE, fimbriated white flowers with black veins. 3*s.* 6*d.*

PANTHÉON, enormous flowers, greenish white, lightly nerved with black. 3*s.* 6*d.*

ROXELANE, greyish blue flowers, veined black, and prettily fimbriated. 3*s.* 6*d.*

SALAMANDRE, enormous violet-crimson flowers, splashed with white. 3*s.* 6*d.*

VESTALE, very large pure white flowers, beautifully fimbriated, 3*s.* 6*d.*

Choice Selections of Double-flowered kinds, including blotched, fringed and variegated varieties, 18*s.* and 30*s.* per dozen; choice new kinds, 42*s.* per dozen.

Choice Selections of Single-flowered kinds, including striped and blotched varieties, 12*s.* & 18*s.* per doz.

PHLOXES (HERBACEOUS).

Selections of good and choice kinds at 12*s.* and 18*s.* per dozen.

PYRETHRUMS.—SINGLE AND DOUBLE-FLOWERING.

Selections of good kinds, 6*s.*, 9*s.* and 12*s.* per dozen.

SALVIA BETHELII, 1*s.*

GESNEREFLORA, 1*s.*

INGÉNIEUR CLAVENAD, 2*s.* 6*d.*

SALVIA M. ISSANCHOU, 1*s.*

SALVIA PATENS, 9*d.*

— **ALBA**, 1*s.*

PITCHERI, 1*s.*

RUTILANS, 1*s.*

SALVIA SPLENDENS, 1*s.*

— **BRUANTII**, 1*s.*

SEMPERVIVUM HAWORTHII, 1*s.*

PLANTS FOR SUB-TROPICAL GARDENS.

These have either ornamental and attractive foliage, or are of graceful habit and growth, such as Bamboos, Cannas, Musas, &c., and are very effective when planted in groups; many of them forming striking objects as single specimens. Good Selections made at 30*s.* and 42*s.* per dozen.



BULL'S FOOD FOR PLANTS.

Contains in a concentrated form all the essential elements of plant life. It is of immense benefit applied as a top-dressing to plants and bulbs of all sorts grown in pots, especially when pot-bound, completely restoring exhausted energy, a few applications ensuring vigorous healthy growth, the flowers being produced in a most luxurious manner, combined with great richness of colouring. It can also be mixed with ordinary soil in potting, or may be used with most beneficial effect for Chrysanthemums, Shrubs, Vines, and all kinds of Fruits, whether in pots, or planted in the open air.

FOR TESTIMONIALS see next page.

DIRECTIONS FOR USE.

For POT PLANTS AND BULBS.—Sprinkle on the surface of the soil, about every three weeks, at the rate of a large teaspoonful to a 5-inch pot, so that when the plants are watered, the Plant Food will be gradually absorbed into the soil.

For CHRYSANTHEMUMS.—At the time of potting, some of the Plant Food should be thoroughly mixed with the compost, and afterwards, when the buds begin to swell, frequent top-dressings should be given, the quantity used being estimated according to the size of the pots and vigour of the plants.

For ROSES, SHRUBS, VINES, &c., in Pots.—Use about a tablespoonful to a 12-inch pot several times during the season.

For PLANTS, FRUITS, ROSES, and all Plants in Borders and the Open Ground.—Apply about 2 ozs. to the square yard as often as occasion may require, raking and watering it in.

For LAWNS.—Scatter broadcast at the rate of 2 ozs. to the square yard, and well water.

Sold in Tins, containing about 1½ lbs., price, 1s. each. Larger Size, containing about 5 lbs., 2s. 6d. each.

Also in Bags, 14 lbs., 4s. 6d.; 28 lbs., 7s. 6d.; 56 lbs., 12s. 6d.; 112 lbs., 20s.

MANUFACTURED SOLELY BY

WILLIAM BULL, F.L.S.,
ESTABLISHMENT FOR NEW & RARE PLANTS,
536, KING'S ROAD, CHELSEA, LONDON, S.W.



BULL'S FOOD FOR PLANTS.

TESTIMONIALS.

IMPNEY HALL, DROITWICH, 13th February, 1893.

Dear Sir,—I am very pleased with the results from using your Plant Food. I grew my Chrysanthemums with it last season, which won the City of Edinburgh Silver Cup, also the three First Prizes for cut-blooms in the large Open Classes at Birmingham, and the First Prizes at Sheffield. I have also used it with excellent results for Strawberries, Melons, Fines, &c. I am now using it on Vine and Peach Borders with every confidence of its producing good results. I shall be glad if you will kindly forward another 5wt. and oblige,

Yours truly, RICHARD PARKER, Gardener to J. CORBETT, Esq.

ST. ANNE'S, CLONTARF, DUBLIN, 2nd March, 1893.

Dear Sir,—I have used many Artificial Manures for plants in the past 36 years, but none that I like so well as your "Plant Food." Not only is it a quick Fertilizer, but it has no unpleasant odour—a great desideratum.

Yours faithfully, CHARLES SMITH, Gardener to the Right Hon. Lord ARDILAWN.

THE DEN, BELFAST, 27th January, 1893.

Dear Sir,—You will doubtless be interested to know that last season I won twenty-three First and ten Second Prizes for plants and fruit grown with your Food for Plants, which has proved a most excellent stimulant and is certainly the best Manure I have ever used. It is cleanly to use, creates no fungus, and has no unpleasant odour, in fact, no gardener should be without it. Please send me another cwt. and oblige,

Yours truly, WM. McILROY, Gardener to G. W. WOLFE, Esq.

WALTON GRANGE GARDENS, STONE, STAFFS, December 1st, 1892.

Dear Sir,—Your Food for Plants is first-rate for anything that requires a stimulant. I find Enchalis do fine with a little sprinkled on the pot once a fortnight, summer and winter.

Yours respectfully, W. STEVENS.

THE GARDENS, NEWBATTLE ABBEY, DALKEITH, N.B., 11th February, 1892.

Dear Sir,—I wish to tell you that your Food for Plants is a capital Manure. I grew my Chrysanthemums with it last season, and won the Edinburgh Cup with them. Kindly send me on the same quantity as last, and oblige,

Yours truly, J. W. McHATTIE, Gardener to the Most Hon. THE MARQUESS OF LOTHIAN.

LEIGHTON GARDENS, WELSHPOOL, 7th January, 1892.

Now that I have used Mr. William Bull's Food for Plants over twelve months, I have very great pleasure in stating that I believe it to be the best Plant Manure in the market. It produces fine foliage, large flowers, and gives a good healthy appearance to Stove and Greenhouse Plants in general. I have also used it on Melons, Cucumbers, Tomatoes and Vines with good results, and it is excellent for Chrysanthemums.

WILLIAM ROTHWELL, Gardener to Mrs. NAYLOR.

STALLINGTON HALL GARDENS, STOKE-ON-TRENT, February 19th, 1892.

DEAR SIR,—Your Plant Food is excellent. I cannot speak too highly of it.

Yours truly, THOMAS HAWKINS, Gardener to Sir SMITH CHILD, Bart.

HAREWOOD GLEN, SELKIRK, N.B., February 23rd, 1892.

DEAR SIR,—Please send me another cwt. of your Food for Plants. I find it an excellent Manure for Chrysanthemums, Ferns, Azaleas, Primulas, Gloxinias, in fact, for everything I applied it to. I shall never be without it. It has great advantages over any other manure I have used, having no unpleasant odour, and causing no fungus.

ROBERT FAICHNEY, Gardener to J. W. DENISTOUN, Esq.

GOLDEN GROVE, CARMARTHEN, July 14th, 1891.

SIR,—Please send, on account of Viscount Emlyn, a supply of Plant Manure, same as last sent me. I am glad to say it is the best artificial manure I have ever used.

Yours respectfully, JOHN HILL,

Gardener to the Rt. Hon. Viscount EMLYN.

STRATTON PARK, MICHELDEVER, 19th December, 1891.

Dear Sir,—I am much pleased with your Plant Food; I have tried it on a great variety of plants with the most gratifying results.

E. GANDY, Gardener to the Rt. Hon. Earl of NORTHBROOK.

MALSHANGER, BASINGSTOKE.

Dear Sir,—I have tried your Plant Food on Vines, Cucumbers, Melons, Tomatoes, &c., and the effect was quite phenomenal; it pleases me much.

I am yours truly, N. KNELLER, Gardener to W. S. PORTAL, Esq.

KENILWORTH, 4th November, 1892.

Dear Sir,—I find your Food for Plants a most excellent manure for Tomatoes and Cucumbers.

Yours truly, R. WHITELEY, Market Grower.

Sold in Tins, containing about 1½ lbs., price 1s. each. Larger Size, containing about 5 lbs., 2s. 6d. each.

Also in Bags, 14 lbs., 4s. 6d.; 28 lbs., 7s. 6d.; 56 lbs., 12s. 6d.; 112 lbs., 20s.

For Full Particulars see preceding page.

"The Calceolaria seed we received from you has given our customers the greatest satisfaction, and we have much pleasure in recommending it."

"The Calceolaria I had from you proved a first-rate strain."

"The seeds I had from you I am happy to say turned out well, especially the Primula, Calceolaria, and Cineraria."



"The Calceolaria you sent me last year turned out very good, the blooms were large and beautiful."

"The Calceolaria from the seed we had from you are the finest we have ever seen in this locality; they have been much admired; hope you can send the same strain again."

"The Calceolaria has been all that could be desired."

CALCEOLARIA, HERBACEOUS (Prize Strain.) *Vide page 135.*

"I have had some flowers $2\frac{1}{2}$ in. in diameter on your Primulas, and of good substance, and the plants 18 in. across."

"We have much pleasure in informing you that the Primula seed which we had of you has given great satisfaction to our customers."

"My Primulas from your seed were the admiration of everyone who saw them."



"The Premier mixture of Primula that we had from you last season has turned out to be extremely fine, especially the doubles. Please send us another packet."

"Your Primulas have been a splendid lot, strong in growth, throwing their flowers well above the foliage, a capital strain."

"The Primulas from seed we had from you turned out to be extremely fine."

PRIMULA SINENSIS FIMBRIATA. For choice varieties, *vide page 135.*

"Your strain of Cineraria has been exceedingly fine with me this season; the flowers have been rich in colour, varied, and remarkably large."

"The Cineraria seed I had from you was a really good strain."

"The plants from the Cineraria seed you sent us were admired by every one who saw them."



"The Cineraria seed sent me last year has given great satisfaction, the flowers have been rich in colour, remarkably large, and from 2 to $2\frac{1}{2}$ in. in width; they have been greatly admired, and said to be the finest strain seen in this locality."

"The Cineraria seed which you sent me has given great satisfaction; the plants have been admired by all who have seen them."

CINERARIA, extra choice mixed. *Vide page 135.*

Mr. WILLIAM BULL'S SEED CATALOGUE,

Published in January, contains descriptions and prices of all the most desirable novelties in Flower and Vegetable Seeds, and included descriptions and prices of the best and most popular seeds that can be offered for the Kitchen Garden, Flower Garden, Conservatory, &c., &c.

SEEDS FROM PRIZE STRAINS.

	Per pkt.—s. d.		Per pkt.—s. d.
ASTER, Comet, pure white	1 6	PANSY, ASHBURNHAM STRAIN ..	2 6
ABUTILON, new varieties, extra choice ..	1 0	— Peacock, (Peacock Blue) ..	1s. & 1 6
Ageratum, Tom Thumb, WHITE GEM ..	1 0	Papaver glaucum (The Tulip Poppy) ..	1 6
Anricula, Alpine, very fine strain..	1s. & 1 6	— nudicaule coccineum fl. pl. ..	1 0
BEGONIA HYBRIDA GIGANTEA, flowers of gigantic size, measuring 4 to 5 inches, and of various and attractive colours ..	1s. 6d., 2s. 6d. & 5 0	PEAS, SWEET (New Varieties)—	
Begonia, Double, finest mixed ..	2 6	— Countess of Radnor ..	1 6
CALCEOLARIA, HERBACEOUS, Prize Strain ..	1s. 6d., 2s. 6d. & 5 0	— Captain of the Blues ..	0 6
Candytnft, Tom Thumb, white ..	0 6	— Delight ..	1 0
CARNATION (Dodwell's), Bizarre ..	2s. 6d. & 3 6	— Empress of India ..	1 0
— (Dodwell's), Flaked ..	2s. 6d. & 3 6	— Ignea ..	1 0
— Self ..	2s. 6d. & 3 6	— Mrs. Eckford ..	1 6
— yellow ground flowers, 2s. 6d. & 3 6		— Mrs. Gladstone ..	1 0
— New Double Margaret ..	1 0	— Mrs. Sankcy ..	1 0
CHRYSANTHEMUM JAPONICUM ..	1 0	— Orange Prince ..	1 0
— large flowering, extra choice ..	1 0	— Princess Victoria ..	1 0
CINERARIA, extra choice mixed ..	1s. 6d. & 2 6	— Queen of England ..	1 0
— hybrida grandiflora nana ..	1s. 6d. & 2 6	— Senator ..	1 0
— Double ..	2 6	— Splendour ..	0 6
CLARKIA, Morning Glory ..	1 0	— Waverley ..	1 0
Cockscomb, Glasgow Prize ..	1 0	— Eckford's mixed ..	0 6
COLEUS, choice hybridised ..	1s. 0d. & 1 6	PELARGONIUM, Gold and Bronze ..	1s. 6d. & 2 6
CYCLAMEN PERSICUM, finest, mixed colours ..	1s. 6d. & 2 6	— Ivy-leaved, varieties ..	2 6
— giganteum, mixed ..	1s. 6d. & 2 6	PETUNIA, choice hybridised ..	1 0
— Baroness Burdett-Contts, superb pure white. F.C.C. R.H.S. ..	2 6	Phlox Drummondii cuspidata ..	0 6
— Duke of Fife, rich dark rose, Certificated. R.B.S. ..	2 6	— flmbriata ..	0 6
— Mont Blanc, a grand flower ..	2 6	— purpure marmorata plena (New)	1 0
— Duke of Connaught, rich pur- plish-crimson ..	1s. 6d. & 2 6	Picotee, Prize Strain ..	2s. 6d. & 3 6
— Prince of Wales, large bright red ..	2 6	Polyanthus, choice mixed ..	0 6
— Princess May, a charming shade of pink ..	2 6	— gold laced ..	1 0
— Mauve Queen, mauve coloured flowers ..	2 6	POPPY, Cardinal ..	1 0
DAHLIA, Cactus, scarlet ..	1 0	— "White Swau" ..	0 6
Eschscholtzia Mandarin, orange ..	0 6	Primrose, Hardy Hybrids, choice mixed	1 0
GLOXINIA, extra choice hybridised, 1s. 6d. & 2 6		Primula obconica ..	1 0
— Finest Spotted ..	2 6	— SINENSIS FIMBRIATA, Brilliant (New)	2 6
— grandiflora erecta ..	1s. 6d. & 2 6	— "Comet" (New) ..	2 6
Godetia, Lady Albemarle ..	0 6	— FULGENS ..	2 6
Heuchera sanguinea ..	1 0	— ALBA MAONIFICA ..	2 6
Hollyhook, extra choice mixed ..	1 0	— IMPERIAL BLUE ..	2 6
Humulus Japonicus variegatus (The Variegated Hop) ..	1 6	— MONT BLANC ..	2 6
Inula ensifolia (New) ..	1 0	— PINK BEAUTY ..	2 6
Lobelia, Barnard's Perpetual ..	3s. 6d. & 5 0	— SPLENDIDA ..	2 6
— Cardinalis (The Cardinal Flower) ..	1 0	— AVALANCHE ..	2 6
— erinus speciosa ..	0 6	— BULL'S PREMIER MIXTURE, 1s. 6d. & 2 6	
Mignonette, Golden Queen ..	1 0	— ALBA FLORE PLENO ..	2s. 6d. & 3 6
— Mammoth ..	1 0	— RUBRA FLORE PLENO ..	2s. 6d. & 3 6
Myosotis Alpestris, Victoria, very distinct	1 0	— KERMESINA SPLENDENS FL. PL., 2 6 & 3 6	
— dissitiflora ..	1 0	— SIN. FIN. ROSEA FL. PL., charming blush rose ..	2s. 6d. & 3 6
Nasturtium, Empress of India ..	0 6	— SIN. FIN. STRIATIFLORA FL. PL., blush rose, striped with crimson	2s. 6d. & 3 6
		PYRETHRUM AUREUM ..	0 6
		Scabiosa hybrida Victorise (New) ..	0 6
		Stock, East-Lothian, in 4 colours ..	2 6
		Streptocarpus, New Hybrids ..	2 6
		Tagetes patula nana grandiflora fl. pl. ..	1 0
		Torenia, "White Wings" pure white ..	1 0
		Verbena compacta coccinea oculata ..	1 0
		Wallflower Harbinger, fine dark red ..	0 6
		— Double German, finest mixed ..	1 0

GLADIOLUS.

(HYBRIDS OF GANDAVENSIS.)

There are few flowers more showy and beautiful than the Gladiols, and the varieties of the *Gandavensis* section are perfectly hardy and easily grown, whilst their erect and stately growth, and long spikes of flowers, developing themselves successively, never fail to win admirers.

To facilitate the cultivation of this highly decorative plant, a few remarks may be necessary to some:—

The best and safest time for planting is from the beginning of March to the end of April, when a continuous bloom may be assured from July to September.

Soil is not much a point for consideration, so long as it is not stiff and consolidated; but it is important that it should be deeply dug previous to planting.

Large bulbs should be planted from 3 to 4 inches, and smaller bulbs 2 inches deep.

During excessively dry weather, copious waterings are recommended.

When any bulbs show signs of growth before the time mentioned above, they should be potted and kept in a cool frame until the proper season for planting out.

CHOICE GLADIOLUS.

This beautiful tribe of plants should be largely planted everywhere.

Orders are booked throughout the year at the following prices, and the bulbs supplied in January, February, or March.

12 choice named varieties, 3s., 6s. & 12s.

According to Selection.

25 " " " 6s., 12s. & 24s.

According to Selection.

50 " " " 12s., 24s. & 46s.

According to Selection.

100 " " " 24s., 45s. & 90s.

According to Selection.

GLADIOLUS, Finest Mixed Hybrids.

The flowers of these magnificent hybrids are of great beauty, possessing much diversity of colour, many being striped and splashed in the most handsome manner. Invaluable for cutting.

Various colours, 12s. 6d. per 100; 1s. 9d. per dozen.

GLADIOLUS BRENCHLEYENSIS.

This beautiful and showy bright scarlet species is most effective when planted in quantity in beds or borders.

Selected bulbs 6s. 6d. per 100, or 60s. per 1,000.

GLADIOLUS, SNOW-WHITE.

A magnificent White Gladiolus, with large and elegantly formed flowers of great substance slightly shaded with cream, a faint line of purple extending half-way through the lower petal. 15s. per doz.

GLADIOLUS, HARDY HYBRIDS.

LEMOINEI.—A handsome hybrid early-flowering variety. 3s. 6d. per dozen.

MARY LEMOINE.—Very beautiful. 3s. 6d. per dozen.

LEMOINE'S HYBRIDS.—Named varieties. 5s. and 7s. 6d. per dozen.

LEMOINE'S HYBRIDS.—Large blotched, choice mixed. 2s. per dozen; 15s. per 100.



NEW PLANTS

Introduced and sent out for the first time in 1887.

ADIANTUM ASSIMILE CRISTATUM	CROTON NESTOR	NEPHTHYTIS PICTURATA
ALOCASIA GRANDIS	— SUNBEAM	PANCRATIUM GUIANENSIS
APHELANDRA CHRYSOPS	CYPRIPEDIUM AMANDUM	POTHOS ARGENTEUS
ARISTOLOCHIA RIDICULA	— CONCINNUM	— NITENS
BEGONIA EGREGIA	— REGALE	PTERIS TREMULA ORANDICEPS
BOUGAINVILLEA REFULGENS	HÆMANTHUS ABYSSINICUS	RHODODENDRON ALBESCENS
CLERODENDRON RUMPHIANUM	HELICONIA BREVISPATHA	— GRAVEOLENS
COSTUS MOSAICUS	LASTREA JENMANI	SELAGINELLA TASSELLATA
CROTON BEAUTY	MARANTA ICONIFERA	THUNIA MARSHALLIAN TRICOLOR

NEW PLANTS

Introduced and sent out for the first time in 1888.

AGLAONEMA PICTA COMPACTA	CROTON MONARCH	PANAX CHISPATUM
ALOCASIA MARGINATA	— VICTORY	— LEPIDUM
— PRINCEPS	CYPRIPEDIUM SAUNDERSIANUM	— NITIDUM
APHELANDRA AMENA	DRACENA ARGENTEO-STRIATA	— ORNATUM
ARDISIA POLYCEPHALA	EOMICON CHIONANTHA	PAVETTA NATALENSIS
CROTON DELICHT	ESMERALDA BELLA	PINAOA LEPIDA
— JUNIUS	MUSSENDIA ERYTHROPHYLLA	RHODODENDRON DIANA
— MAONIFICENT	NIDULARIUM INNOCENTII	— FAIR ROSAMOND
	STRIATUM	

NEW PLANTS

Introduced and sent out for the first time in 1889.

CAVENDISHIA SPECTABILIS	CROTON REIDII	HIBISCUUS ROSA SINENSIS
CROTON FLAMINGO	CYPRIPEDIUM TAUTZIANUM	INTERMEDIUS
— MEMPHIS	LEPIDUM	IMANTOPHYLLUM BLANDFORDIAE
— MIRABILE	DIPLARRHENA MOREÆ	FORUM STRIATUM
— PRINCE OF ORANGE	ENCEPHALARTOS REGALIS	TECOMA SMITHII
	GYMNOGRAMMA ELEOANTISSIMA	

NEW PLANTS

Introduced and sent out for the first time in 1890.

EUCHARIS BAKERIANA	RHOPALOBASTE HEXANDRA	GREENHOUSE RHODODENDRON
GLORIOSA SUPERBA GRANDIFLORA	NEW SONERILAS	MYRA
LASTREA CORUSOA	STREPTOCARPUS REXII PURPUREUS	

NEW PLANTS

Introduced and sent out for the first time in 1891.

ALBERTA MAGNA	DIPLADENIA ILLUSTRIS GLABRA	GREENHOUSE RHODODENDRON
ANSELLIA HUMILIS	PTERIS VICTORIÆ	DIADEM
— — PALLIDA	GREENHOUSE RHODODENDRON	— — JUNO
BULBOPHYLLUM PECHERI	CLARINDA	— — PLATO
CIRRHOPE TALUM MUNDULUM		

NEW PLANTS

Introduced and sent out for the first time in 1892.

BEGONIA FLORIBUNDA ROSEA	IXORA SALMONEA	PRIMULA IMPERIALIS
BOWKERIA TRIPHYLLA	LOBLIA PRÆSTANS ALBA	TRADESCANTIA DECORA

NEW PLANTS

Introduced and sent out for the first time in 1893.

AGLAONEMA VERSICOLOR	DAVALLIA LUCIDA	LAMPROCOCCUS SPECIOSUS
ANTHURIUM SCHERZIANUM	— EPIPHYLLA	ONCOSPERMA FASCICULATUM
— — ROSEUM	GEONOMA ACAULIS	PTERIS TREMULA VARIEGATA
— — SANGUINEUM	HELICONIA ILLUSTRIS	SELAGINELLA USTA
CYRTANTHUS INTERMEDIUM	HOPLOPHYTUM LINEATUM	VIRESIA PURPURASCENS
DAVALLIA CONCINNA	HYPOLYTRUM SCHRADERIANUM	

INDEX.

	PAGE
ABBOMA	12
ABYSSINIAN BANANA .. 42 &	58
ABUTILON	49
ACACIA	35
ACALYPHA	12
ACHIMENES	91
ACINETA	60
ACMENA OVATA	35
ACROPERA	60
ADA	60
ADANSONIA	12
ADIANTUM 101 &	106
— ASSIMILE CRISTATUM ..	106
ÆCHMEA	12
ÆRIDES 60 &	61
AGAPANTHUS	35
AGAVE	35
AGLAONEMA 9 &	12
— VESICOLOR	9
ALBERTA MAGNA	35
ALLAMANDA	12
ALOCASIA	12
— MARGINATA	12
— PRINOEPS	12
ALPINA	12
ALSOPHILA 101 &	106
ALTHÆA, <i>vide</i> HIBISCUS ..	51
AMARYLLIS 12, 14 &	50
AMASONIA	14
AMOMUM	14
AMORPHOPHALLUS 14 &	35
ANANASSA	14
ANCHOMANES	14
ANEMIDICTYON	101
ANGREÆCUM	61
ANGULO	61
ANGECTOCHILUS	61
ANSELLIA HUMILIS	61
ANTHURIUM 13, 14 &	15
— INSIGNE	14
— SCHIÆTZERIANUM .. 13 &	16
— ROSEUM	9
— SANGUINEUM	9
ANTIGONON	16
APIELANDRA	16
ARALIA 16 &	35
ARAUCARIA	35
ARDISIA	16
ARECA	109
ARENGA	109
ARISTOLOCHIA	16
— ELEGANS	16
— SACCATA	16
ARPOPHYLLUM	62
ARTANTIE	16
ARTOCARPUS	16
ASPARAGUS	35
— PLUMOSUS NANUS	35
ASPLENIUM 103 &	106
ASTHOCARYUM	109
ATACCA	16
AUCUBA	50
AZALEA 36 &	50
— BALSAMINÆFLORA	36
— HYBRID	36
BAMBUSA 36 &	50
BARKERIA	62
BARLERIA	16
BATATAS	16
BAUHINIA	16
BEDDING PLANTS 130 &	131

	PAGE
BEGONIA 117 to	120
BEGONIA FLORIBUNDA ROSEA	120
— HANDSOME-FLOWERED ..	117 to 119
— VARIEGATED FOLIAGED ..	119
— WINTER-BLOOMING ..	120
BELOPERONE	16
BERBEBIS	50
BERTOLONIA	16
BIGNONIA 18, 36 &	50
BILLBERGIA	18
BLANDFORDIA 36 &	37
BLETIA	62
BOMAREA	36
BORONIA	36
BOUGAINVILLEA	18
— REFULGENS	18
BOUVARDIA	130
BOWENIA	109
BOWERIA TRIPHYLLA	36
BRASAVOLA	62
BRASSIA	62
BREDIA	38
BROUGHTONIA	62
BROWNEA	18
BRUGMANSIA	38
BRUNSVIGIA	38
BULBOPHYLLUM	62
BURCHELLIA	18
BURLINGTONIA	62
CALADIUM 114 to	117
CALAMUS	109
CALANTHE 62 &	63
CALLIPHURIA	18
CALODENDRON	38
CALPOARPUM	18
CAMELLIA	38
CAMOËNSIA MAXIMA	17
CANNA 130	
CAPPARIS	18
CARLUDOVIA	109
CATASETUM	63
CATTLEY 63 to	66
CAVENDISHIA	38
CERATOZAMIA	110
CESTRUM	38
CHAMÆCLADON	18
CHAMÆDorea	110
CHAMÆROPS	110
CHEVALLIERA	18
CHIRITA	18
CHRYSANthemum, CHINESE OR	
— LARGE-FLOWERED, 121 &	124
— NEW 120 &	121
— FRUTESCENS	130
— JAPANESE 120 to	123
— POMPON	125
CHYSIS	67
CIBOTIUM 103 &	106
CIENKOWSKIA	18
CINNAMOMUM 18, 50 &	58
CIRRIOPETALUM	67
CISSUS 18 &	38
CLEMATIS 38 &	50
CLERODENDRON	18
— MACROSIPHON	18
— NUTANS	18
CLEYERA	38
CLIMBING PLANTS for Stove	45
— — for Greenhouse ..	45
COCOS WEDDELIANA	110

	PAGE
CŒLOGYNE	67
— ORISTATA HOLOLEUCA	
(ALBA)	67
COFFEA 18 &	58
COLAX	67
COLEUS	129
COMPARETTIA	67
CORYANTHES	67
CORYPHA, <i>vide</i> LIVISTONA ..	111
COSTUS	18
CRINUM 18, 38 &	51
CROSSANDRA	18
CROTON 18 to	20
— ELEGANTISSIMUS	19
— FLAMINGO	19
— INSIGNIS	19
— JUNIUS	19
— MAGNIFICENT	19
— MEMPHIS	19
— NESTOR	19
— ORNATUS	19
— PRINCE OF ORANGE	20
— REIDII	20
— SUNBEAM	20
— VICTORY	20
CRYPTANTHUS	20
CRYPTOCHILUS	67
CUPANIA	20
CURCULIGO	20
CURCUMA	20
CURMERIA	20
CYANOPHYLLUM	20
CYATHEA 101 &	106
— DEALBATA 101 &	106
— DREGEI 101 &	106
CYCAS 38 &	110
CYCLAMEN 38 &	51
CYNOCHES	67
CYMBIDIUM 67 &	68
CYPERUS	20
CYPRIPEDIUM 68 to	70
— HARDY VARIETIES	51
CYRTANTHUS INTERMEDIUM ..	9
CYRTODEIRA	20
CYRTOPODIUM	70
CYRTOSPERMA	20
DÆMONOROPS, <i>vide</i> CALAMUS	
DAILIA 35 &	130
DAIS	40
DALECHAMPIA	20
DAVALLIA 103 &	107
— CONCIENNA	9
— LUCIDA	10
— EPIPHYLLA	10
DENDROBIUM 71 to	73
DENDROCHILUM, <i>vide</i> PLATY-	
CLINIS	
DEYEUXIA	40
DIACRIUM	73
DIGRA	73
DIOKSONIA 101 &	107
— ANTARTIOA 101 &	107
DIEFFENBACHIA	21
— TRIUMPHANS	21
DIONEÆ MUSCIPULA	40
DIOON EDULE	110
DIOSCOREA	21
DIPLADENIA	21
— BRERLEYANA	21
DIPLARRIENA MOREÆ	40
DIPTERIX	21

INDEX—continued.

	PAGE		PAGE		PAGE
DISA	73	GREVILLEA	40	LIVISTONA	111
DOODIA ASPERA MULTIFIDA	107	GRIFFINIA	24	LOBELIA, BARNARD'S PER-	
DORSTENIA	21 & 58	GROBYA	73	PETUAL	11
DORYANTHES	40	GYMNOGRAMMA	102 & 103	LOMARIA	103 & 107
DOUBLE-FLOWERED EPACRIS	39	— ELEGANTISSIMA	102	LYOASTE	76
— IVY-LEAVED		HABENARIA	74	— SKINNERI	76
— PELARGONIUMS	96	HABROTHAMNUS	41	LYCOPodium, vide	
— ZONAL		HÆMANTHUS	24 & 41	SELAGINELLA	108
— PELARGONIUMS	97	HARDY PLANTS	50 to 57	MACRAYA BELLA	42
DRAOENA	21, 23 & 40	HEDYCHUM	24 & 41	MACROZAMIA	111
— ARGENTEO-STRATA	21	HELICONIA	10 & 24	MAGNOLIA	26, 42 & 54
— FRAGRANS VARIEGATA	21	— ILLUSTRIS	10	MALUS	54
— GOLDIEANA	21	HEMIGRAPHIS	24	MANETTIA	26
— LINDENI	21	HIBISCUS	24, 25, 41 & 51	MARANTA	26
DRACONTIUM	23	— ROSA SINENSIS	24 & 25	MARGRAVIA	26
DROSERA	40	— SYRIACUS	51	MASDEVALLIA	76 to 79
DRYMONIA	23	HIPPEASTRUM, vide		— HARRYANA	
ECHEVERIA	130	— AMARYLLIS	12 & 14	— AOANTHIFOLIA	77
ECHITES	23	HOFFMANNIA	25	— CONOHIFLORA	77
ELÆOCARPUS	24 & 40	HOPLOPHYTUM LINEATUM	10	— REGALIS	78
ENOCEPHALARTOS	110	HOULETTIA	74	MAXILLARIA	79
— REGALIS	110	HOWEA	111	MEDICINAL AND OFFICINAL	
ENCHOLIRION	24	HOYA	25	PLANTS	58 & 59
EPAORIS	39 & 40	HUNTLEYA	74	MEDINILLA	26
— DOUBLE	39	HYDRANGEA	41 & 51	MESOSPINIDIUM	79
EPIDENDRUM	73	HYMENOCALLIS	25	MICROSTYLIS	79
EPIPREMNUM MIRABILE	24	HYMENOSPORUM	25	MILTONIA	79 & 80
ERANTHEMUM	24	HYPOLYTRUM SCHRADERI-		MONSTERA	26
ERIA	73	ANUM	10	MONTBRETIA	54
ERYTHRINA	24 & 40	IMANTOPHYLLUM	41	MORMODES	80
ERYTHROXYLON COCA	24 & 58	IMPATIENS	25	MUSA	26, 42, 58 & 59
EUADENIA	24	— HAWKERII	25	MUSSENDIA	26
EUCALYPTUS	40	IPOMCEA	25	— ERYTHROPHYLLA	26
EUCARIS	22 & 24	IPSEA	74	MYRTUS	42
EUCODONIA	91	IRIS	41, 51 & 52	NÆGELIA, vide GESNERA	91
EUGENIA	24	— GERMAN	52	NAPOLEONA	26
EULALIA	51	— KEMPFERI	52	NANODES	80
EUPHORBIA	24	ISOLOMA	25	NELIA	54
EURYCLES	23 & 24	IVY-LEAVED PELARGONIUMS	96	NEPENTHES	26
EXOSTEMMA	24	IXORA	25 & 26	NEPHRODIUM	103 & 107
FERNS	101 to 108	— SALMONEA	25	NEPHROLEPIS	103 & 106
FICUS	24, 40, 58 & 59	— SPECIOSA	25	NEPHTHYTIS	27
FITTONIA	24	JACARANDA	26	NERINE	42 & 43
FLAX, NEW ZEALAND	43	JASMINUM	26 & 41	NERIUM	43
FOOD FOR PLANTS	132	JATROPHA	26	NEW PLANTS	137
FRANCOISEA	24	JUNCUS ZEBRINUS, vide SOIRPUS		— announced for the	
FRAXINUS	51	JUSTICIA	26	first time	9
FRESLIA	40	KENTIA	111	NEW GREENHOUSE PLANTS	
FUCHSIA	126 to 128	KEMPFERIA	26	— HARDY PLANTS	50 to 57
GALACTODENDRON	24 & 59	KNIPHOFIA	52	— STOVE PLANTS	12 to 34
GALEANDRA	73	LELIA	74 & 75	NIDULARIUM	28 & 29
GARONIA	24 & 58	LAMPROCOCUS	11 & 26	— INNOCENTII STRIATUM	28
GARDENIA	24	— SPECIOSUS	11	NOSEGAY PELARGONIUMS	97
GEODORUM	73	LANDOLPHIA	26	ODONTOGLOSSUM	80 to 84
GEONOMA	10 & 110	LAPAGERIA	41 & 42	— CRISPUM (ALEXANDRE)	81
GERANIUM, vide		— ALBA	41	— VEXILLARIUM	84
PELARGONIUMS	93	— ROSEA	41	— INSIGNE	84
GESNERA	24 & 91	LAPORTEA	26	OFFICINAL AND MEDICINAL	
GLADIOLUS	136	LASIANDBRA	42	PLANTS	58 & 59
GLEICHENIA	103 & 104	LASTREA	103 & 107	ONCIDIUM	84 to 86
GLONERA	24	LATANIA	111	— MACRANTHUM	85
GLORIOSA	24	LEPTOTES	75	ONCOSPERMA FASCIOLATUM	11
GLOXINIA	92	LIBERTIA	42 & 52	OPHIPOGON	43
GODWINIA GIGAS	24	LILACS, new double	56 & 57	OPLISMENUS	29
GONGORA	73	LILIUM	52 to 54	OPUNTIA	54
GONIOPILEBIUM	103	— AURATUM	52	ORCHIDS	60 to 90
GOODYERA	73	— LONGIFLORUM HAR-		OXALIS	29
GRAMMANGIS	74	RISII	53	PALISOTA	29
GRAMMATOPHYLLUM	74	LIMATODIS	75	PALMS, CYOADS, &c.	109 to 113
GREENHOUSE PLANTS	35 to 44	LIPARIS	76		

INDEX—continued.

	PAGE		PAGE		PAGE
PALUMBINA	86	POTHOS ARCENTEUS	32	SMILAX	34
PANAX	29	— FLEXUOSUS	32	SOBRALIA	88
PANCHRATIUM 29, 30, 31 &	54	— NITENS	32	SONERILA	34
PANDANUS	29	PRIMULA 43 &	55	SOPHRONITIS	88 & 89
PANICUM, <i>vide</i> OPLISMENUS	29	— IMPERIALIS	43	SPARMANNIA	44
PAPHNIA	87	PROMENEA	88	SPATHIPHYLLUM	34
PASSIFLORA 29, 43, &	54	PRUNUS	55	SPATHOCLOTTIS	89
PAULLINIA	29	PSIDIUM 32 &	59	SPIRÆA 55 &	56
PAVETTA	29	PTERIS 106 &	107	— ASTILBOIDES	55
PAVONIA	29	— TREMULA VARIEGATA	11	STADMANNIA	34
PÆONIA	54	— VICTORLE	105	STANCERIA	113
PELARONIUM BRONZE AND		PTYCHOSPERMA	113	STANHOPEA	89
GOLD	100	PUNICA	43	STEPHANOTIS	34
— CAPE HYBRIDS	96	PUYA	32	STEVENSONIA	113
— CHELSEA GEM	98	RAVENALA	32	STOVE PLANTS 12 to	34
— DOUBLE - FLOWERED		REAL PELARONIUMS	93	STRELITZIA	34
ZONAL 98 &	99	REIDIA	32	STREPTOCARPUS	34
— IVY-LEAVED	96	REINWARDTIA	43	STYRAX	56
— FANCY	96	RENANTHERA	88	SYNOONIUM	34
— HYBRID PERPETUAL, &c.	96	RESTREPIA	88	SYRINOA 56 &	57
— IVY-LEAVED	97	RIAPIS	113	TACSONIA 34 &	44
— with double flowers		RHEUM	55	TAINIA	89
— NOSEOGAY	97	RHODEA	43	TECOMA 34 &	44
— REAL	93	RHODODENDRON 46 to 48 &	55	— AMBOINENSIS	34
— SHOW	94	— ALBESCENS	46	— SMITHII	44
— SPOTTED	95	— CLARINDA	46	TERMINALIA	34
— TRICOLOR	100	— DIADEM	46	THE DOVE FLOWER	87
— VARIEGATED	100	— JUNO	48	— IRISH FERN	108
— ZONAL	97	— PINK BEAUTY	47	THRINAX	113
PELLIONIA	29	— PLATO	48	THRIXSPERMUM	89
PENTAS	29	RHOPALOBASTE HEXANDRA		THUNBERGIA 33 &	34
PENTSTEMON	131	112 & 113		THUNIA	89
PEPEROMIA	29	RHOPALOSTYLIS	113	TILLANDSIA	34
PERISTERIA ELATA	87	RHYNCOSTYLIS	88	— LINDENIANA VERA	34
PESCATORIA	87	RIBUS	55	TODEA 107 &	108
PETUNIA	131	RICHARDIA 43 &	44	TONOA 24 &	59
PHAIUS	87	RODRIGUEZIA	88	TRACHYCARPUS	113
PHALENOPSIS	87	ROSEIRA 32 &	44	TRADESCANTIA DECORA	34
PHELLODENDRON	54	RONDELETIA	32	TREE FERNS	101
PHILADELPHUS	54	ROSA	55	TRICHOPILIA	89
PHILODENDRON	29	RUBUS	55	TRICHOSMA	89
— NOBILE	29	RUELLIA	32	TRIOONIDIUM	89
PHLOX 55 & 131		SABAL	113	TRITOMA, <i>see</i> KNIPHOFIA	52
PHENIX 111 & 113		SACCHARUM	32	TRITONIA	57
— RUPICOLA	113	SACCOLABIUM	88	TROPEOLUM	57
PHOLIDOTA	87	SALVIA 131		TROPICAL FRUITS 58 &	59
PHORMIUM	43	SANCHEZIA	32	TUBEROSES	44
PHYLLAOTHIS	29	SANSEVEIRA	32	TYDÆA	92
PHYLLANTHUS	29	SARCOCHILUS	88	UROPEDIUM	89
PHYLLOCACTUS	43	SARCOPODIUM	88	UTRICULARIA	34
PHYLOTÆNIUM	29	SARRACENIA	44	VALLOTA	44
PIERIS	55	SAXIFRAGA	55	VANDA 89 &	90
PILUMNA	87	SCHISMATOCLOTTIS	32	VANILLA 34 &	90
PINANGA	113	SCHOMBURGKIA	88	VERONICA	45
PIPER 29, 55 &	59	SCHUBERTIA	32	VITIS 44 &	57
PITCAIRNIA	32	SCINDAPSUS	32	VRIESIA	34
PITTIOSPORUM	43	SCIRPUS	55	— PURPURASCENS	11
PLANT FOOD	132	SCUTICARIA	88	WALLICHIA	113
PLATYCLINIS	87	SEAFORTHIA	113	WARREA	90
PLEIONE	87	SEDUM	55	WARSCWETZELLA	90
PLEOPELTIS	106	SEEDS 134 & 135		WEIOELA	57
PLEUROTHALLIS 87 &	88	SELAONELLA	108	WISTARIA	57
PLUMBAGO 32 &	43	— FLAELLIFERA	108	XANTHOCERAS	57
POCOSTEMON	32	— TASSELLATA	108	XYLOBIUM	90
POINCIANA	32	— USTA	11	XYLOPHYLLA	34
POLYDONUM	55	SEMPERVIVUM	131	YUCCA 44 &	57
POLYSTICHUM 106 &	107	SENECIO 44 &	55	ZAMIA	113
PORTLANDIA	32	SHOW PELARONIUMS	94	ZINOIBER 34 &	59
POTHOS	32	SHRUBS, <i>vide</i> HARDY PLANTS	50	ZYCOOPETALUM	90
		SKIMMIA	55		


MR. WILLIAM BULL'S SEED CATALOGUE,

Published in January, contains descriptions and prices of all the most desirable novelties in Flower Seeds, saved from extra fine carefully selected stocks. Also Ornamental-foliaged Plants, so much used for sub-tropical gardening.

Descriptions and prices of the best and most popular seeds that can be offered for the Kitchen Garden, Flower Garden, Conservatory, &c., &c.

MR. WILLIAM BULL'S BULB CATALOGUE,

Published in September, contains Priced Lists of all the finest Dutch and other Flower Roots, selected from the Stocks of the best Continental Bulb Growers, including Hyacinths, Tulips, Crocus, Narcissi, Liliums, &c., with a choice selection of other Bulbous and Tuberous-rooted Plants.



FOREIGN ORDERS.

Plants, seeds, &c., for transmission abroad, selected and packed with the greatest possible care in Bull's Patent Plant Cases or closed boxes, according to the nature of the goods, and despatched by the best Routes, Mail Steamers, Clipper Ships and Railways to any part of the world.

Owing to the great difficulty of collecting accounts abroad, Mr. W. B. respectfully intimates that

A REMITTANCE MUST ACCOMPANY ALL FOREIGN ORDERS, sufficient in amount to cover cost of order and of packing, or an order must be sent for payment in London.

EXPORTING.

Mr. W. B. is continually receiving the most gratifying accounts of the excellent condition in which both the plant and seed orders entrusted to him reach their destinations, and the satisfaction given by the selections made.

Post-office Orders to be made payable at 510, KING'S ROAD, CHELSEA, S.W.

Cheques to be crossed "LONDON JOINT STOCK BANK."

Nearly 100,000 Superficial Feet of Glass at Mr. WILLIAM BULL'S
Establishment filled with New and Rare Plants.

PRICE 1/-

A Catalogue of
New Rare and Beautiful
PLANTS AND ORCHIDS



OFFERED BY

WILLIAM BULL, F.L.S.

F.R.G.S., F.Z.S., F.R.H.S.,

MAL. F.R.B.S. & M.S.A.

Socc. Hort. Berol.,

Bruxell., St. Petersburg
et Paris, et Soc.

Agric. et Bot.

Gandav. Socius.

1893

New
* Plant
Merchant,

536, KING'S ROAD,
(and Ashburnham Park)

CHELSEA,
LONDON.

S.W.

